

Material Safety Data Sheet

Super Reprosolv

Section 1. Chemical Product and Company Identification

Product Name	Super Reprosolv		
Product Number	BL0327		
Product Use	Heavy Duty Cleaner/Degreaser		
Manufacturer/Supplier	Amrep, Inc. 990 Industrial Park Drive Marietta, GA 30062		
Phone Number	(770) 422-2071 (Mon-Fri/ 8am- 5pm ET)		
D.O.T. Emergency Phone:	CHEM TEL (800) 255-3924 INTERNATIONAL: + 01-813-248-0584		
Date of Preparation	July 16 2009	Revision Number	1.0

Section 2. Hazards Identification

Emergency overview This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

DANGER!

Keep out of reach of children.

Keep container closed during storage. For institutional and commercial use.

Potential Acute Health Effects Corrosive to skin and eyes on contact. Liquid or spray mist may produce tissue damage particularly on mucous membranes of eyes, mouth and respiratory tract. Skin contact may produce burns. Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by coughing, choking, or shortness of breath. Severe over-exposure can result in death.

Routes of Entry Absorbed through skin. Eye contact. Inhalation. Ingestion.

Eyes Corrosive to the eyes.

Skin Severe skin irritant. May cause moderate reddening, swelling, and possible skin damage. Causes Severe Skin Burns (EU).

Inhalation Harmful if inhaled.

Ingestion Irritating to mouth, throat and stomach. May cause headache, dizziness, nausea, vomiting and diarrhea.

Medical conditions aggravated by exposure: Prolonged exposure may result in skin burns and ulcerations. Severe over-exposure can produce lung damage, choking, unconsciousness or death. The amount of tissue damage depends on length of contact.

Potential Chronic Health Effects Prolonged exposure may result in skin burns and ulcerations. Severe over-exposure can produce lung damage, choking, unconsciousness or death. The amount of tissue damage depends on length of contact.

Carcinogenic Effects Not classified or listed by IARC, NTP, OSHA, EU and ACGIH.

Target organs Not available.

Environmental effects Not available.

Section 3. Composition and Information on Ingredients

Name	CAS #	% by Weight	Exposure Limits	LC ₅₀ /LD ₅₀
2-Butoxyethanol	111-76-2	1 - 5	ACGIH (United States). TWA: 20 ppm OSHA (United States). TWA: 50 ppm	ORAL (LD50): Acute: 1746 mg/kg [Rat].
Sodium Metasilicate	6834-92-0	1 - 5	Not available.	Not available.
Sodium Hydroxide	1310-73-2	1 - 5	OSHA (United States). TWA: 2 mg/m ³	ORAL (LD50): Acute: 140 mg/kg [Rat].

Section 4. First Aid Measures

Eye Contact	IMMEDIATELY flush eyes with running water for at least 15 minutes, keeping eyelids open. Seek immediate medical attention.
Skin Contact	Corrosive to eyes and skin. Wash with plenty of soap and water. Remove contaminated clothing. Seek medical attention.
Inhalation	Evacuate the victim to a safe area as soon as possible. Seek medical attention.
Ingestion	Do not induce vomiting. Have conscious person drink several glasses of water or milk. NEVER give an unconscious person anything to ingest. Seek immediate medical attention.
General Advice	In case of Accident or if you feel unwell, seek medical advice immediately (show label or MSDS where possible).
Notes to Physician	Not available.

Section 5. Fire Fighting Measures

Flammability	No specific information is available in our database regarding the flammability of this product in presence of various materials.
Fire Fighting Media and Instructions	SMALL FIRE: Use DRY chemical powder. LARGE FIRE: Use water spray, fog or foam. Do not use water jet.
Products of Combustion	Not available.
Special Remarks on Fire Hazards	Not available.
Special Remarks on Explosion Hazards	
Sensitivity to Mechanical Impact	N/A
Sensitivity to Static Discharge	N/A
	Not available.
Protection of Fire Fighters	See special remarks on Fire Hazards

Section 6. Accidental Release Measures

Personal Precautions	Splash goggles. Full suit. Boots. Gloves. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.
Methods for Containment	Corrosive liquid. Stop leak if without risk. Use appropriate instruments to put the spilled material in a waste disposal. Prevent entry into sewers, basements or confined areas; dike if needed.
Environmental precautions	See Methods for Containment
Methods for Clean Up	See Methods for Containment

Section 7. Handling and Storage

Precautions	After handling, always wash hands thoroughly with soap and water. Avoid breathing vapors or spray mists. Avoid contact with skin and eyes. Keep out of reach of children.
Incompatibility	Strong acids. acids
Storage	Keep container dry. Keep in a cool place. Corrosive materials should be stored in a separate safety storage cabinet or room. Keep out of the reach of children. Not for use or storage in or around the home.

Keep out of reach of children.

Keep container closed during storage. For institutional and commercial use.

Section 8. Exposure Controls/Personal Protection

Engineering Controls

Personal Protection Good general ventilation should be sufficient to control airborne levels.

Eyes Splash goggles.

Body Long Pants and Long Sleeves to avoid skin contact. No additional special protective clothing is required.

Respiratory In case of insufficient ventilation, wear suitable respiratory equipment.

Hands Gloves (impervious).

Protective Clothing (Pictograms)



Exposure Limits

2-Butoxyethanol

TWA: 25 (ppm)

TWA: 50 (ppm) from OSHA (PEL) [United States]

Consult local authorities for acceptable exposure limits.

Section 9. Physical and Chemical Properties

Physical State and Appearance	Liquid.	Odor	Pleasant.
		Color	Yellow.
Molecular Weight	Not applicable.		
pH	13 to 14 [Basic.]		
Boiling/Condensation Point	215°F initial		
Melting/Freezing Point	Not available.		
Critical Temperature	Not available.		
Instability Temperature	Not available.		
Specific Gravity	1.06 (Water = 1)		
Vapor Pressure	20mm Hg @ 68°F		
Vapor Density	>1 (Air = 1)		
Volatility	80		
VOC	Not available.		
Evaporation Rate	<1 compared to Water		
Dispersion Properties	See solubility in water.		
Solubility	Easily soluble in cold water.		
The Product is:	Non-flammable.		
Auto-ignition Temperature	Not available.		
Flash Points	Not available.		

Flammable Limits	Not available.
Fire Hazards in Presence of Various Substances	No specific information is available in our database regarding the flammability of this product in presence of various materials.
Explosion Hazards in Presence of Various Substances	Not applicable

Section 10. Stability and Reactivity Data

Stability	The product is stable.
Incompatibility with Various Substances	Strong acids. acids
Hazardous Decomposition Products	not available

Section 11. Toxicological Information

Routes of Entry	
Toxicity to Animals	Absorbed through skin. Eye contact. Inhalation. Ingestion.
Acute Effects on Humans	WARNING: THE LC50 VALUES HEREUNDER ARE ESTIMATED ON THE BASIS OF A 4-HOUR EXPOSURE. Acute oral toxicity (LD50): 1746 mg/kg [Rat]. (2-Butoxyethanol). Acute toxicity of the gas (LC50): 926 ppm 4 hour(s) [Mouse]. (2-Butoxyethanol).
Eyes	Corrosive to the eyes.
Skin	Severe skin irritant. May cause moderate reddening, swelling, and possible skin damage. Causes Severe Skin Burns (EU).
Inhalation	Harmful if inhaled.
Ingestion	Irritating to mouth, throat and stomach. May cause headache, dizziness, nausea, vomiting and diarrhea.
Chronic Effects on Humans	Prolonged exposure may result in skin burns and ulcerations. Severe over-exposure can produce lung damage, choking, unconsciousness or death. The amount of tissue damage depends on length of contact.
Special Remarks on Toxicity to Animals	No additional remark.
Special Remarks on Chronic Effects on Humans	No additional remark.

Section 12. Ecological Information

Ecotoxicity	Not available.
BOD5 and COD	Will Not Occur
Products of Biodegradation	Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.
Toxicity of the Products of Biodegradation	Not available.
Special Remarks on the Products of Biodegradation	No additional remark.

Section 13. Disposal Considerations

Waste Information	Waste must be disposed of in accordance with federal, state and local environmental control regulations.
Waste Stream	Not available.

Section 14. Transport Information

**DOT (U.S.A)
(Pictograms)**

TDG Classification

8



PIN UN, Proper Shipping Name, PG Shipping name: Corrosive liquids n.o.s. UNNA: UN1760 PG: II

Maritime Transportation IMDG Class 8: Corrosive liquid.

Special Provisions for Transport Not available.

Section 15. Other Regulatory Information and Pictograms

Regulatory Lists No products were found.

Other Regulations OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

Other Classifications **HCS (U.S.A.)** HCS CLASS: Toxic.
HCS CLASS: Corrosive liquid.

USA Regulatory Lists

SARA 311/312 MSDS distribution - chemical inventory - hazard identification: 2-Butoxyethanol: immediate health hazard, delayed health hazard
SARA 313 toxic chemical notification and release reporting: 2-Butoxyethanol


DSD (EEC) This product is not classified according to the EU regulations.

International Regulations Lists No products were found.

Hazardous Material Information System (U.S.A.)

Health	*	3
Flammability		0
Physical Hazard		0

National Fire Protection Association (U.S.A.)



WHMIS (Classification) WHMIS Class E: Corrosive liquid.



The Hazard Ranking systems presented on this MSDS provide only a quick reference for hazard information. The ENTIRE MSDS must be consulted to determine any specific hazards, First Aid measures, and PPE associated with this product.

Section 16. Other Information

Expiry date 3 (Three Years) from the date of preparation indicated in Section 1

Validated by CRushton on 7/16/2009.

Verified by CRushton.

Printed 7/16/2009.

Information Contact Amrep, Inc.
990 Industrial Park Drive
Marietta, GA 30062

Notice to Reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Validated on 7/16/2009.

Super Reprosolv