



BPG INTERNATIONAL
Wilmington DE
Tel: (302) 656-7600
Fax: (302) 656-7602

MATERIAL SAFETY DATA SHEET MSDS No. OE1 Date:09/06/2013
Supersedes:05/17/2011

PRODUCT IDENTIFICATION:

| | |
|--------------------|--|
| PRODUCT NAME: | Bright Air™ Odor Eliminator, Mini Odor Eliminator. All Scents (Mandarin & Fresh Lemon, Cool Mint & Lime, Lavender & Fresh Linen, Cool & Clean, Island Nectar & Pineapple, White Peach & Citrus, Fresh Apples & Spice, Winter Apple & Cinnamon) |
| SYNONYMS: | OE, MINI OE |
| DESCRIPTION: | Plastic container containing fragranced gel |
| MOLECULAR FORMULA: | Mixture |
| MOLECULAR WEIGHT: | Mixture |

COMPOSITION:

| <u>Component</u> | <u>C.A.S. #</u> | <u>Weight %</u> |
|------------------|-----------------|-----------------|
| Fragranced Gel | Mixture | 86.5% |
| Plastic resin | | 13.8% |

OSHA REGULATED COMPONENTS:

| <u>Component</u> | <u>C.A.S. #</u> | <u>Weight %</u> | <u>TWA/Ceiling</u> | <u>REFERENCE</u> |
|--------------------|-----------------|-----------------|--------------------|------------------|
| Dipropylene Glycol | 34590-94-8 | < 5% | 100ppm | ACGIH |
| Benzyl Acetate | 140-11-4 | < 1% | 10ppm | ACGIH |
| Potassium Chloride | 7447-40-7 | < 0.1% | 100ppm | ACGIH |

NFPA HAZARD CLASSIFICATION:

| | | |
|---------------|---|--------------|
| HEALTH; | 1 | 0 = LEAST |
| FLAMMABILITY; | 0 | 1 = SLIGHT |
| REACTIVITY: | 0 | 2 = MODERATE |
| | | 3 = HIGH |
| | | 4 = EXTREME |

HEALTH HAZARD INFORMATION:

Over exposure to product is not likely to cause acute toxic effects. This product is a mixture for which no specific health hazards data exists. One or more of the components contained in this product may present the following health effects:
No exposure limits established.

Liquid may be irritating to skin and eyes
Vapor may be irritating to throat and lungs
Maybe harmful if swallowed

Repeated contact may cause allergic reactions

**EMERGENCY AND
FIRST AID
PROCEDURES:**

| | |
|---------------|--|
| EYE CONTACT: | Immediately irrigate with water for 15 minutes. Obtain medical attention if irritation persists. |
| SKIN CONTACT: | Wash affected area with soap and water |
| INHALATION: | Remove person to fresh air. If ill affects persist, seek medical assistance |
| SWALLOWING: | Rinse mouth with water. Take milk or water to dilute. Seek medical assistance. |

**EXPOSURE CONTROL
METHODS:**

Engineering controls are not necessary if good hygiene practices are followed. Before eating, drinking or smoking, wash face and hands thoroughly with soap and water. Avoid unnecessary skin contact. For instances where eye or face contact can occur, eye protection is recommended. Where exposures are below the Permissible Exposure Limit (PEL), no respiratory protection is required. Where exposures exceed the PEL, use respirator approved by NIOSH for the material and level of exposure. See "GUIDE TO INDUSTRIAL RESPIRATORY PROTECTION" (NIOSH).

**FIRE AND EXPLOSION
HAZARD
INFORMATION:**

| | |
|----------------|---|
| FLASH POINT: | >100 F (212 C) |
| METHOD: | ASTM 6450 CONTINUOUS CLOSED CUP FLASH POINT (CCCFP) |
| FIRE FIGHTING: | Use Carbon Dioxide or dry chemical to extinguish fire. Wear self contained positive pressure breathing apparatus. |

REACTIVITY DATA:

| | |
|------------------------------------|--|
| STABILITY: | Stable. Does not react with water |
| CONDITIONS TO AVOID: | Avoid excessive heat. open flames |
| POLYMERIZATION CONDITION TO AVOID: | Will not occur |
| INCOMPATIBLE MATERIALS: | Strong Oxidizing materials |
| HAZARDOUS DECOMPOSITION PRODUCTS: | Burning produces Carbon Monoxide, Carbon Dioxide and Smoke |

**PHYSICAL
PROPERTIES:**

| | |
|-------------------|-------------------------------|
| APPEARANCE: | Opaque gel |
| PHYSICAL STATE: | Solid gel |
| ODOR: | Varies according to fragrance |
| BOILING POINT: | 100 deg C |
| MELTING POINT: | NA |
| VAPOR PRESSURE: | NA |
| SPECIFIC GRAVITY: | >1 |
| VAPOR DENSITY: | NA |

| | |
|--------------------------------|---------|
| % VOLATILE (BY Volume): | 96% |
| pH: | Neutral |
| SATURATION IN AIR (BY VOLUME): | NA |
| EVAPORATION RATE: | NA |
| SOLUBILITY IN WATER: | NA |
| REFRACTIVE INDEX: | NA |

SPILL, LEAK AND DISPOSAL PROCEDURES:

| | |
|--|---|
| STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: | ELIMINATE ALL SOURCES OF IGNITION. Ventilate area. Cover spills with absorbent material; sweep up and place in waste disposal container |
| WASTE DISPOSAL METHOD: | Incineration or landfill in accordance with local, state and federal regulations |

D.O.T. SHIPPING INFORMATION:

| | |
|------------------------------|---|
| PROPER SHIPPING NAME: | NA |
| HAZARD CLASS: | NA |
| UN/NA: | NA |
| D.O.T. HAZARDOUS SUBSTANCES: | NA |
| D.O.T. LABEL REQUIRED: | NA |
| TSCA INFORMATION: | This product is manufactured in compliance with all provisions of the Toxic Substances Control Act, 15 U.S.C. |

SPECIAL PRECAUTIONS:

KEEP AWAY FROM DIRECT HEAT AND FLAME.
KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE.
USE WITH ADEQUATE VENTILATION

This information is given without any warranty or representation The information in this MSDS was compiled from current and reliable sources. It is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense resulting from improper use of this product.