

BPG INTERNATIONAL Wilmington DE 19806 Tel: (302) 656-7600

Fax: (302) 656-7602

#### 

Date: 4/22/2014

4 = EXTREME

PRODUCT PRODUCT NAME: IDENTIFICATION:		Bright Air <sup>TM</sup> Scent Gems Air Freshener All Scents (Cool & Clean, Island Nectar & Pineapple)				
	SYNONYMS:	SYNONYMS:  DESCRIPTION:  MOLECULAR FORMULA:  MOLECULAR WEIGHT:		Fragranced Gel Beads  Plastic container containing fragranced polymer beads  Mixture		
	DESCRIPTION:					
	MOLECULAR FORM					
	MOLECULAR WEIG			Mixture		
COMPOSITION:	Component Water Fragrance oil Polymer beads	<u>C.A.S. #</u> 7732-18-5 Mixture Mixture		Weight % >70%% <5% <5%	-	
HAZARDOUS COMPONENTS:			Weight % 2%	<u>TWA</u>	REFERENCE OSHA PEL	
NFPA HAZARD CLASSIFICATION:	HEALTH; FLAMMABILITY; REACTIVITY:	1 1 0	0 = LEA: 1 = SLIC 2= MOD 3 = HIGI	GHT DERATE		

### HEALTH HAZARD INFORMATION:

Over exposure to product is not likely to cause acute toxic effects. No exposure limits established. This product is a mixture for which no specific health hazards data exists. One or more of the components contained in this product may present the following health effects:

Liquid may be irritating to skin and eyes Vapor in high concentrations may cause anesthetic effects Maybe harmful if swallowed Repeated contact may cause allergic reactions

## EMERGENCY AND FIRST AID PROCEDURES:

EYE CONTACT:	Immediately irrigate with water for 15 minutes. Obtain medical attention if irritation persists.
SKIN CONTACT:	Wash affected area with soap and water
INHALATION:	Remove person to fresh air. If ill affects persist, seek medical assistance

### EXPOSURE CONTROL METHODS:

Engineering controls are not necessary if good hygiene practices are followed. Before eating, drinking or smoking, wash face and hands thoroughly with soap and water. Avoid unnecessary skin contact. For instances where eye or face contact can occur, eye protection is recommended. Where exposures are below the Permissible Exposure Limit (PEL) or THRESHOLD WEIGHTED AVERAGE (TWA), no respiratory protection is required. Where exposures exceed the PEL/TWA, use respirator approved by NIOSH for the material and level of exposure. See "GUIDE TO INDUSTRIAL RESPIRATORY PROTECTION" (NIOSH).

# FIRE AND EXPLOSION HAZARD INFORMATION:

FLASH POINT:	>160 F
METHOD:	ASTM 6450 CONTINOUS CLOSED CUP FLASH POINT (CCCFP)
FIRE FIGHTING:	Use Carbon Dioxide or dry chemical to extinguish fire. Wear self contained positive pressure breathing apparatus.

#### **REACTIVITY DATA:**

STABILITY:	Stable. Does not react with water	
CONDITIONS TO AVOID:	Avoid excessive heat and open flames	
POLYMERIZATION CONDITION TO AVOID:	Will not occur	
INCOMPATABLE MATERIALS:	Strong Oxidizing materials	
HAZARDOUS DECOMPOSITION PRODUCTS:	Burning produces Carbon Monoxide, Carbon Dioxide and Smoke	

PHYSICAL PROPERTIES:	APPEARANCE:	Colored beads		
	PHYSICAL STATE:	Solid		
	ODOR:	Varies according to fragrance		
	MELTING POINT:	NA		
	VAPOR PRESSURE:	NA		
	SPECIFIC GRAVITY:	NA		
	VAPOR DENSITY:	NA		
	% VOLATILE (BY Volume):	<13%		
	pH:	NA		
	WATER SOLUBILITY:	NA		
SPILL, LEAK AND DISPOSAL PROCEDURES:	STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:	ELIMINATE ALL SOURCES OF IGNITION. Ventilate area. Cover spills with absorbent material; sweep up and place in waste disposal container		
	WASTE DISPOSAL METHOD:	Incineration or landfill in accordance with local, state and federal regulations		
D.O.T. SHIPPING INFORMATION:	PROPER SHIPPING NAME:	NA		
	HAZARD CLASS:	NA		
	UN/NA:	NA		
	D.O.T. HAZARDOUS SUBSTANCES:	NA		
	D.O.T. LABEL REQUIRED:	NA		
	TSCA INFORMATION:	This product is manufactured in compliance with all provisions of the Toxic Substances Control Act, 15 U.S.C.		
ENVIRONMENTAL PRECAUTIONS:	None			
	KEEP AWAY FROM DIRECT HEAT AND FLAME. KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE. USE WITH ADEQUATE VENTILATION			

This information is given without any warranty or representation. The information in this MSDS was compiled from current and reliable sources. It is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense resulting from improper use of this product.