

MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Product Name AERO-KLEEN
CAS# Mixture
Product Use Carpet and fabric cleaner
Manufacturer CFR, A Division of Tacony Corporation
3101 Wichita Court
Fort Worth, TX 76140-1710
Emergency Telephone Number 1-800-270-5201
Company Contact 1-800-880-2913 or website www.cfrcorp.com

HMIS LEGEND

Severe	4	Health	1
Serious	3	Flammability	0
Moderate	2	Reactivity	0
Slight	1	Personal Protection	B
Minimal	0		

2. Hazards Identification

Emergency Overview Caution: Eye and skin irritant
Potential short term effects
Routes of exposure Eye, Skin contact, Skin absorption, Inhalation, Ingestion.
Eyes May cause irritation.
Skin Contact with skin may cause irritation.
Inhalation May cause respiratory tract irritation.
Ingestion May cause stomach distress, nausea or vomiting.
Target organs Eyes, Skin,
Chronic effects Prolonged exposure can cause drying, defatting, or dermatitis.
Signs and symptoms Symptoms may include redness, edema, drying, defatting and cracking of skin.
Symptoms of over exposure may be headache, dizziness, tiredness, nausea and vomiting

3. Hazardous Ingredients

The criteria for listing components in this section are: Carcinogens are listed when present at 0.1% or greater; components which are otherwise hazardous according to OSHA are listed when present at 1.0% or greater. Non hazardous components are not listed. This is not a composition disclosure.

Hazardous Components	CAS#	%(optional)
Sodium sesquicarbonate	533-96-0	< 5%
Sodium lauroyl sarcosinate	137-16-6	< 10%

4. First Aid Measures

First Aid Procedures
Eye Contact Immediately flush with cool running water for 15 minutes. Remove contact lenses if applicable. Get medical attention if irritation occurs.
Skin Contact Flush with cool water, Wash with soap and water, If irritation persists, get medical attention.
Inhalation If symptoms develop, move to fresh air. If symptoms persist, get medical attention
Ingestion Rinse mouth with water. Drink one or two glasses of water. **Do not induce vomiting.** Obtain medical attention. Never give anything by mouth to an unconscious person.
Notes to Physician Symptoms may be delayed.
General advice Seek medical attention if feeling unwell. Show the MSDS to the physician in attendance.

5. Fire-fighting Measures

Flammable properties	Not flammable
Extinguishing media	Dry chemical, water spray, foam, carbon dioxide.
Protection of firefighters	Firefighters should wear protective clothing including self contained breathing apparatus
Hazardous combustion products	May include and not limited to oxides of carbon and oxides of sulfur.
Unusual Fire, Explosion hazards	None known.

6. Accidental Release Measures

Personal precautions	Keep unnecessary personal away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled containers unless wearing protective Clothing. Stay upwind of spills or leaks.
Methods for containment	Stop leak if you can do so without risk. Prevent entry into waterways, sewers.
Methods for cleaning up	Before attempting clean up refer to hazard data given above. Small spills may be absorbed with non reactive absorbent and placed in suitable, covered, labeled containers. Prevent large spills from entering sewers or water ways. Contact emergency personnel or supplier for advice. Never return spill to original container for reuse

7. Handling and Storage

Handling	Use good industrial hygiene practices when handling this material
Storage	Keep out of reach of children. Keep from freezing, store in a cool dry place away from incompatible materials.

8. Exposure Controls and Personal Protection

Exposure limits		
Ingredients	OSHA PEL	ACGIH TLV
Sodium sesquicarbonate	Not established	Not established
Sodium lauroyl sarcosinate	Not established	Not established
Engineering controls	General. ventilation normally adequate	
Personal protective equipment		
Eye/Face protection	Wear safety glasses with side shields.	
Hand protection	Rubber or nitrile gloves.	
Skin and body	As required by employer code.	
Respiratory protection	Use a NIOSH approved respirator when exposure guidelines are exceeded.	
General hygiene considerations	Handle in accordance with good industrial hygiene practices. Do not eat or drink when using product. Wash hands well before breaks and immediately after handling the product.	

9. Physical and Chemical Properties

Appearance/form	Slightly cloudy liquid
Color	Light tan to colorless
Odor	Fresh air
pH	8.3-8.6 (100%)
Boiling point	> 212° F.
Specific gravity	1.028-1.036
Evaporation rate	Not available
Vapor pressure	Not available
Vapor density	Not available
Solubility in water	Complete
Flash point	> 200° F. (93.3° C.)
VOC	< 1%
% Volatile	Approx. 90%

14. Transport Information

Basic shipping requirements: Not DOT regulated
Proper shipping name
Hazard class
UN number
Packing group
Special provisions
Packaging exceptions

15. Regulatory Information

U.S federal regulations This product has been classified in accordance with the Occupational Safety and Health Administration hazard criteria and the MSDS contains all of the information required by OSHA.

HMIS classification Irritant

Inventory Status

Countries	Inventory Name	On Inventory (Yes/No)*
U.S.	Chemical Inventory List	Yes
Canada	Domestic substances list	Yes

- A "Yes" indicates that all of the components of this product comply with the inventory requirements administered by the governing country(s) listed.

16. Other Information

Disclaimer

To the best of our knowledge, the information included herein is accurate. However, neither the above named supplier nor any of its subsidiaries assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of the suitability of any material is the responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Issue date

November 10, 2010

Supersedes date

May 12, 2006

Reason for update

Conform to OSHA requirements

Expiration date

November 10, 2013