## **MATERIAL SAFETY DATA SHEET**

1.	Product and Company Identification
Product Name	O-Z CLEAN
CAS#	Mixture
Product Use	Cleaner for carpet/fabric
Manufacturer	CFR, A Division of Tacony Corporation
	3101 Wichita Court
	Fort Worth, TX 76140-1710
Emergency Telephone Number	1-800-270-5201
Company Contact	1-800-880-2913 or website www.cfrcorp.com
i v	
HMIS LEGEND	
Severe 4	Health 1
Serious 3	Flammability 0
Moderate 2	Reactivity 0
Slight 1	Personal Protection B
Minimal 0	
	2. Hazards Identification
Emergency Overview	Warning: Eye and skin irritant
Potential short term effects	- ·

Potential short term effects	
<b>Routes of exposure</b>	Eye, Skin contact, Inhalation, Ingestion.
Eyes	May cause irritation.
Skin	Contact with skin may cause irritation.
Inhalation	May cause respiratory tract irritation.
Ingestion	May cause stomach distress, nausea or vomiting.
Target organs	Eyes, Skin, Respiratory system.
Chronic effects	Prolonged exposure can cause drying, defatting, or dermatitis.
Signs and symptoms	Symptoms may include redness, edema, drying, defatting and cracking of skin.
	Symptoms of over exposure may be headache, dizziness, tiredness, nausea and
	vomiting

#### **3. Hazardous Ingredients**

The criteria for listing components in this section are: Carcinogens are listed when present at 0.1% or greater; components which are otherwise hazardous according to OSHA are listed when present at 1.0% or greater. Non hazardous components are not listed. This is not a composition disclosure.

Hazardous Components	CAS#	%( optional)
Sodium sesquicarbonate	533-96-0	< 10%
Sodium carbonate	497-19-8	< 5%

#### 4. First Aid Measures

First Aid Procedures	
Eye Contact	Flush with cool running water for 15 minutes. If irritation persists, get medical attention.
Skin Contact	Flush with cool water, Wash with soap and water, If irritation persists, get medical Attention.
Inhalation	If symptoms develop, move to fresh air. If symptoms persist, get medical attention
Ingestion	Rinse mouth with water. Drink one or two glasses of water. <b>Do not induce vomiting.</b> Obtain medical attention. Never give anything by mouth to an unconscious person
Notes to Physician	unconscious person. Symptoms may be delayed.
i i i i i i i i i i i i i i i i i i i	
General advice	Seek medical attention if feeling unwell. Show the MSDS to the physician in attendance.

.

#### **5.** Fire-fighting Measures

	5. File-fighting wicasules
Flammable properties	Not flammable
Extinguishing media	Treat for surrounding material.
Protection of firefighters	Firefighters should wear protective clothing including self contained breathing apparatus
Hazardous combustion products	May include and not limited to oxides of carbon, ammonia, hydrogen chloride.
Unusual Fire, Explosion hazards	None known.
	6. Accidental Release Measures
Personal precautions	Keep unnecessary personal away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled containers unless wearing protective Clothing. Stay upwind of spills or leaks.
Methods for containment	Stop leak if you can do so without risk. Prevent entry into waterways, sewers.
Methods for cleaning up	Before attempting clean up refer to hazard data given above. Small spills may be absorbed with non reactive absorbent and placed in suitable, covered, labeled containers. Prevent large spills from entering sewers or water ways. Contact emergency personnel or supplier for advice. Never return spill to original container for reuse
	7. Handling and Storage
Handling	Use good industrial hygiene practices when handling this material
Storage	Keep out of reach of children. Keep from freezing, store in a cool dry place

#### 8. Exposure Controls and Personal Protection

away from incompatible materials.

Exposure limits		
Ingredients	OSHA PEL	ACGIH TLV
Sodium sesquicarbonate	Not established	Not established
Sodium carbonate	Not established	Not established
Engineering controls	Use only with good ventilation or with resp	biratory protection.
Personal protective equipment		
Eye/Face protection	Wear safety glasses with side shields.	
Hand protection	Rubber or nitrile gloves.	
Skin and body	As required by employer code.	
<b>Respiratory protection</b>	Use a NIOSH approved respirator when ex	posure guidelines are exceeded.
General hygiene considerations	Handle in accordance with good industrial	hygiene practices. Do not eat or drink
	when using product. Wash hands well before	re breaks and immediately after
	handling the product.	

### 9. Physical and Chemical Properties

	so i ngaloni unu chomitoni i topernos
Appearance/form	Clear liquid
Color	Colorless
Odor	Characteristic
рН	9.2-9.5
Boiling point	> 212° F.
Specific gravity	1.03-1.05
Evaporation rate	Not available
Vapor pressure	Not available
Vapor density	Not available
Solubility in water	complete
Flash point	Not available
VOC	< 1%
% Volatile	Approx85%

# **10. Stability and Reactivity**

Chemical Stability	Stable under normal storage conditions.
Conditions to avoid	Do not mix with other chemicals.
Incompatible materials	Acids, oxidizers, reducing agents.
Hazardous decomposition products	May include but not limited to oxides of carbon, oxides of phosphorous.
Hazardous polymerization	Will not occur

# **11. Toxicological Information**

Ingredients	LC 50
Sodium sesquicarbonate	Not available
Sodium carbonate	400 mg/m <sup>3</sup> guinea pig
Ingredients	LD 50
Sodium sesquicarbonate	5600 mg/kg rat
Sodium carbonate	4090 mg/kg rat
Effects of acute exposure	
Eye	May cause irritation
Skin	May cause irritation.
Inhalation	May cause respiratory tract irritation
Ingestion	May cause stomach distress, nausea, or vomiting.
Sensitization	Non hazardous.
Chronic effects	Non hazardous.
Carcinogenicity	Does not contain ingredients considered carcinogenic by NTP, IARC, or OSHA.
Mutagenicity	Non hazardous
Reproductive effects	Non hazardous.
Teratogenicity	Non hazardous

# **12. Ecological Information**

Eco-toxicity	Components of this product have been identified as having potential
	environmental concerns.
Ecotoxicity- fresh water algae	
Sodium carbonate	120 Hr EC50 Nitzchia: 242mg/L
Ecotoxicity- fresh water fish	
Sodium carbonate	96 Hr LC50 Lepomis macrochirus: 300 mg/L static
	96 Hr LC50 Oncorhynchus mykiss: > 100 mg/L
Ecotoxicity-Water flea data	
Sodium carbonate	48 Hr EC50 Daphnia magna: 265 mg/L
Environmental effects	Not Available
Aquatic toxicity	Not Available
Persistence and Degradability	Not Available
<b>Bioaccumulation/accumulation</b>	Not Available
Partition coefficient	Not Available
Mobility in environmental media	Not Available
Chemical fate information	Not Available
Other adverse effects	Not Available

# **13. Disposal Considerations**

Waste codes	Not Available
Disposal instructions	Dispose in accordance with local, state, and federal regulations
Wastes from residues/unused	Containerize. Rinse area with water. Keep out of storm sewer/waterways.
Product	
Contaminated packaging	Dispose in accordance with all applicable regulations.

14. Transport Information	on
Not DOT regulated	
Health Administration hazard criteria	cordance with the Occupational Safety and
This product has been classified in ac	cordance with the Occupational Safety and
This product has been classified in ac Health Administration hazard criteria information required by OSHA.	cordance with the Occupational Safety and
This product has been classified in ac Health Administration hazard criteria information required by OSHA.	cordance with the Occupational Safety and
This product has been classified in ac Health Administration hazard criteria information required by OSHA. Irritant	cordance with the Occupational Safety and and the MSDS contains all of the
	*

• A õYesö indicates that all of the components of this product comply with the inventory requirements administered by the governing country(s) listed.

## 16. Other Information

Disclaimer	To the best of our knowledge, the information included herein is accurate. However, neither the above named supplier nor any of its subsidiaries assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of the suitability of any material is the responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.
Issue date	February 16, 2011
Supersedes date	May 12, 2006
Reason for update	Conform to OSHA requirement
Expiration date	February 16, 2013

uury 10, 2013

Page 4 of 4