MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Product Name PERFORM-ALL PLUS

CAS# Mixture
Product Use Carpet cleaner

Manufacturer CFR, A Division of Tacony Corporation

3101 Wichita Court

Fort Worth, TX 76140-1710

Emergency Telephone Number 1-800-270-5201

Company Contact 1-800-880-2913 or website www.cfrcorp.com

HMIS LEGEND

Severe 4
Serious 3
Moderate 2
Slight 1
Minimal 0

2. Hazards Identification

Emergency Overview Warning: Eye and skin irritant

Potential short term effects

Routes of exposure Eye, Skin contact, Skin absorption, Inhalation, Ingestion.

Eyes May cause irritation.

Skin Contact with skin may cause irritation. May be absorbed through skin.

Inhalation May cause respiratory tract irritation.

Ingestion May cause stomach distress, nausea or vomiting.

Target organs Eyes, Skin, Respiratory system

Chronic effects Prolonged exposure can cause drying, defatting, or dermatitis.

Signs and symptoms Symptoms may include redness, edema, drying, defatting and cracking of skin.

Symptoms of over exposure may be headache, dizziness, tiredness, nausea and

vomiting

3. Hazardous Ingredients

The criteria for listing components in this section are: Carcinogens are listed when present at 0.1% or greater; components which are otherwise hazardous according to OSHA are listed when present at 1.0% or greater. Non hazardous components are not listed. This is not a composition disclosure.

Hazardous ComponentsCAS#%(optional)Tetrasodium ethylenediaminetetraacetate64-02-8< 5%</td>Sodium dodecylbenzenesulfonate25155-30-0< 5%</td>

4. First Aid Measures

First Aid Procedures

Eye Contact Immediately flush with cool running water for 15 minutes. Remove contact lenses

if applicable. Get medical attention immediately.

Skin Contact Flush with cool water, Wash with soap and water, If irritation persists, get medical

attention.

Inhalation If symptoms develop, move to fresh air. If symptoms persist, get medical attention

Ingestion Rinse mouth with water. Drink one or two glasses of water. **Do not induce**

vomiting. Obtain medical attention. Never give anything by mouth to an

unconscious person.

Notes to Physician Symptoms may be delayed.

General advice Seek medical attention if feeling unwell. Show the MSDS to the physician in

attendance.

5. Fire-fighting Measures

Flammable properties Not flammable

Extinguishing media Dry chemical, Water spray, Alcohol foam, Carbon dioxide.

Protection of firefighters Firefighters should wear protective clothing including self contained breathing

Hazardous combustion products Unusual Fire, Explosion hazards May include and not limited to oxides of carbon and oxides of sulfur.

None known.

6. Accidental Release Measures

Keep unnecessary personal away. Do not touch or walk through spilled material. Personal precautions

Do not touch damaged containers or spilled containers unless wearing protective

Clothing. Stay upwind of spills or leaks.

Methods for containment Methods for cleaning up

Stop leak if you can do so without risk. Prevent entry into waterways, sewers. Before attempting clean up refer to hazard data given above. Small spills may be absorbed with non reactive absorbent and placed in suitable, covered, labeled containers. Prevent large spills from entering sewers or water ways. Contact emergency personnel or supplier for advice. Never return spill to original container for reuse

7. Handling and Storage

Handling Use good industrial hygiene practices when handling this material

Keep out of reach of children. Keep from freezing, store in a cool dry place

away from incompatible materials.

8. Exposure Controls and Personal Protection

Exposure limits

Storage

Ingredients OSHA PEL ACGIH TLV Tetrasodium ethylendiaminetetraacetate Not established Not established

Sodium dodecylbenzenesulfonate **TEEL 1,** 12.5 mg/m^3 Not established Use only under good ventilation conditions or with respiratory protection.

Engineering controls

Personal protective equipment

Eye/Face protection Wear safety glasses with side shields.

Hand protection Rubber or nitrile gloves. Skin and body As required by employer code.

Respiratory protection Use a NIOSH approved respirator when exposure guidelines are exceeded.

General hygiene considerations Handle in accordance with good industrial hygiene practices. Do not eat or drink

when using product. Wash hands well before breaks and immediately after

handling the product.

9. Physical and Chemical Properties

Appearance/form Clear liquid Color Light tan color Odor Fresh air pН 6.0-8.0 (100%) **Boiling** point > 212° F. Specific gravity 1.028-1.036 **Evaporation rate** Not available Vapor pressure Not available Vapor density Not available Solubility in water Complete

> 200° F. (93.3° C.) Flash point

VOC < 1% % Volatile Approx. 85%

10. Stability and Reactivity

Chemical Stability Stable under normal storage conditions.

Conditions to avoid Do not mix with other chemicals.

Incompatible materials Caustics, acids, Reducing agents and oxidizers.

Hazardous decomposition products

May include but not limited to oxides of carbon. Oxides of sulfur

Hazardous polymerization Will not occur

11. Toxicological Information

Ingredients LC50

Tetrasodium ethylenediaminetetraacetate Not available Sodium dodecylbenzenesulfonate Not available Ingredients LD50

Tetrasodium ethylenediaminetetraacetate 1658 mg/kg rat Sodium dodecylbenzenesulfonate 438 mg/kg rat

Effects of acute exposure

Eye May cause irritation

Skin May cause irritation. May be absorbed through skin.

Inhalation May cause respiratory tract irritation

Ingestion May cause stomach distress, nausea, or vomiting.

Sensitization Non hazardous.
Chronic effects Non hazardous.

Carcinogenicity Does not contain ingredients considered carcinogenic by NTP, IARC, or OSHA.

MutagenicityNon hazardous.Reproductive effectsNon hazardous.TeratogenicityNon hazardous.

12. Ecological Information

Eco-toxicity Components of this product have been identified as having potential

environmental concerns.

Eco-toxicity-Fresh water Algae data:

Tetrasodium ethylenediaminetetraacetate 72 Hr EC50 Scenedesmus subspicatus: 1.01 mg/L

Eco-toxicity-Freshwater Fish Species data:

Tetrasodium ethylenediaminetetraacetate 96 Hr LC 50 Lepomis macrochirus: 41 mg/L

96 Hr LC 50 Pimephales promelas: 59.8 mg/L 96 Hr LC 50 Oncorhynchus mykiss: 10.8 mg/L

Sodium dodecylbenzenesulfonate **Eco-toxicity-Water flea data:**

Tetrasodium ethylenediaminetetraacetate 24 Hr EC50 Daphnia magna: 610 mg/L

Environmental effects Not Available Aquatic toxicity Not Available Persistence and Degradability Not Available Bioaccumulation/accumulation Not Available **Partition coefficient** Not Available Mobility in environmental media Not Available Chemical fate information Not Available Other adverse effects Not Available

13. Disposal Considerations

Waste codes Not Available

Disposal instructions Dispose in accordance with local, state, and federal regulations

Wastes from residues/unused Containerize. Rinse area with water. Keep out of storm sewer/waterways.

Product

Contaminated packaging Dispose in accordance with all applicable regulations.

14. Transport Information

Basic shipping requirements: Proper shipping name

Hazard class
UN number
Packing group
Special provisions
Packaging exceptions

Not DOT regulated

15. Regulatory Information

U.S federal regulations This product has been classified in accordance with the Occupational Safety and

Health Administration hazard criteria and the MSDS contains all of the

information required by OSHA.

HMIS classification Inventory Status Countries

Inventory Name

Irritant

On Inventory (Yes/No)*

U.S. Chemical Inventory List Yes
Canada Domestic substances list Yes

• A õYesö indicates that all of the components of this product comply with the inventory requirements administered by the governing country(s) listed.

16. Other Information

Disclaimer To the best of our knowledge, the information included herein is accurate.

However, neither the above named supplier nor any of its subsidiaries assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of the suitability of any material is the responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that

these are the only hazards that exist.

Issue date October 4, 2010 Supersedes date May 12, 2006

Reason for update Conform to OSHA requirement

Expiration date October 4, 2013