

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name: Vinyl Deod-O-Screen (164 - 1,-2,-3,-4)

MSDS Manufacturer

Number:

Manufacturer Name:

http://www.continentalcommercial products.com/contact.htm

305 Rock Industrial Park Drive Bridgeton, MO 63044

Emergency Phone

Address:

1-800-424-9300

July 11, 2011

CHEMTREC:

800-424-9300 (24 hours everyday)

Canutec:

(613) 996-6666 (Canada 24 hours everyday)

Website:

http://www.continentalcommercialproducts.com/contact.htm

MSDS Revision Date:

(M)SDS Format:

HMIS Health Hazard Fire Hazard Reactivity Personal X Protection

SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS#	Ingredient Percent
Essence	N/A	2 by weight
Polyvinyl Chloride Polymer	9002-86-2	98 by weight

SECTION 3: HAZARDS IDENTIFICATION

WARNING! Irritant. Emergency Overview:

Route of Exposure: Eyes. Skin. Inhalation. Ingestion.

Potential Health Effects:

Eye: May cause irritation. Skin: May cause irritation. Inhalation: May cause irritation.

May be harmful if swallowed. May cause vomiting. Inaestion:

Target Organs: Eyes. Respiratory system. None generally recognized.

Conditions:

Aggravation of Pre-Existing

SECTION 4: FIRST AID MEASURES

Eye Contact: Immediately flush eyes with plenty of water for at least 15 to 20 minutes. Ensure adequate flushing of the eyes by separating the eyelids with fingers. Get immediate medical attention.

Immediately wash skin with soap and plenty of water. Get medical attention if irritation develops or persists. Skin Contact:

Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained

personnel. Seek immediate medical attention.

If swallowed, do NOT induce vomiting. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person. Ingestion:

SECTION 5: FIRE FIGHTING MEASURES

Flammable Properties: Non Flammable.

Flash Point: None.

Flash Point Method: Not applicable. Auto Ignition Temperature: Lower Flammable/Explosive Limit: Not determined. Upper Flammable/Explosive Limit: Not determined

Fire Fighting Instructions: Evacuate area of unprotected personnel. Use cold water spray to cool fire exposed containers to

Vinyl Deod-O-Screen (164 - 1,-2,-3,-4) Product Code: 164 minimize risk of rupture. Do not enter confined fire space without full protective gear. If possible,

Extinguishing Media: Use carbon dioxide (CO2) or dry chemical when fighting fires involving this material.

Protective Equipment: As in any fire, wear Self-Contained Breathing Apparatus (SCBA), MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personnel Precautions: Evacuate area and keep unnecessary and unprotected personnel from entering the spill area.

Spill Cleanup Measures: Shovel or sweep up for re-use or disposal. Avoid creating dusty conditions. Provide ventilation. Clean

up spills immediately observing precautions in the protective equipment section.

SECTION 7: HANDLING and STORAGE

Handling Use with adequate ventilation. Avoid breathing dust or particulates.

Storage: Store in a cool, dry, well ventilated area away from sources of heat and incompatible materials. Keep

container tightly closed when not in use.

Hygiene Practices: Wash thoroughly after handling.

SECTION 8: EXPOSURE CONTROLS, PERSONAL PROTECTION - EXPOSURE GUIDELINES

Engineering Controls: Use appropriate engineering control such as process enclosures, local exhaust ventilation, or other

engineering controls to control airborne levels below recommended exposure limits. Good general ventilation should be sufficient to control airborne levels. Where such systems are not effective wear suitable personal protective equipment, which performs satisfactorily and meets OSHA or other recognized standards. Consult with local procedures for selection, training, inspection and maintenance of the personal protective equipment.

Eve/Face Protection: Wear appropriate protective glasses or splash goggles as described by 29 CFR 1910.133, OSHA eye

and face protection regulation, or the European standard EN 166.

Skin Protection Description: Wear appropriate protective gloves and other protective apparel to prevent skin contact. Consult

manufacturer's data for permeability data.

Respiratory Protection: A NIOSH approved air-purifying respirator with an organic vapor cartridge or canister may be

permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air purifying respirators is limited. Use a positive pressure air supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air purifying respirators may not provide adequate protection.

Product Code: 164

EXPOSURE GUIDELINES

SECTION 9: PHYSICAL and CHEMICAL PROPERTIES

Solid. Physical State Appearance:

Odor: Floral

Boiling Point: Not determined. Melting Point: Not determined. Solubility: Not determined. Vapor Density: Not determined. Vapor Pressure: Not determined. Evaporation Rate: Not determined. pH: Not determined.

Flash Point: None.

Flash Point Method: Not applicable. Auto Ignition Temperature: Not determined.

SECTION 10: STABILITY and REACTIVITY

Chemical Stability: Stable under normal temperatures and pressures.

Hazardous Polymerization: Not reported. Conditions to Avoid: None expected

Incompatible Materials: Oxidizing agents. Strong acids and alkalis.

SECTION 11: TOXICOLOGICAL INFORMATION

Polyvinyl Chloride Polymer:

Ingestion: Oral - Rat LDLo: 210 gm/kg/30W - [Tumorigenic - equivocal Tumorigenic agent by RTECS criteria;

Lungs, Thorax, or Respiration - Tumors; Skin and Appendages - Tumors [RTECS)

Chronic Effects: Chronic respiratory or skin conditions may temporarily worsen from exposure to dust from this product.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity: No ecotoxicity data was found for the product.

Environmental Fate: No environmental information found for this product.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal:

Consult with the US EPA Guidelines listed in 40 CFR Part 261.3 for the classifications of hazardous waste prior to disposal. Furthermore, consult with your state and local waste requirements or guidelines, if applicable, to ensure compliance. Arrange disposal in accordance to the EPA and/or state and local

RCRA Number: Not determined.

SECTION 14: TRANSPORT INFORMATION

DOT Hazard Class: Not applicable. DOT Packing Group: Not applicable.

SECTION 15: REGULATORY INFORMATION

Polyvinyl Chloride Polymer:

TSCA Inventory Status: Listed

SECTION 16: ADDITIONAL INFORMATION

MSDS Revision Date: July 11, 2011 MSDS Author: Actio Corporation

Copyright© 1996-2013 Actio Corporation. All Rights Reserved.

Revision:: 7/11/2011

Vinyl Deod-O-Screen (164 - 1,-2,-3,-4) Product Code: 164