

Revision Number: 001.2

Issue date: 04/09/2018

1. IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE SUPPLIER

Product identifier used on the label: Purex Ultra Dry Detergent Fresh Spring Waters

Recommended use of the chemical and restrictions on use: Universal, No restrictions on use.

Name, address and telephone number of the chemical manufacturer: Henkel Corporation One Henkel Way Rocky Hill, Connecticut 06067

Telephone: For medical emergencies 1-833-359-6299 For transportation CHEMTREC: 1-800-424-9300 Internet: w ww.henkel-northamerica.com

2. HAZARDS IDENTIFICATION

The hazards described in this Globally Harmonized System Safety Data Sheet (SDS) are not intended for consumers, and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Classification of the substance or mixture in accordance with paragraph (d) of \$1910.1200

HAZARD CLASS	HAZARD CATEGORY
SKIN IRRITATION	2
EYE IRRITATION	2A

Signal word, hazard statement(s), symbol(s) and precautionary statement(s) in accordance with paragraph (f) of §1910.1200

Signal w ord: Hazard Statement(s):	
Causes skin irritation.	
Causes serious eye irritation.	

Symbol(s):



WARNING

Precautionary Statements:

Prevention:	Wash thoroughly after handling. Wear eye and face protection. Wear protective gloves.
Response:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	If skin irritation occurs: Get medical attention. If eye irritation persists: Get medical attention. Take off contaminated clothing.
Storage:	Not prescribed
Disposal:	Not prescribed
Hazards not otherwise	None know n

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

3. COMPOSITION / INFORMATION ON INGREDIENTS

classified:

The following chemicals are classified as health hazards in accordance with paragraph (d) of § 1910.1200.

Chemical Name*	CAS Number (Unique Identifier)	Concentration
Sodium carbonate	497-19-8	30 - 60 %
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	68411-30-3	10 - 30 %
Na-silicate solution 1.86	1344-09-8	5 - 10 %
Fatty alcohol ethoxylate C12-15	68131-39-5	1 - 5 %
Na-silicate 2.48	1344-09-8	1 - 5 %
Disodium carbonate, compound with hydrogen peroxide (2:3)	15630-89-4	1 - 5 %

*The specific chemical identity and/or exact percentage (concentration) of composition has been withheld because a trade secret is claimed in accordance with paragraph (i) of §1910.1200.

4. FIRST AID MEASURES

Description of necessary measures

Inhalation:	Remove from exposure area to fresh air. Treat symptomatically and supportively.
Skin contact:	Rinse affected area with large amounts of water until no evidence of product remains. Get
	medical attention if irritation persists.
Eye contact:	Immediately rinse eyes with plenty of water for at least 15 minutes while holding eyelids open.
	Get medical attention if pain or irritation develops.
Ingestion:	Dilution by rinsing the mouth and giving water or milk to drink is generally recommended. Contact physician or local poison control center.

Most important symptoms and effects, both acute and delayed

After eye contact: Moderate to strong irritation of the eyes (redness, swelling, burning, w atering eyes). After skin contact: May cause moderate to severe irritation. After Ingestion: Ingestion may cause pain, burning, sw elling and redness in the mouth and throat. Nausea and vomiting may occur. After inhalation: Dust may cause mucous membrane irritation with coughing and shortness of breath.

Indication of any immediate medical attention and special treatment needed

After eye contact: Rinse eyes immediately with plenty of water, occasionally lifting upper and low er lids, until no evidence of product remains. After skin contact: Rinse affected area with large amounts of water until no evidence of product remains. After ingestion: May be fatal if sw allowed and enters airways. Dilution by rinsing the mouth and giving a glass of water to drink is generally recommended. After inhalation: Remove from exposure area to fresh air. Contact physician or local poison control center.

5. FIRE FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media:	Dry chemical, carbon dioxide, water sprayor regular foam.

Unsuitable extinguishing media: None know n

Specific hazards arising from the chemical

Thermal decomposition may release toxic and/or hazardous gases, including toxic oxides of carbon and sulfur.

Special protective equipment and precautions for fire-fighters

In case of fire, wear a full-face positive-pressure self-contained breathing apparatus and protective suit. Apply cooling water to sides of containers that are exposed to flames until well after fire is out. Avoid breathing vapors, keep upwind. Isolate area. Keep unnecessary personnel away.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Wear skin, eye and respiratory protection as recommended in Section 8. Stop leak if you can do it without risk. Spills present a slipping hazard. Keep unnecessary personnel away. Ventilate spill area if possible. Make sure area is slip-free before re-opening to traffic.

Environmental precautions

Small or household quantities may be disposed in regular domestic trash. For larger quantities check with your local disposal authorities.

Methods and materials for containment and cleaning up

SMALL SPILLS: Sw eep or scoop up and place into containers for later disposal. Wash site of spillage thoroughly with w ater. LARGE SPILLS: Sw eep or scoop up and place into suitable clean, dry containers for reclamation or later disposal. Dispose in suitable w aste container. Keep unnecessary people away from spill.

7. HANDLING AND STORAGE

Precautions for safe handling

Do not get in eyes, on skin, on clothing Do not take internally. Use with adequate ventilation.

Conditions for safe storage, including any incompatibilities

Store in original containers in a cool dry area. Storage areas for large quantities (w arehouse) should be w ell ventilated. Keep the containers tightly closed w hen not in use.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available.

Hazardous Component(s)	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
Sodium carbonate	None	None	None	None
Sodium sulfate	None	None	None	None
Na-silicate solution 1.86	None	None	None	None
Fatty alcohol ethoxylate C12-15	None	None	None	None
Na-silicate 2.48	None	None	None	None

Appropriate engineering controls

Provide local exhaust or general dilution ventilation to keep exposure to airborne contaminants below the permissible exposure limits where mists or vapors may be generated.

Individual protection measures

Respiratory:	If respiratory protection is required, it must be based on the contamination levels found in the workplace, must not exceed the working limits of the respirator and be jointly approved by the National Institute for Occupational Safety and Health and the Mine Safety and Health Administration (NIOSH-MSHA).
Eye:	Safety glasses are required to prevent eye contact where dusty conditions may occur.
Hand/Body:	Protective gloves are required where repeated or prolonged skin contact may occur. Protective clothing is required where repeated or prolonged skin contact may occur.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	pow der w hite
Odor:	floral, spicy, green Not available
Odor threshold: pH:	Not applicable
Melting point/ range:	Not available.
Boiling point/range:	Not available.
Flash point:	Not available.
Evaporation rate:	Not available.
Flammable/Explosive limits - lower:	Not available.
Flammable/Explosive limits - upper:	Not available.
Vapor pressure:	Not available.
Vapor density:	Not available.
Solubility in water:	Soluble
Partition coefficient (n-octanol/water):	Not available.
Autoignition temperature:	Not available.
Decomposition temperature:	Not available.
Viscosity:	Not available.
VOC content:	Not available.

10. STABILITY AND REACTIVITY

Reactivity:	This product may react with strong reducing agents.	
Chemical stability:	Stable under normal ambient temperature (70°F, 21°C) and pressure (1 atm).	
Possibility of hazardous reactions:	Hazardous polymerization has not been reported to occur under normal temperatures and pressures.	
Conditions to avoid:	Avoid storing in direct sunlight and avoid extremes of temperature.	
Incompatible materials:	Strong oxidizers, acids.	
Hazardous decomposition products:	Thermal decomposition may produce irritating smoke, carbon monoxide, and carbon dioxide.	

11. TOXICOLOGICAL INFORMATION

Likely routes of exposure including symptoms related to characteristics

Inhalation:	Dust may cause mucous membrane irritation w ith coughing, dryness and sore throat.
Skin contact:	May cause severe irritation, pain and possibly chemical burns.
Eye contact:	May cause moderate to severe irritation.
Ingestion:	May cause mild gastrointestinal irritation w ith nausea, vomiting, diarrhea and abdominal pain.
Physical/Chemical:	No physical/chemical hazards are anticipated for this product.
Other relevant toxicity information:	This product is a laundry care product. The use of this product by consumers is safe under normal and reasonable foreseen use.

Numerical measures of toxicity, including delayed and immediate effect

Hazardous Component(s)	LD50s and LC50s	Immediate and Delayed Health Effects
Sodium carbonate	Oral LD50 (RAT) = 4,090 mg/kg Inhalation LC50 (RAT, 2 h) = 2.3 mg/l	Irritant, Sensory
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	None	Irritant
Na-silicate solution 1.86	Oral LD50 (RAT) = 1,100 - 1,600 mg/kg Oral LD50 (RAT) = 1.1 g/kg	Corrosive, Irritant
Fatty alcohol ethoxylate C12-15	None	No Target Organs
Na-silicate 2.48	Oral LD50 (RAT) = 1,100 - 1,600 mg/kg Oral LD50 (RAT) = 1.1 g/kg	Corrosive, Irritant
Disodium carbonate, compound w ith hydrogen peroxide (2:3)	None	No Data

Carcinogenicity information

Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen
Sodium carbonate	No	No	No
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	No	No	No
Na-silicate solution 1.86	No	No	No
Fatty alcohol ethoxylate C12-15	No	No	No
Na-silicate 2.48	No	No	No
Disodium carbonate, compound with hydrogen peroxide (2:3)	No	No	No

Carcinogenicity

Mutagenicity

Toxicity for reproduction

None of the ingredients in this product are listed as carcinogens by the International Agency for Research on Cancer (IARC), the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). None of the ingredients in this product are known to cause mutagenicity. None of the ingredients in this product are known as reproductive, fetal, or developmental hazards.

12. ECOLOGICAL INFORMATION

Aquatic Toxicity:

This product is anticipated to be safe for the environment at concentrations predicted in household settings under normal use conditions. The follow ing toxicity information is available for the hazardous ingredient(s) when used as technical grade and is provided as reference for the occupational settings. This product is anticipated to be safe for the environment at concentrations predicted in household settings under normal use conditions. The follow ing toxicity information is available for the follow ing toxicity information is available for the hazardous ingredient(s) when used as technical grade and is provided as reference for the occupational settings.

Toxicity to fish:

The aquatic toxicity profile of this product has not been determined.

Toxicity to aquatic invertebrates:

The aquatic toxicity profile of this product has not been determined.

Toxicity to algae:

The aquatic toxicity profile of this product has not been determined.

Persistence and degradability

Hazardous substances CAS-No.	Result value	Route of application	Species	Method
Benzenesulfonic acid, C10- 13-alkyl derivs., sodium salts 68411-30-3	readily biodegradable	aerobic	85 %	OECD Guideline 301 B (Ready Biodegradability: CO2 Evolution Test)
Fatty alcohol ethoxylate C12-15 68131-39-5	readily biodegradable	aerobic	81 %	EU Method C.4-E (Determination of the "Ready" BiodegradabilityClosed Bottle Test)

Bioaccum ulative potential

The bioaccumulation potential of this product has not been determined.

Mobility in soil

The mobility of this product (in soil and water) has not been determined.

13. DISPOSAL CONSIDERATIONS

Description of waste residues:	
Hazardous waste number:	Not regulated
Safe handling and disposal methods:	
Recommended method of disposal:	This product is not a RCRA hazardous waste and can be disposed of in accordance with federal, state and local regulations.
Disposal of uncleaned packages:	Place in trash.

14. TRANSPORT INFORMATION

The information in this section is for reference only and should not take the place of a shipping paper (bill of lading) specific to an order. Please note that the proper shipping classification may vary by packaging, properties, and mode of transportation.

U.S. Department of Transportation Ground (49 CFR)		
Proper shipping name:	Not regulated	
Hazard class or division:	None	
Identification number:	None	
Packing group:	None	
International Air Transportation (ICAO/IA	(TA)	
Proper shipping name:	Not regulated	
Hazard class or division:	None	
Identification number:	None	
Packing group:	None	
Water Transportation (IMO/IMDG)		
Proper shipping name:	Not regulated	
Hazard class or division:	None	
Identification number:	None	
Packing group:	None	

15. REGULATORY INFORMATION

Occupational safety and health act: Hazard Communication Standard, 29 CFR 1910.1200(g) Appendix D: The Occupational Safety and Health Administration (OSHA) require that the Safety Data Sheets (SDSs) are readily accessible to employees for all hazardous chemicals in the w orkplace. Since the use pattern and exposure in the w orkplace are generally not consistent with those experienced by consumers, this SDS may contain health hazard information not relevant to consumer use.

United States Regulatory Information

TSCA 8 (b) Inventory Status:	All components are listed or are exempt from listing on the Toxic Substances Control Act inventory.	
TSCA 12 (b) Export Notification:	intentory.	
CERCLA/SARA Section 302 EHS: CERCLA/SARA Section 311/312: CERCLA/SARA Section 313:	None above reporting de minimis. Not available. None above reporting de minimis.	
California Proposition 65:	No California Proposition 65 listed chemicals are known to be present.	
Canada Regulatory Information		
CEPA DSL/NDSL Status:	One or more components are not listed on, and are not exempt from listing on either the	

Domestic Substances List or the Non-Domestic Substances List.

16. OTHER INFORMATION

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. How ever, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all w arranties, express or implied, including w arranties of merchantability and fitness for a particular purpose, arising fromsale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

This safety data sheet contains changes from the previous version in sections: New Safety Data Sheet format.

Prepared by: R&D Support Services

Issuedate: 04/09/2018