

# Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



## DRANO® MAX PROFESSIONAL STRENGTH GEL CLOG REMOVER

Version 2.0

Print Date 09/13/2012

Revision Date 09/13/2012

MSDS Number 350000001605  
SITE\_FORM Number  
300000000000000003608.001

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### Product information

Trade name : DRANO® MAX PROFESSIONAL STRENGTH GEL CLOG REMOVER

Use of the Substance/Mixture : Drain Cleaner  
Company : S.C. Johnson & Son, Inc.  
1525 Howe Street  
Racine WI 53403-2236

Emergency telephone number : 24 Hour Medical Emergency Phone: (866)231-5406  
24 Hour International Emergency Phone: (703)527-3887  
24 Hour Transport Emergency Phone: (800)424-9300

### 2. HAZARDS IDENTIFICATION

#### Emergency Overview

Appearance / Odor : natural colour / liquid / slight chlorine

#### Immediate Concerns

: Danger  
Corrosive  
CAUSES EYE AND SKIN BURNS  
Avoid contact with skin, eyes and clothing.  
HARMFUL OR FATAL IF SWALLOWED.  
Avoid breathing vapors, mist or gas.

#### Potential Health Effects

Exposure routes : Eye, Skin, Inhalation, Ingestion.

Eyes : Corrosive - causes irreversible eye damage.  
May cause blindness.

Skin : Corrosive to skin  
Causes burns.

Inhalation : Corrosive to respiratory system

Ingestion : Causes severe digestive tract burns.

Aggravated Medical Condition : Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc. may be more susceptible to irritating effects

## Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



### DRANO® MAX PROFESSIONAL STRENGTH GEL CLOG REMOVER

Version 2.0

Print Date 09/13/2012

Revision Date 09/13/2012

MSDS Number 350000001605

SITE\_FORM Number

300000000000000003608.001

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous chemicals present at or above reportable levels as defined by OSHA 29 CFR 1910.1200 or the Canadian Controlled Products Regulations are listed in this table:

Chemical Name	CAS-No.	Weight percent
Sodium hypochlorite	7681-52-9	5.00 - 10.00
Sodium hydroxide	1310-73-2	1.00 - 5.00
Surfactant - Trade Secret	Mixture	1.00 - 5.00

For additional information on product ingredients, see [www.whatsinsidescjohnson.com](http://www.whatsinsidescjohnson.com).

#### 4. FIRST AID MEASURES

- Eye contact : Protect unharmed eye. Remove contact lenses. Flush immediately with plenty of water for at least 15 to 20 minutes. Get medical attention immediately.
- Skin contact : Flush immediately with plenty of water for at least 15 to 20 minutes. Get medical attention immediately. Remove contaminated clothing and shoes. Wash clothing before reuse. Thoroughly clean shoes before reuse.
- Inhalation : Remove to fresh air. If not breathing, give artificial respiration. Get medical attention immediately.
- Ingestion : If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.

#### 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Specific hazards during firefighting : Container may melt and leak in heat of fire.
- Special protective equipment for firefighters : Wear suitable protective clothing and gloves.
- Further information : Wear full protective clothing and positive pressure self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes.

## Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



### DRANO® MAX PROFESSIONAL STRENGTH GEL CLOG REMOVER

Version 2.0

Print Date 09/13/2012

Revision Date 09/13/2012

MSDS Number 350000001605

SITE\_FORM Number  
300000000000000003608.001

Lower explosion limit : Note: no data available

Upper explosion limit : Note: no data available

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Wear personal protective equipment.

Environmental precautions : Outside of normal use, avoid release to the environment.

Methods for cleaning up : Soak up with inert absorbent material.  
Sweep up and shovel into suitable containers for disposal.  
Dike large spills.  
Clean residue from spill site.

#### 7. HANDLING AND STORAGE

##### Handling

Advice on safe handling : Avoid contact with skin, eyes and clothing.  
Avoid breathing vapors, mist or gas.  
For personal protection see section 8.  
Use only as directed.  
KEEP OUT OF REACH OF CHILDREN AND PETS.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

##### Storage

Requirements for storage areas and containers : Keep container closed when not in use.  
Keep in a dry, cool and well-ventilated place.

# Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



## DRANO® MAX PROFESSIONAL STRENGTH GEL CLOG REMOVER

Version 2.0

Print Date 09/13/2012

Revision Date 09/13/2012

MSDS Number 350000001605

SITE\_FORM Number

300000000000000003608.001

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Occupational Exposure Limits

Components	CAS-No.	mg/m3	ppm	Non-standard units	Basis
Sodium hydroxide	1310-73-2	2 mg/m3	-	-	OSHA TWA
Sodium hydroxide	1310-73-2	2 mg/m3	-	-	ACGIH Ceiling

#### Personal protective equipment

##### Respiratory protection

Use only with adequate ventilation. Substantial amounts of mist/vapors can be controlled with local exhaust ventilation or respiratory protection.

##### Hand protection

: Rubber gloves

##### Eye protection

Wear splash-resistant Chemical goggles.

##### Skin and body protection

: Protective footwear.

##### Hygiene measures

: Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Form	: liquid
Color	: natural colour
Odor	: slight chlorine
pH	: 11.5 - 13.5
Melting point	: no data available
Boiling point	: 212 °F
Freezing point	: no data available
Evaporation rate	: no data available

# Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



## DRANO® MAX PROFESSIONAL STRENGTH GEL CLOG REMOVER

Version 2.0

Print Date 09/13/2012

Revision Date 09/13/2012

MSDS Number 350000001605  
SITE\_FORM Number  
300000000000000003608.001

Auto-ignition temperature	:	no data available
Lower explosion limit	:	no data available
Upper explosion limit	:	no data available
Vapour pressure	:	no data available
Density	:	1.1 g/cm <sup>3</sup>
Water solubility	:	completely soluble
Partition coefficient: n-octanol/water	:	no data available
Viscosity, dynamic	:	1,000 cps
Volatile Organic Compounds Total VOC (wt. %)*	:	0 % - additional exemptions may apply *as defined by US Federal and State Consumer Product Regulations

### 10. STABILITY AND REACTIVITY

Conditions to avoid	:	Direct sources of heat.
Materials to avoid	:	Do not mix with acids or any other household products. May release dangerous gases (chlorine). Avoid contact with: Ammonia compounds. Rust remover. Strong acids
Hazardous decomposition products	:	Thermal decomposition can lead to release of irritating gases and vapours.
Hazardous reactions	:	If accidental mixing occurs and toxic gas is formed, exit area immediately. Do not return until well ventilated.

### 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity	:	LD50 estimated > 5,000 mg/kg Causes severe digestive tract burns.
---------------------	---	--

# Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



## DRANO® MAX PROFESSIONAL STRENGTH GEL CLOG REMOVER

Version 2.0

Print Date 09/13/2012

Revision Date 09/13/2012

MSDS Number 350000001605  
SITE\_FORM Number  
300000000000000003608.001

- Acute inhalation toxicity : no data available
  
- Acute dermal toxicity : LD50  
estimated  
> 2,000 mg/kg
  
- Chronic effects**
- Carcinogenicity : no data available
  
- Mutagenicity : no data available
  
- Reproductive effects : no data available
  
- Teratogenicity : no data available
  
- Sensitisation : Not known to be a sensitizer.

### 12. ECOLOGICAL INFORMATION

- Ecotoxicity effects** : no data available

### 13. DISPOSAL CONSIDERATIONS

Observe all applicable Federal, Provincial and State regulations and Local/Municipal ordinances regarding disposal.  
Consumer may discard empty container in trash, or recycle where facilities exist.

- RCRA waste class : D002 (Corrosive Waste)
- SCJ product category : LB: Liquid Bleach

# Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



## DRANO® MAX PROFESSIONAL STRENGTH GEL CLOG REMOVER

Version 2.0

Print Date 09/13/2012

Revision Date 09/13/2012

MSDS Number 350000001605  
SITE\_FORM Number  
300000000000000003608.001

### 14. TRANSPORT INFORMATION

#### Land transport

▪ **U.S. DOT and Canadian TDG Surface Transportation:**

Proper shipping name UN 1760 Corrosive Liquid, N.O.S.  
Class: 8  
UN number 1760  
Packaging group: III  
Note: Limited quantities derogation may be applicable to this product, please check transport documents.

#### Sea transport

▪ **IMDG:**

Proper shipping name UN 1760 Corrosive Liquid, N.O.S.  
Class: 8  
UN number: 1760  
Packaging group: III  
EmS: F-A, S-B  
Note: Limited quantities derogation may be applicable to this product, please check transport documents.

#### Air transport

▪ **ICAO/IATA:**

Proper shipping name UN 1760 Corrosive Liquid, N.O.S.  
Class: 8  
UN/ID No.: UN 1760  
Packaging group: III  
Note: SC Johnson typically does not ship products via air. Refer to IATA/ICAO Dangerous Goods Regulations for detailed instructions when shipping this item by air.

### 15. REGULATORY INFORMATION

Notification status : All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

Notification status : All ingredients of this product comply with the New Substances Notification requirements under the Canadian Environmental Protection Act (CEPA).

California Prop. 65 : This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

# Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



## DRANO® MAX PROFESSIONAL STRENGTH GEL CLOG REMOVER

Version 2.0

Print Date 09/13/2012

Revision Date 09/13/2012

MSDS Number 350000001605  
SITE\_FORM Number  
300000000000000003608.001

: This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

### 16. OTHER INFORMATION

#### HMIS Ratings

Health	3
Flammability	0
Reactivity	0

#### NFPA Ratings

Health	3
Fire	0
Reactivity	0
Special	-

#### Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by:	SC Johnson Global Safety Assessment & Regulatory Affairs (GSARA)
--------------	--