



DUSTER PLUS Dusting Spray

HMIS		NFPA	Personal protective equipment
Health	0	0	 None / Aucune / Ninguno
Flammability	4	4	
Physical Hazard / Instability	0	0	

Version Number: 3

Preparation date: 2012-02-23

1. PRODUCT AND COMPANY IDENTIFICATION

Product name: DUSTER PLUS Dusting Spray

MSDS #: MS0500120
Product Code: 94752, MS0500120
Recommended use: Industrial/Institutional. Furniture care.

Manufacturer, importer, supplier:

US Headquarters Diversey, Inc. 8310 16th St. Sturtevant, Wisconsin 53177-1964 Phone: 1-888-352-2249 MSDS Internet Address: www.diversey.com	Canadian Headquarters Diversey, Inc. - Canada 2401 Bristol Circle Oakville, Ontario L6H 6P1 Phone: 1-800-668-3131
--	---

Emergency telephone number: 1-800-851-7145 (U.S.); 1-651-917-6133 (Int'l)

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

CONTENTS UNDER PRESSURE. FLAMMABLE LIQUID AND VAPOR. WARNING.

Principal routes of exposure: Skin contact. Inhalation. Ingestion. Eye contact.
Eye contact: None known.
Skin contact: None known.
Inhalation: None known.
Ingestion: None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient(s)	CAS #	Weight %	LD50 Oral - Rat (mg/kg)	LD50 Dermal - Rabbit	LC50 Inhalation - Rat
Propane	74-98-6	1 - 5%	2400	Not available	658 mg/L (4 h)
Isobutane	75-28-5	5 - 10%	Not available	Not available	658 mg/L (4 h)

4. FIRST AID MEASURES

Eye contact: Rinse with plenty of water.
Skin contact: Rinse with plenty of water.
Inhalation: No specific first aid measures are required.
Ingestion: No specific first aid measures are required.
Aggravated Medical Conditions: None known

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Dry chemical, water spray, foam, carbon dioxide.
Specific hazards: Aerosol product - Containers may rocket or explode in heat of fire. NFPA 30B Level 1 Aerosol .
Unusual hazards: None known

Specific methods: Use water spray to keep fire-exposed containers cool. Aerosol Product - Containers may rocket or explode in heat of fire.

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

Extinguishing media which must not be used for safety reasons: No information available

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Not applicable.
Environmental precautions and clean-up methods: Clean-up methods - large spillage. Eliminate all ignition sources. Soak up with oil absorbent material. Shovel into suitable container for disposal. Use a water rinse for final clean-up.

7. HANDLING AND STORAGE

Handling: Avoid contact with skin and eyes. Wash thoroughly after handling. Use only with adequate ventilation. Keep away from open flames, hot surfaces and sources of ignition. CONTENTS UNDER PRESSURE. Do not puncture or incinerate. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.
Storage: Protect from freezing. Store in a cool, dry, well ventilated area away from heat or open flame. KEEP OUT OF REACH OF CHILDREN. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 degrees C or 120 degrees F. Do not pierce or burn, even after use.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures to reduce exposure:
No special ventilation requirements

Personal Protective Equipment

Eye protection: No special requirements under normal use conditions.
Hand protection: No special requirements under normal use conditions
Skin and body protection: No special requirements under normal use conditions.
Respiratory protection: No special requirements under normal use conditions.
Hygiene measures: Handle in accordance with good industrial hygiene and safety practice.

Ingredient(s)	CAS #	ACGIH	OSHA	Mexico
Propane	74-98-6	1000 ppm (TWA)	1000 ppm (TWA) 1800 mg/m ³ (TWA)	
Isobutane	75-28-5	1000 ppm (TWA)		

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Aerosol
Appearance: Aerosol
Specific gravity: 0.9
Vapor density: No information available
Boiling point/range: Not determined
Decomposition temperature: Not determined
Solubility: Partially Soluble
Solubility in other solvents: No information available
Partition coefficient (n-octanol/water): No information available
Elemental Phosphorus: 0 % by wt.
pH: Not applicable
Explosion limits: - upper: Not determined - **lower:** Not determined

Bulk density: No information available
Evaporation Rate: No information available
Color: White
Odor: Characteristic
Melting point/range: Not determined
Autoignition temperature: No information available
Density: 7.51 lbs/gal 0.9 Kg/L
Flash point: < 19.4 °F < -7 °C
Viscosity: No information available
VOC: 15.8 % *
Dilution pH: No information available.

* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

10. STABILITY AND REACTIVITY

Stability: The product is stable
Polymerization: Hazardous polymerization does not occur
Hazardous decomposition products: None reasonably foreseeable.
Conditions to avoid: Keep away from open flames, hot surfaces and sources of ignition. Extremes of temperature and direct sunlight.

11. TOXICOLOGICAL INFORMATION

Acute toxicity:	Oral LD50 estimated to be greater than 5000 mg/kg Dermal LD50 estimated to be > 2000 mg/kg
Component Information:	See Section 3
Chronic toxicity:	None known
Specific effects	
Carcinogenic effects:	None known
Mutagenic effects:	None known
Reproductive toxicity:	None known
Target organ effects:	None known

12. ECOLOGICAL INFORMATION

Environmental Information: No data available

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products:

If possible, recycle empty aerosol cans to the nearest steel recycling center. Dispose of in compliance with all Federal, state, provincial, and local laws and regulations. Incineration is the preferred method. Relatively small quantities of product may be neutralized as stated above, and if in accordance with local laws and the operators of the local sewage treatment plant, the neutralized material may be discharged into the sewer system.

14. TRANSPORT INFORMATION

DOT/TDG/IMDG: Please refer to the Diversey HazMat Library, <http://naextranet.diversey.com/dot/>, for up to date shipping information.

DOT Bill of Lading Description: CONSUMER COMMODITY, ORM-D

IMDG Bill of Lading Description: CONSUMER COMMODITY, ORM-D

15. REGULATORY INFORMATION

International Inventories at CAS# Level

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL).

U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65

RIGHT TO KNOW (RTK)

Ingredient(s)	CAS #	MARTK:	NJRTK:	PARTK:	RIRTK:
Petroleum hydrocarbon	64741-44-2	-	-	-	-
Isoparaffinic hydrocarbon solvent	64742-48-9	-	-	-	-
Propane	74-98-6	X	X	X	-
Isobutane	75-28-5	X	X	X	-
Water	7732-18-5	-	-	-	-

CERCLA/ SARA

CAA HAP/CAA ODS/CWA Priority Pollutants: None

SARA 311/312 Hazard Categories

Immediate:	-
Delayed:	-
Fire:	X
Reactivity:	-
Sudden Release of Pressure:	X

Canada

WHMIS hazard class: A Compressed gases



16. OTHER INFORMATION

Reason for revision:	Not applicable
Prepared by:	NAPRAC
Additional advice:	<ul style="list-style-type: none">• Contains an added fragrance, see "Odor" heading in section 9 for specific description• This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.