

Section 1 – Product and Company Identification

Product(s): **Stainless Steel Cleaner (Oil-Based)**
 Formula: A209
 Part Number(s): 20916, 20920

Company Name & Address: **ITW Professional Brands**
 805 E. Old 56 Hwy.
 Olathe, KS 66061
 800-443-9536 (8 a.m. – 5 p.m. Weekdays, CDT)

Emergency Numbers: **IN CASE OF EMERGENCY, CALL Infotrac @ 1-800-535-5053, 24 hrs.**
INTERNATIONAL EMERGENCY NUMBER 352-323-3500
 Poison Control Center: 1-800-222-1222

Material Safety Data Sheets: www.itwprobrands.com

Section 2 – Hazards Identification

DANGER. Contains petroleum distillates – aspiration hazard. Harmful or fatal if swallowed. Can enter lungs and cause damage. May cause eye, skin and respiratory tract irritation. Can cause central nervous system effects if improperly used. Contents under pressure.

Potential Health Effects

| | |
|--|---|
| EYES: | May cause eye irritation. |
| SKIN: | May cause skin irritation. |
| INHALATION: | May cause respiratory tract irritation. |
| INGESTION: | Aspiration hazard. Harmful or fatal if swallowed. |
| Signs/symptoms of exposure: Redness, tearing or burning in eyes. Drying, burning or cracking of skin. Nose, throat, and digestive tract irritation. Headaches, nausea, vomiting, drowsiness, dizziness, loss of coordination. Medical conditions generally aggravated by exposure: pre-existing skin, lung and stomach disorders may be adversely affected. Follow good chemical hygiene practices to avoid these hazards. | |

HMIS Rating Health – 1 Flammability – 2 Reactivity – 0 Personal Protection – B

Section 3 – Composition/Information on Ingredients

| Ingredient | CAS Number | Percent Range |
|-------------------------------|-------------------|----------------------|
| Paraffins, Naphthenic Solvent | 64742-47-8 | 60 – 100 |
| White Mineral Oil | 8042-47-5 | 10 – 30 |
| Isobutane | 75-28-5 | 7 – 13 |
| Propane | 74-98-6 | 1 – 5 |
| Perfume (parfum) | Mixture | 1 – 5 |

Any substance listed as hazardous by the states of California, Florida, Illinois, Michigan, New Jersey, Ohio, Pennsylvania or Texas is described above if known present in regulated concentrations.

Section 4 – First Aid Measures

| | |
|--------------------|--|
| EYES: | Flush eyes with large amounts of water for at least 15 minutes while holding eyelids open. Seek medical attention immediately. |
| SKIN: | Flush with plenty of water for 15 minutes while removing contaminated clothing and shoes. If irritation arises and persists seek medical attention. Launder clothing and shoes before reuse. |
| INHALATION: | Move to fresh air. If breathing has stopped, qualified personnel should administer artificial respiration. |
| INGESTION: | Do NOT induce vomiting unless directed by a physician. Aspiration hazard. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person. |

Section 5 – Fire Fighting Measures

| | |
|-----------------------------------|--|
| Flashpoint (PMCC): | 180° F |
| Extinguishing Media: | Carbon dioxide, dry chemical, foam. |
| Special Fire Fighting Procedures: | Keep containers cool and vapors down with water spray. Prevent runoff from entering sewers and public waterways. Wear self-contained breathing apparatus (SCBA) in chemical fires. |
| Hazardous Products of Combustion: | Carbon dioxide, carbon monoxide. |

Section 6 – Accidental Release Measures

| | |
|--------------|---|
| Small spill: | Wipe up small releases with a dry absorbent cloth or other absorbent material. |
| Large spill: | Ventilate area and block traffic. Eliminate all ignition sources. Absorb liquid with vermiculite, absorbent cloth, or other absorbent material. Prevent material from entering sewers and drains. Transfer contaminated material into suitable container for proper disposal. |

Section 7 – Handling and Storage

| | |
|-----------|--|
| Handling: | Avoid contact with eyes, skin and clothing. Avoid inhaling mists or vapors. Do not smoke while using. Use only with adequate ventilation. Do not swallow. Wash thoroughly after handling. Launder clothing before reuse. Do not deliberately concentrate and inhale vapors. Direct spray away from face. Spray can in upright position only. Follow good chemical hygiene practices when handling this material. Use from original container only and follow label directions carefully. |
| Storage: | Keep away from heat, sparks, open flame and direct sunlight. Store in a cool (less than 120° F) well-ventilated area. Keep out of reach of children. Do not contaminate water, food or feed by use or storage. Do not puncture or incinerate container. Replace cap when not in use. |

Section 8 – Exposure Controls/Personal Protection

| | |
|-------------------------|--|
| Engineering controls: | Ventilation not usually necessary but should be provided in the event of overexposure. |
| Exposure limits: | Paraffins, Naphthenic Solvent (CAS #64742-47-8)=152 ppm TWA Manufacturer's Recommendation Isobutane (75-28-5)=800 ppm OSHA; 800 ppm ACGIH Propane (CAS# 74-98-6)=1000 ppm OSHA; Asphyxiant ACGIH |
| Eye protection: | Yes, wear approved safety glasses or goggles if direct contact is possible. |
| Skin protection: | Yes, wear impervious gloves if direct contact is possible. |
| Respiratory protection: | Not usually necessary. If vapors are present or irritation is experienced, use NIOSH/MSHA approved respirator. |

Section 9 – Physical and Chemical Properties

| | | |
|----------------------|--|---------------------------|
| Appearance and Odor: | Colorless liquid with a lemon odor. | |
| pH: N/A | Boiling Point: 420° F | Specific Gravity: 0.800 |
| Vapor Density: >1 | Flame Projection: > 12", no flashback | Solubility in Water: None |
| Pressure: 60 psig | Volatile Organic Compounds (VOCs): 12.56 % by weight | |

Section 10 – Stability and Reactivity

| | |
|--|---|
| Hazardous Polymerization: | This product will not undergo hazardous polymerization. |
| Hazardous Decomposition or Byproducts: | Carbon dioxide, carbon monoxide. |
| Chemical Stability: | Stable |
| Incompatible Materials: | Strong oxidizers, acids and alkalis. |

Section 11 – Toxicological Information

No data.

Section 12 – Ecological Information

No data.

Section 13 – Disposal Considerations

Dispose of in accordance with all applicable local, state, and federal regulations.

Waste information: If this product becomes a waste, it would not be a hazardous waste as defined by RCRA (40CFR261). However the waste should be properly evaluated in case of modification prior to disposal.

Section 14 – Transport Information

The following transportation information is based on Department of Transportation Regulations found in 49 CFR. If shipping this product by air please refer to International Air Transport Association (IATA) Dangerous Goods Regulations. If shipping this product by ocean please refer to International Maritime Dangerous Goods Regulations (IMDG). To find how to ship this product please refer to the UN# listed below.

| | UN # | Proper Shipping Description | Hazard Class | Packing Group |
|------------------------|------|-----------------------------|--------------|---------------|
| DOT Information | None | Consumer Commodity | ORM-D | None |

Marine Pollutants: None

Section 15 – Regulatory Information

US Federal Regulations

Toxic Substances Control Act (TSCA): All ingredients are on the TSCA inventory or exempt from listing.

CERCLA RQ

None

SARA 313 Components

None

State and Local Regulations

California Proposition 65

None

Section 16 – Other Information

WARNING! The use of this product is beyond the control of the manufacturer; therefore, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The user must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials. The manufacturer warrants only that this product meets the manufacturer's specifications for such product. THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, AS TO DESCRIPTION, QUALITY, AND MERCHANTABILITY. FITNESS FOR ANY PARTICULAR PURPOSE, PRODUCTIVENESS OR ANY OTHER MATTER, OF THIS PRODUCT. THE MANUFACTURER SHALL BE IN NO WAY RESPONSIBLE FOR THE IMPROPER USE OF THIS PRODUCT. The sole and exclusive remedy against the manufacturer for breach of warranty shall be reimbursement of the purchase price of the product in the event that a defective condition of the product shall be found to exist. NO OTHER REMEDY (INCLUDING BUT NOT LIMITED TO INCIDENTAL OR CONSEQUENTIAL DAMAGES FOR INJURY TO PERSON OR PROPERTY OR ANY OTHER INCIDENTAL OR CONSEQUENTIAL LOSS) SHALL BE AVAILABLE.