

# SAFETY DATA SHEET

# 1. Identification

Product identifier	Green Option	
Other means of identification		
Product code	F330322/25	
Recommended use	Floor Sealer/Finish	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier	/Distributor information	
Manufacturer		
Company name Address	Franklin Cleaning Technology One Fuller Way Great Bend, KS 67530 United States	
Telephone	Customer Service	(800) 810-4829
E-mail	Not available.	
Emergency phone number	CHEMTREC	(800) 424-9300
	Emergency	(620) 792-1711
	24 hour Emergency	(800) 424-9300
2. Hazard(s) identification	l	
Physical hazards	Not classified.	
Health hazards	Not classified.	
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		
Hazard symbol	None.	
Signal word	Warning	
Hazard statement	May cause mild eye and skin irritation.	
Precautionary statement		
Prevention	Observe good industrial hygiene practices.	

**Response** Wash hands after handling.

StorageStore away from incompatible materials.DisposalDispose of waste and residues in accordance with local authority requirements.Hazard(s) not otherwise<br/>classified (HNOC)None known.Supplemental informationNone.

### 3. Composition/information on ingredients

### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
DIETHYLENE GLYCOL MONOETHYL ETHER		111-90-0	3 - < 5
TRIBUTOXYETHYLPHOSPHATE		78-51-3	1 - < 3
Other components below reportable leve	ls		90 - 100

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

# 4. First-aid measures

InhalationMove to fresh air. Call a physicSkin contactWash off with soap and water.

Move to fresh air. Call a physician if symptoms develop or persist. Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact	Rinse with water. Get medical attention if irritation develops and persists.	
Ingestion	Rinse mouth. Get medical attention if symptoms occur.	
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.	
Indication of immediate medical attention and special treatment needed	Treat symptomatically.	
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.	
5. Fire-fighting measures		
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.	
Special protective equipment	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.	

and precautions for firefightersFire-fighting<br/>equipment/instructionsMove containers from fire area if you can do so without risk.Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.General fire hazardsNo unusual fire or explosion hazards noted.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning upLarge Spills: Stop the flow of material, if this is without risk. Dike the spilled material, w possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand and place into containers. Following product recovery, flush area with water.	
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	

Precautions for safe handling	Avoid prolonged exposure. Observe good industrial hygiene practices.	
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).	

# 8. Exposure controls/personal protection

#### **Occupational exposure limits**

### US. Workplace Environmental Exposure Level (WEEL) Guides

Components	Туре	Value
DIETHYLENE GLYCOL MONOETHYL ETHER (CAS 111-90-0)	TWA	140 mg/m3
		25 ppm
iological limit values	No biological exposure limits noted for the ingredient(s).	
ppropriate engineering ontrols	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.	
idividual protection measure	s, such as personal protective equipr	nent
Eye/face protection	Wear safety glasses with side shields (or goggles).	

Skin protection Hand protection	Wear appropriate chemical resistant gloves.
Other	Wear suitable protective clothing.
<b>Respiratory protection</b>	In case of insufficient ventilation, wear suitable respiratory equipment.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

9. Phy	sical and chemical	roperties
Appear	ance	Liquid.
Phy	ysical state	Liquid.
For	rm	Liquid. Emulsion
Col	lor	Off-white.
Odor		Matches to Standard
Odor th	nreshold	Not available.
рН		8
Melting	point/freezing point	Not available.
Initial b range	oiling point and boiling	212 °F (100 °C)
Flash p	ooint	> 201.2 °F (> 94.0 °C)
Evapor	ation rate	Not available.
Flamma	ability (solid, gas)	Not available.
Upper/l	ower flammability or exp	losive limits
Fla (%)	mmability limit - lower )	Not available.
Fla (%)	mmability limit - upper	Not available.
Exp	plosive limit - lower (%)	Not available.
Exp	plosive limit - upper (%)	Not available.
Vapor p	oressure	0.00001 hPa estimated
Vapor c	density	Not available.
Relative	e density	Not available.
Solubili	ity(ies)	
Sol	lubility (water)	Not available.
	n coefficient nol/water)	Not available.
Auto-ig	nition temperature	Not available.
Decom	position temperature	Not available.
Viscosi	ity	Not available.
Other in	nformation	
Dei	nsity	8.54 lbs/gal estimated
Per	rcent volatile	79.09 % estimated
Ροι	unds per gallon	8.54 lb/gal
Spe	ecific gravity	1.03 estimated
vo	C (Weight %)	0 % estimated

# 10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.

Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

# 11. Toxicological information

### Information on likely routes of exposure

Ingestion	Expected to be a low ingestion hazard.	
Inhalation	Prolonged inhalation may be harmful.	
Skin contact	No adverse effects due to skin contact are expected.	
Eye contact	Direct contact with eyes may cause temporary irritation.	
Symptoms related to the physical, chemical and	Direct contact with eyes may cause temporary irritation.	

toxicological characteristics

# Information on toxicological effects

Acute toxicity	Not available.			
Product	Species	Test Results		
Green Option (CAS Mixture)				
Acute				
Oral				
LD50	Rabbit	75416.6641 mg/kg estimated		
	Rat	30895.9844 mg/kg estimated		
Other				
LD50	Mouse	6961.4932 mg/kg estimated		
	Rat	45833.332 mg/kg estimated		
* Estimates for product may be based on additional component data not shown.				
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation	on.		
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.			
Respiratory or skin sensitization	1			
<b>Respiratory sensitization</b>	Not available.			
Skin sensitization	This product is not expected to cause skin sensitization.			
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.			
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.			
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)				
Not listed.	Not listed.			
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.			
Specific target organ toxicity - single exposure	Not classified.			
Specific target organ toxicity - repeated exposure	Not classified.			
Aspiration hazard	Not available.			
Chronic effects	Prolonged inhalation may be harmful.			
12. Ecological information				
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.			

Product		Species	Test Results
Green Option (CAS Mixture)			
Aquatic			
Fish	LC50	Fish	469.8272 mg/l, 96 hours estimated
* Estimates for product may b	e based on addi	ional component data not s	nown.
Persistence and degradability	No data is ava	ilable on the degradability o	f this product.
Bioaccumulative potential	No data availa	ble.	
Partition coefficient n-octar DIETHYLENE GLYCOL MON TRIBUTOXYETHYLPHOSPH	IOETHYL ÈTHEI	/	
Mobility in soil	No data availa	ble.	
Other adverse effects			g. ozone depletion, photochemical ozone creation ning potential) are expected from this component.

### 13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

### 14. Transport information

### DOT

Not regulated as dangerous goods.

### IATA

Not regulated as dangerous goods.

Transport in bulk according to	This substance/mixture is not intended to be transported in bulk.
Annex II of MARPOL 73/78 and	
the IBC Code	

# 15. Regulatory information

**US federal regulations** 

All components are listed or exempted from listing on the U.S. EPA TSCA Inventory List. This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Not regulated.	Notification (40 CFR 707, Subp	ot. D)
CERCLA Hazardous Substa	nce List (40 CFR 302.4)	
DIETHYLENE GLYCOL MONOETHYL ETHER (CAS 111-90-0)		Listed.
TRIBUTOXYETHYLPHOSPHATE (CAS 78-51-3)		Listed.
SARA 304 Emergency release	se notification	
Not regulated.		
OSHA Specifically Regulate	d Substances (29 CFR 1910.1)	001-1050)
Not listed.		
Superfund Amendments and Re	authorization Act of 1986 (SA	RA)
Hazard categories	Immediate Hazard - No	
	Delayed Hazard - No	
	Fire Hazard - No	
	Pressure Hazard - No	
	Reactivity Hazard - No	
SARA 302 Extremely hazard	ous substance	
Not listed.		

SARA 313 (TRI reporting) Chemical name	CAS number	% by wt.
DIETHYLENE GLYCOL MONOETHYL ETHER	111-90-0	3 - < 5
her federal regulations		
Clean Air Act (CAA) Section 112 Hazardous Air Polluta DIETHYLENE GLYCOL MONOETHYL ETHER (CAS TRIBUTOXYETHYLPHOSPHATE (CAS 78-51-3) Clean Air Act (CAA) Section 112(r) Accidental Release	111-90-0)	68.130)
Not regulated.		
Safe Drinking Water Act Not regulated. (SDWA)		
S state regulations		
US. Massachusetts RTK - Substance List		
Not regulated. US. New Jersey Worker and Community Right-to-Know	w Act	
DIETHYLENE GLYCOL MONOETHYL ETHER (CAS TRIBUTOXYETHYLPHOSPHATE (CAS 78-51-3)		
US. Pennsylvania Worker and Community Right-to-Kn		
DIETHYLENE GLYCOL MONOETHYL ETHER (CAS TRIBUTOXYETHYLPHOSPHATE (CAS 78-51-3)	111-90-0)	
US. Rhode Island RTK		
DIETHYLENE GLYCOL MONOETHYL ETHER (CAS TRIBUTOXYETHYLPHOSPHATE (CAS 78-51-3)	111-90-0)	
US. California Proposition 65 California Safe Drinking Water and Toxic Enforcement any chemicals currently listed as carcinogens or repro-		tion 65): This material is not known to co

Issue date	11-14-2014
Revision date	05-13-2015
Version #	02
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Revision Information	Physical & Chemical Properties: Multiple Properties Toxicological Information: Toxicological Data Transport Information: Agency Name, Packaging Type, and Transport Mode Selection