

MATERIAL SAFETY DATA SHEET
OSHA'S HAZARD COMMUNICATION STANDARD – U.S. DEPARTMENT OF LABOR

29 CFR 1910.1200

OMB NO.: 1218-0072

SECTION 1 – PRODUCT IDENTIFICATION

IDENTITY: GUM REMOVER

MANUFACTURER'S NAME: Fridays Product **EMERGENCY PHONE:** 800-535-5053 **PHONE:** 888-322-0064
ADDRESS: 15810 E. Gale Ave. **CITY:** City Of Industry **STATE:** CA **ZIP:** 91745 **DATE PREPARED:** 07/06/1990

SECTION 2 – HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

HAZARDOUS COMPONENTS	CAS#	OSHA PEL	ACGIH TLV	WEIGHT %
Petroleum Distillate	8008-20-6	500 ppm	100 ppm	

VOC Content: g/L **NOTE:**

SECTION 3 – PHYSICAL/CHEMICAL CHARACTERISTICS

BOILING POINT (°F): No Data Available **SPECIFIC GRAVITY:** 0.800 **VAPOR PRESSURE:** 5 mm Hg
MELTING POINT (°F): N/A **EVAPORATION RATE:** Faster **VAPOR DENSITY:** > 1
SOLUBILITY IN WATER: Insoluble % **APPEARANCE AND ODOR:** CLEAR, COLORLESS, CITRUS ODOR

SECTION 4 – FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (°F): 104 **FLAMMABLE LIMITS:** **LEL:** Not Tested **UEL:** Not Tested **pH:** **DOT #:** None
NFPA HAZARD RATING: **H** **F** **R** **S** **EXTINGUISHING MEDIA:** CO2, DRY CHEMICAL OR FOAM
(0-Lease, 4-Extreme) 1 2 0 0 **SPECIAL FIRE FIGHTING PROCEDURE:** Do not use streams of water as this will spread the liquid & fire

UNUSUAL FIRE AND EXPLOSION HAZARDS: May produce dense black smoke, stay upwind of fire.

SECTION 5 – REACTIVITY DATA

STABILITY: Stable **CONDITIONS TO AVOID:** None
INCOMPATIBLE MATERIALS TO AVOID: STRONG OXIDIZING AGENTS.
HAZARDOUS DECOMPOSITION OR BYPRODUCTS: NORMAL COMBUSTION FORMS CARBON DIOXIDE.
HAZARDOUS POLYMERIZATION: None **CONDITIONS TO AVOID:** None

SECTION 6 – HEALTH HAZARD DATA

ROUTE OF ENTRY

INHALATION?: Possible **SKIN?:** Possible **INGESTION?:** Possible
HEALTH HAZARDS: Eyes: Expected to cause no more than minor eye irritation. Skin: Not a primary skin irritation, but may cause skin irritation on prolonged repeated contact.
Inhalation: Expect to have slight acute toxicity by inhalation.
NOTE: All chemicals incorporated into this product are found on the TSCA inventory list.
OSHA CARCINOGENICITY?: None **NTP?:** None **IARC MONOGRAPHS?:** None

SIGNS AND SYMPTOMS OF OVER EXPOSURE

EYES: Expected to cause no more than minor eye irritation **SKIN:** Not a primary skin irritation, but may cause skin irritation on prolonged repeated contact
INGESTION: **INHALATION:** Expect to have slight acute toxicity by inhalation
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: May aggravate pre-existing skin condition.

EMERGENCY AND FIRST AID PROCEDURES

EYES: Wash with water for 15 minutes. Call physician if necessary.
SKIN: Wash with soap and plenty of water. Call physician if necessary. Launder contaminated clothing.
INGESTION: If swallowed, give water or milk. Do not make person vomit unless instructed to do so by physician.
INHALATION: Move the person to fresh air. If breathing has stopped, apply artificial respiration. Call physician immediately.

SECTION 7 – PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Soak up with inert, absorbant material. Scoop up and place in a proper waste disposal container.
WASTE DISPOSAL METHOD: Dispose of in accordance with state and local regulations.
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Read and observe all precautions on product label.
OTHER PRECAUTION: Keep out of reach of children. Follow directions on the container for proper use of this product.

SECTION 8 – CONTROL MEASURES

RESPIRATORY PROTECTION: Open all doors and windows. If exposure is above TLV or PEL, a NIOSH approved respirator equipped for the exposure or suitable respiratory protection per 29 CFR 1910.134, is required.

VENTILATION

LOCAL EXHAUST: If Available **MECHANICAL:** If Available **SPECIAL:** None **OTHER:** None

PROTECTIVE GLOVE: Wear gloves to avoid skin contacts **EYE PROTECTION:** Safety goggles
OTHER PROTECTIVE CLOTHING OR EQUIPMENT: None

WORK HYGENIC PRACTICES: Use common sense and care around chemicals. Never mix chemicals. Consult your supervisor for other practices. All practices depend on your specific business. Directions for use are normally found on label which will dictate engineering and control measures.

OTHER SPECIAL REQUIREMENTS: