

/ersion 1.1	SDS Number: 400000005610	Revision Date: 04/07/2021
ECTION 1. IDENTIFICATION		
Productname	: PURELL® Professional Surface	e Disinfecting Wipes
Manufacturer or supplier's	details	
Company name of supplier Address	 GOJO Industries, Inc. One GOJO Plaza, Suite 500 Akron, Ohio 44311 	
Telephone	: 1 (330) 255-6000	
Emergency telephone number	: CHEMTREC 1-800-424-9300 CHEMTREC +1-703-527-3887:	Outside USA & CANADA
Recommended use of the c	hemical and restrictions on use	
Recommended use	: Disinfectants and general biocid	dal products

GHS Classification Flammable liquids : Category 3 **GHS** label elements Hazard pictograms Signal word : Warning Hazard statements : H226 Flammable liquid and vapour. : Prevention: Precautionary statements P210 Keep away from heat/sparks/open flames/hot surfaces. -No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ventilating/lighting/ equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. **Response:** P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. Storage: P403 + P235 Store in a well-ventilated place. Keep cool. Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.



Version 1.1

SDS Number: 400000005610

Revision Date: 04/07/2021

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical name	CAS-No.	Concentration (%)
Ethyl Alcohol	64-17-5	>= 20 - < 30
Isopropyl Alcohol	67-63-0	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice	 In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. If symptoms persist, call a physician.
In case of skin contact	: Get medical attention if irritation develops and persists.
In case of eye contact	 Rinse thoroughly with plenty of water, also under the eyelids. If easy to do, remove contact lens, if worn. Get medical attention if irritation develops and persists.
If swallowed	: If swallowed, DO NOT induce vomiting. Rinse mouth with water. Obtain medical attention.
Most important symptoms and effects, both acute and delayed	: None known.
Protection of first-aiders	: First Aid responders should pay attention to self-protection and use the recommended protective clothing

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media Unsuitable extinguishing media	 Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. High volume water jet
Specific hazards during firefighting	 Do not use a solid water stream as it may scatter and spread fire. Cool closed containers exposed to fire with water spray. Flash back possible over considerable distance. May form explosive mixtures in air. Exposure to decomposition products may be a hazard to health.
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers.
Further information	: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions,

: Use personal protective equipment.



Version 1.1	SDS Number: 400000005610	Revision Date: 04/07/2021
protective equipment and emergency procedures	Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe are Material can create slippery cor	
Environmental precautions	: Discharge into the environment Prevent further leakage or spilla Retain and dispose of contamir Local authorities should be adv cannot be contained.	age if safe to do so. nated wash water.
Methods and materials for containment and cleaning up	: Non-sparking tools should be u Soak up with inert absorbent m Keep in suitable, closed contair Clean contaminated floors and observing environmental regula	aterial. hers for disposal. objects thoroughly while

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	: For personal protection see section 8. Avoid contact with eyes.
Conditions for safe storage	: No smoking. Take measures to prevent the build up of electrostatic charge. Keep containers tightly closed in a dry, cool and well- ventilated place. Store in accordance with the particular national regulations.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethyl Alcohol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		STEL	1,000 ppm	ACGIH
Isopropyl Alcohol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m3	NIOSH REL
		ST	500 ppm 1,225 mg/m3	NIOSH REL
		TWA	400 ppm 980 mg/m3	OSHA Z-1

Biological occupational exposure limits

Components	CAS-No.	Control parameters		Samplin g time	Permissible concentratio n	
Isopropyl Alcohol	67-63-0	Acetone	Urine	End of shift at	40 mg/l	ACGIH BEI



sion 1.1	SDS Number: 400000005610 Revision Date: 04/0	
		end of workwee k
Personal protective equip	nent	
Respiratory protection	: No personal respiratory prote required.	ctive equipment normally
Eyeprotection	: No special protective equipmed Wear face-shield and protecting problems.	ent required. ive suit for abnormal processing
Skin and body protection	: No special measures necess correctly.	ary provided product is used
Protective measures	: Choose body protection in rel concentration and amount of the specific work-place.	ation to its type, to the dangerous substances, and to
Hygiene measures	: Handle in accordance with go practice. Avoid contact with eyes.	ood industrial hygiene and safety

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Colour Odour Odour Threshold		sheets colourless, light yellow citrus No data available
рН	:	3.1 - 4.1, (20 °C)
Melting point/freezing point Initial boiling point and boiling	:	No data available 86.8 °C
range Flash point	:	33.5 °C Method: Pensky-Martens closed cup
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	0.974 g/cm3
Solubility(ies) Water solubility	:	soluble



Version 1.1	SDS Number: 400000005610	Revision Date: 04/07/2021
Partition coefficient: n-	: Not applicable	
Auto-ignition temperature	: not determined	
Thermal decomposition	: The substance or mixture is no	ot classified self-reactive.
Viscosity Viscosity, kinematic	: No data available	
Explosive properties	: Not explosive	
Oxidizing properties	: The substance or mixture is no	ot classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Strong oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes Inhalation Eye contact Skin contact	of exposure
Acute toxicity Not classified based on availa	able information.
Product: Acute dermal toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Components: Ethyl Alcohol: Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 124.7 mg/l Exposure time: 4 h Test atmosphere: vapour
Isopropyl Alcohol: Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 72.6 mg/l Exposure time: 4 h Test atmosphere: vapour
Acute dermal toxicity	: LD50 (Rat): > 5,000 mg/kg



Version 1.1

SDS Number: 40000005610

Revision Date: 04/07/2021

Skin corrosion/irritation

Not classified based on available information.

Components:

Ethyl Alcohol: Species: Rabbit Method: OECD Test Guideline 404 Result: No skin irritation

Isopropyl Alcohol:

Species: Rabbit Result: No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Result: No eye irritation

Components:

Ethyl Alcohol: Species: Rabbit Result: Irritation to eyes, reversing within 21 days Method: OECD Test Guideline 405

Isopropyl Alcohol:

Species: Rabbit Result: Irritation to eyes, reversing within 21 days

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

Components:

Ethyl Alcohol:

Test Type: Local lymph node assay (LLNA) Exposure routes: Skin contact Species: Mouse Result: negative

Isopropyl Alcohol:

Test Type: Buehler Test Exposure routes: Skin contact Species: Guinea pig Method: OECD Test Guideline 406 Result: negative

Germ cell mutagenicity

Not classified based on available information.

Components: Ethyl Alcohol: Genotoxicity in vitr

Genotoxicity in vitro

: Test Type: In vitro mammalian cell gene mutation test



JRELL®Protessio	nai Surface Disinfecting W	ipes
rsion 1.1	SDS Number: 400000005610	Revision Date: 04/07/2021
	Result: negative	
Genotoxicity in vivo	: Test Type: Rodent dominant le Test species: Mouse Application Route: Ingestion Result: negative	thal test (germ cell) (in vivo)
Isopropyl Alcohol:		
Genotoxicity in vitro	: Test Type: Bacterial reverse m Result: negative	utation assay (AMES)
Genotoxicity in vivo	: Test Type: Mammalian erythro cytogenetic assay) Test species: Mouse Application Route: Intraperitone Result: negative	
Carcinogenicity		
Not classified based on av	ailable information.	
Components: Isopropyl Alcohol: Species: Rat Application Route: inhalat Exposure time: 104 weeks Method: OECD Test Guid Result: negative	6	
IARC	No component of this product pre equal to 0.1% is identified as prok human carcinogen by IARC.	
OSHA	No component of this product pre equal to 0.1% is identified as a ca carcinogen by OSHA.	sent at levels greater than or Ircinogen or potential
NTP	No component of this product pre equal to 0.1% is identified as a kn by NTP.	
Reproductive toxicity Not classified based on av	vailable information.	
Components: Ethyl Alcohol: Effects on fertility	: Test Type: Two-generation rep Species: Mouse	roduction toxicity study
	Application Route: Ingestion Method: OECD Test Guideline Result: negative	416
Isopropyl Alcohol:		
Effects on fertility	: Test Type: Two-generation rep Species: Rat	roduction toxicity study



PURELL® Professional Surface Disinfecting Wipes			
Version 1.1	SDS Number: 400000005610	Revision Date: 04/07/2021	
	Application Route: Ingestion Result: negative		
Effects on fœtal development	: Test Type: Embryo-foetal develo Species: Rat Application Route: Ingestion Result: negative	pment	
STOT - single exposure Not classified based on availa	ble information.		
Components: Isopropyl Alcohol: Assessment: May cause drow	siness or dizziness.		
STOT - repeated exposure Not classified based on availa	ble information.		
Repeated dose toxicity			
Components: Ethyl Alcohol: Species: Rat NOAEL: 2,400 mg/kg Application Route: Ingestion Exposure time: 2 y Isopropyl Alcohol:			
Species: Rat NOAEL: 5000 ppm Application Route: inhalation (Exposure time: 104 w Method: OECD Test Guideline	. ,		
Aspiration toxicity Not classified based on availa	ble information.		
SECTION 12. ECOLOGICAL INFO	DRMATION		
Ecotoxicity			
Components: Ethyl Alcohol: Toxicity to fish	: LC50 (Pimephales promelas (fath Exposure time: 96 h	head minnow)): > 1,000 mg/l	
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water fle Exposure time: 48 h	ea)): > 1,000 mg/l	
Toxicity to algae	: EC50 (Chlorella vulgaris (Fresh v	vater algæ)): 275 mg/l	

Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): 9.6 mg/l



sion 1.1	SDS Number: 400000005610 Revision Date: 04/07/	/20
aquatic invertebrates	Exposure time: 9 d	
(Chronic toxicity) Toxicity to bacteria	EC50 (Photobacterium phosphoreum): 32.1 mg/l Exposure time: 0.25 h	
Isopropyl Alcohol: Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 10,000 r Exposure time: 96 h	ng
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 10,000 mg/l Exposure time: 24 h	
Toxicity to bacteria	: EC50 (Pseudomonas putida): > 1,050 mg/l Exposure time: 16 h	
Persistence and degradabil	,	
<u>Components:</u> Ethyl Alcohol: Biodegradability	: Result: Readily biodegradable. Biodegradation: 84 % Exposure time: 20 d	
Isopropyl Alcohol: Biodegradability	: Result: rapidly degradable	
Bioaccumulative potential		
Components: Ethyl Alcohol: Partition coefficient: n- octanol/water Isopropyl Alcohol: Partition coefficient: n-	: log Pow: -0.35 : log Pow: 0.05	
octanol/water Mobility in soil No data available		
Other adverse effects No data available		
Product:		
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substance	ces
Remarks	This product neither contains, nor was manufactured with Class I or Class II ODS as defined by the U.S. Clean Air Section 602 (40 CFR 82, Subpt. A, App.A + B).	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods Waste from residues

: Dispose of in accordance with local regulations.



Version 1.1	SDS Number: 400000005610	Revision Date: 04/07/2021
Contaminated packaging	· Dispose of as unused product	

Contaminated packaging : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulation	
IATA-DGR UN/ID No.	: UN 1987
Proper shipping name	: Alcohols, n.o.s. (Ethanol, Propan-2-ol)
Class	: 3
Packing group	: 111
Packing instruction (cargo aircraft)	: 366
Packing instruction (passenger aircraft)	: 355
IMDG-Code	
UN number	: UN 1987
Proper shipping name	: ALCOHOLS, N.O.S. (Ethanol, Propan-2-ol)
Class	: 3
Packing group	: III
Labels EmS Code	: 3 : F-E, S-D
Marine pollutant	. F-E, S-D : no
National Regulations	. 110
49 CFR	
UN/ID/NA number	: UN 1987
Proper shipping name	: Alcohols, n.o.s.
Class	: 3
Packing group	:
ERG Code	: 127
Marine pollutant	: no

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	: Fire Hazard
SARA 302	: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.



sion 1.1	SDS Number: 4000	00005610 Revisio	n Date: 04/07/202
SARA 313		mponents are subject to re ARA Title III, Section 313:	porting levels
	Isopropyl Alcoho	67-63-0	1.0704 %
Clean Air Act			
This product doe Air Act Section 12	s not contain any hazardous air pc 2 (40 CER 61)	llutants (HAP), as defined	by the U.S. Clear
This product doe Accidental Relea	s not contain any chemicals listed se Prevention (40 CFR 68.130, Su	lbpart F).	
	emical(s) are listed under the U.S. inal VOC's (40 CFR 60.489):	Clean Air Act Section 111	SOCMI
Ethyl /	Alcohol 64-17-5	20.5008 %	
	pyl Alcohol 67-63-0 s not contain any VOC exemptions	1.0704 % listed under the LLS Clea	an Air Act Section
450.			
Clean Water Act			
This product doe 307	s not contain any toxic pollutants li	sted under the U.S. Clean	Water Act Sectio
US State Regula	tions		
Massachusetts I	-		
	Ethyl Alcohol	64-17-5	20 - 30 %
	sopropyl Alcohol Tydrochloric Acid	67-63-0 7647-01-0	1 - 5 % 0.1 - 1 %
Pennsylvania Ri			0.1 1 /0
-	Vater (Aqua)	7732-18-5	70 - 90 %
	Ethyl Alcohol	64-17-5	20 - 30 %
	sopropyl Alcohol	67-63-0	1 - 5 %
	Hydrochloric Acid	7647-01-0	0.1 - 1 %
	Sodium Hydroxide	1310-73-2	0 - 0.1 %
New Jersey Righ			
	Vater (Aqua)	7732-18-5	70 - 90 %
	Ethyl Alcohol	64-17-5	20 - 30 %
	Monosodium Citrate	18996-35-5	1-5%
l	sopropyl Alcohol	67-63-0	1 - 5 %
California Prop		es not contain any chemica ause cancer, birth defects, m.	
-	s of this product are reported in	the following inventories	5:
TSCA	: On TSCA Invento	ory	
AICS	: On the inventory	, or in compliance with the	inventory
DSL	: All components of	of this product are on the C	anadian DSL.




Version 1.1	SDS Number: 400000005610	Revision Date: 04/07/2021
ISHL	: On the inventory, or in complian	ce with the inventory
KECI	: On the inventory, or in complian	ce with the inventory
PICCS	: On the inventory, or in complian	ce with the inventory
IECSC	: On the inventory, or in complian	ce with the inventory
NZIoC	: On the inventory, or in complian	ce with the inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION





Revision Date

: 04/07/2021

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.