

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 03/18/2015 Version: 1.0

TECHNICAL CONCEPTS

SECTION 1: Identification of the	substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	: MANGO STD AEROSOL
Product code	: 1821661
SKU #	: FG401695
1.2. Relevant identified uses of the	substance or mixture and uses advised against
Use of the substance/mixture	: Aerosol Air care products Odour agents For professional use only
1.3. Details of the supplier of the sa	ifety data sheet
Rubbermaid Commercial Products LLC 3124 Valley Avenue Winchester, VA 22601-2694 - USA T (540) 6678700 www.rubbermaidcommercial.com 1.4. Emergency telephone number	
Emergency number	: 24-Hour Emergency: INFOTRAC: 1-800535-5063
5 .	
SECTION 2: Hazards identification	bn
2.1. Classification of the substance	or mixture
GHS-US classification	
Flam. Aerosol 1H222Eye Irrit. 2AH319Skin Sens. 1H317STOT SE 3H336	
Full text of H-phrases: see section 16	
2.2. Label elements	
GHS-US labelling Hazard pictograms (GHS-US)	HS02 GHS07
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	: H22 - Extremely flammable aerosol H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation H336 - May cause drowsiness or dizziness
Precautionary statements (GHS-US)	 P210 - Keep away from heat, hot surfaces, open flames, sparks No smoking P211 - Do not spray on an open flame or other ignition source P251 - Pressurized container: Do not pierce or burn, even after use P280 - Wear protective gloves P302+P352 - If on skin: Wash with plenty of water P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P312 - Call a doctor if you feel unwell P333+P313 - If skin irritation or rash occurs: Get medical advice/attention P337+P313 - If eve irritation persists: Get medical advice/attention

P337+P313 - If eye irritation persists: Get medical advice/attention P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

2.3. Other hazards

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

Name	Product identifier	%	GHS-US classification
Acetone	(CAS No) 67-64-1	>= 50	Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336
HEXYLENE GLYCOL	(CAS No) 107-41-5	1 - 10	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
LIMONENE	(CAS No) 5989-27-5	0,1 - 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H-phrases: see section 16

SECTION 4: First aid measures			
4.1. Description of first aid measures			
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).		
First-aid measures after inhalation	: Cough. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.		
First-aid measures after skin contact	: Remove/Take off immediately all contaminated clothing. If skin irritation persists, take medical advice. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash with plenty of soap and water. Wash contaminated clothing before reuse.		
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Direct contact with the eyes is likely to be irritating. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.		
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.		
4.2. Most important symptoms and effects	s, both acute and delayed		
	 Shortness of breath. May cause an allergic skin reaction. May cause drowsiness or dizziness. Causes skin irritation. 		
Symptoms/injuries after eye contact	: Causes serious eye irritation.		

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the su	bstance or mixture
Fire hazard	: Extremely flammable aerosol.
Explosion hazard	: May form flammable/explosive vapour-air mixture. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.
Reactivity	: Stable under normal conditions of use.
5.3. Advice for firefighters	
Firefighting instructions	 Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment. DO NOT fight fire when fire reaches explosives. Evacuate area.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations		
SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures		
General measures	: No open flames. No smoking. Isolate from fire, if possible, without unnecessary risk. Remove ignition sources. Use special care to avoid static electric charges.	
6.1.1. For non-emergency personnel		
Emergency procedures	: Evacuate unnecessary personnel.	
6.1.2. For emergency responders		
Protective equipment	: Equip cleanup crew with proper protection.	
Emergency procedures	: Ventilate area.	
6.2. Environmental precautions		
Prevent entry to sewers and public waters. No	tify authorities if liquid enters sewers or public waters.	
6.3. Methods and material for contain	ment and cleaning up	
Methods for cleaning up	: Ventilate spillage area. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.	
6.4. Reference to other sections		
See Heading 8. Exposure controls and personal protection.		
SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Additional hazards when processed	: Handle empty containers with care because residual vapours are flammable. Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use.	
Precautions for safe handling	No open flames. No smoking. Use only non-sparking tools. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not spray on an open flame or other ignition source. Use only outdoors or in a well-ventilated area.	
Hygiene measures	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.	
7.2. Conditions for safe storage, inclu		
Technical measures	: Comply with applicable regulations.	
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources, Ignition sources. Do not expose to temperatures exceeding 50 °C/ 122 °F.	
Incompatible products	: Strong bases. Strong acids.	
Incompatible materials : Sources of ignition. Direct sunlight. Heat sources.		

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

3.1. Control pa	Irameters		
MANGO STD AER	OSOL		
ACGIH	Not applicable	Not applicable	
OSHA	Not applicable	Not applicable	
HEXYLENE GLYC	OL (107-41-5)		
ACGIH	ACGIH Ceiling (ppm)	25 ppm	
ACGIH	Remark (ACGIH)	Eye & URT irr	
OSHA	Not applicable	Not applicable	
Acetone (67-64-1)			
ACGIH	ACGIH TWA (ppm)	200 ppm	
ACGIH	ACGIH STEL (ppm)	500 ppm	
ACGIH	Remark (ACGIH)	eye irr; CNS impair; BEI	
OSHA	OSHA PEL (TWA) (mg/m ³)	2400 mg/m ³	
OSHA	OSHA PEL (TWA) (ppm)	1000 ppm	
5/20/2015	EN (English)		3/8

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

LIMONENE (5989-27-5)	
ACGIH	Not applicable
OSHA	Not applicable
8.2. Exposure controls	
Appropriate engineering controls	: Provide local exhaust or general room ventilation to minimize mist and/or vapour concentrations.
Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Wear protective gloves.
Eye protection	: None under normal use.
Respiratory protection	: None under normal use.
Other information	: Do not eat, drink or smoke during use.
SECTION 9: Physical and	d chemical properties
9.1. Information on basic	physical and chemical properties
Physical state	: Liquid
Appearance	: Clear Transparent Liquid.
Colour	: colourless to slightly yellow
Odour	: characteristic
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butyla	cetate=1) : No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Extremely flammable aerosol
Vapour pressure	: 4,5 - 5,5 bar
Relative vapour density at 20 °C	: No data available
Relative density	: 0,7
Solubility	: No data available
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: 1,8 - 19 vol %
9.2. Other information	
Gas group	: Liquefied gas

SECTION	ON 10: Stability and reactivity
10.1.	Reactivity
Stable ur	nder normal conditions of use.
10.2.	Chemical stability
Extremel	y flammable aerosol. Contains gas under pressure; may explode if heated. Extreme risk of explosion by shock, friction, fire or other sources of

10.3. Possibility of hazardous reactions

Not established.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Open flame. Overheating.

10.5. Incompatible materials

Oxidizing agent. Strong acids. Strong bases.

10.6. Hazardous decomposition products

May release flammable gases. fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity	: Not classified	
Skin corrosion/irritation	: Not classified	
Serious eye damage/irritation	: Causes serious eye irritation.	
Respiratory or skin sensitisation	: May cause an allergic skin reaction.	
Germ cell mutagenicity	: Not classified	
	Based on available data, the classification criteria are not met	
Carcinogenicity	: Not classified	
	. Net described	
Reproductive toxicity	: Not classified	
Charific torget orgen tovicity (cingle oversoure)	Based on available data, the classification criteria are not met	
Specific target organ toxicity (single exposure)	: May cause drowsiness or dizziness.	
Specific target organ toxicity (repeated	: Not classified	
exposure)		
Aspiration hazard	: Not classified	
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.	
Symptoms/injuries after inhalation	: Shortness of breath. May cause an allergic skin reaction. May cause drowsiness or dizziness.	
Symptoms/injuries after skin contact	: Causes skin irritation.	
Symptoms/injuries after eye contact	: Causes serious eye irritation.	

SECTION 12: Ecological information

12.1. Toxicity

HEXYLENE GLYCOL (107-41-5)		
LC50 fish 1	> 1000 mg/l	
EC50 other aquatic organisms 2	> 1000 mg/l IC50 algea (72 h) mg/l	
Acetone (67-64-1)		
LC50 fish 1	5540 mg/l	
EC50 other aquatic organisms 1	3400 mg/l EC50 waterflea (48 h)	
EC50 other aquatic organisms 2 12600 mg/l IC50 algea (72 h) mg/l		

MANGO STD AEROSOL		
Persistence and degradability	Not established.	
Acetone (67-64-1)		
Persistence and degradability	Not established.	
12.3. Bioaccumulative potential		
MANGO STD AEROSOL		
Bioaccumulative potential	Not established.	
Acetone (67-64-1)		
Bioaccumulative potential	Not established.	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Mobility in soil 12.4.

No additional information available

12.5. Other adverse effects	
Effect on ozone layer	: None to our knowledge
Effect on the global warming	: No known ecological damage caused by this product.
Other information	: Avoid release to the environment.

SECTION 13: Disposal considerations			
13.1. Waste treatment methods			
Waste disposal recommendations	 Dispose in a safe manner in accordance with local/national regulations. Container under pressure. Do not drill or burn even after use. 		
Additional information	: Handle empty containers with care because residual vapours are flammable. Flammable vapours may accumulate in the container.		
Ecology - waste materials	: Avoid release to the environment.		
SECTION 14: Transport information			
In accordance with DOT			
Transport document description	: UN1950 Aerosols, 2.1		
UN-No.(DOT)	: UN1950		
Proper Shipping Name (DOT)	: Aerosols		
Transport hazard class(es) (DOT)	: 2.1 - Class 2.1 - Flammable gas 49 CFR 173.115		
Hazard labels (DOT)	: 2.1 - Flammable gas		
DOT Special Provisions (49 CFR 172.102)	: N82 - See 173.306 of this subchapter for classification criteria for flammable aerosols.		
DOT Packaging Exceptions (49 CFR 173.xxx)	: 306		
DOT Packaging Non Bulk (49 CFR 173.xxx)	: None		
DOT Packaging Bulk (49 CFR 173.xxx)	: None		
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 75 kg		
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 150 kg		
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.		
DOT Vessel Stowage Other	: 48 - Stow "away from" sources of heat,87 - Stow "separated from" Class 1 (explosives) except Division 14,126 - Segregation same as for Class 9, miscellaneous hazardous materials		
Additional information			
Other information	: No supplementary information available.		
ADR			
Transport document description	: UN 1950 AEROSOLS, 2.1, (D)		
Class (ADR)	: 2 - Gases		
Classification code (ADR)	: 5F		
Danger labels (ADR)	: 2.1 - Flammable gases		
Tunnel restriction code (ADR)	: D		
LQ	: 11		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Excepted quantities (ADR)	: E0	
Transport by sea		
UN-No. (IMDG)	: 1950	
Proper Shipping Name (IMDG)	: AEROSOLS	
Class (IMDG)	: 2 - Gases	
Air transport		
UN-No. (IATA)	: 1950	
Proper Shipping Name (IATA)	: Aerosols, flammable	
Class (IATA)	: 2	

15.1. US rederal regulations
HEXYLENE GLYCOL (107-41-5)
Not listed on the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
Acetone (67-64-1)
Listed on United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
LIMONENE (5989-27-5)
Not listed on the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol 1H222;H229Eye Irrit. 2H319STOT SE 3H336Aquatic Chronic 3H412Full text of H-phrases: see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

15.2.2. National regulations

15.3. US State regulations

HEXYLENE GLYCOL (107-41-5)

U.S. -New York - RTK list Hazardous Substances

Acetone (67-64-1)

U.S. -New York - RTK list Hazardous Substances

U.S. - Pennsylvania - RTK (Right to Know) List

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 16: Other information

Other information

: REACH Disclaimer:

This information is based on current knowledge. Consistency of data in the SDS with CSR is considered, as far as the information is available at the time of compilation (cfr Revision date and Version number). DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable. None.

Full text of H-phrases:

Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Flam. Aerosol 1	Flammable aerosols, Category 1
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Sensitisation — Skin, category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H222	Extremely flammable aerosol
H225	Highly flammable liquid and vapour
H226	Flammable liquid and vapour
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

SDS US GHS HazCom 2012 newell

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product