

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 03/25/2015 Version: 1.0

TECHNICAL CONCEPTS

1.1.	Product identifier	
Produc	t name	: LEMON STD AEROSOL
Produc	t code	: 1821659
SKU #		: FG401909
1.2.	Relevant identified uses of the s	ubstance or mixture and uses advised against
Use of	the substance/mixture	: Aerosol Air care products Odour agents For professional use only
1.3.	Details of the supplier of the saf	ety data sheet
3124 V Winche T (540)	maid Commercial Products LLC alley Avenue ester, VA 22601-2694 - USA 6678700 ubbermaidcommercial.com	
1.4.	Emergency telephone number	
Emera	ency number	: 24-Hour Emergency: INFOTRAC: 1-800535-5063

2.1. Classification of the substance or mixture

### **GHS-US** classification

 Flam. Aerosol 1
 H222

 Skin Irrit. 2
 H315

 Eye Irrit. 2A
 H319

 Skin Sens. 1
 H317

 STOT SE 3
 H336

Full text of H-phrases: see section 16

### 2.2. Label elements

### **GHS-US** labelling

Hazard pictograms (GHS-US)

	GHS02 GHS07
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	<ul> <li>H222 - Extremely flammable aerosol</li> <li>H315 - Causes skin irritation</li> <li>H317 - May cause an allergic skin reaction</li> <li>H319 - Causes serious eye irritation</li> <li>H336 - May cause drowsiness or dizziness</li> </ul>
Precautionary statements (GHS-US)	<ul> <li>P210 - Keep away from heat, hot surfaces, open flames, sparks No smoking P211 - Do not spray on an open flame or other ignition source P251 - Pressurized container: Do not pierce or burn, even after use P280 - Wear protective gloves P302+P352 - If on skin: Wash with plenty of water P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P312 - Call a doctor if you feel unwell P333+P313 - If skin irritation or rash occurs: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F</li> </ul>

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 2.3. Other hazards

### No additional information available

### 2.4. Unknown acute toxicity (GHS US)

### Not applicable

### **SECTION 3: Composition/information on ingredients**

### 3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	GHS-US classification
Acetone	(CAS No) 67-64-1	>= 50	Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336
HEXYLENE GLYCOL	(CAS No) 107-41-5	1 - 10	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
LIMONENE	(CAS No) 5989-27-5	1 - 10	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
TERPINOLENE	(CAS No) 586-62-9	0,1 - 1	Aquatic Chronic 2, H411 Asp. Tox. 1, H304
ALPHA-PINENES	(CAS No) 80-56-8	0,1 - 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
p-CYMENE	(CAS No) 99-87-6	0,1 - 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Aquatic Chronic 2, H411 Asp. Tox. 1, H304
CITRAL	(CAS No) 5392-40-5	0,1 - 1	Skin Irrit. 2, H315 Skin Sens. 1, H317
GAMMA-TERPINENE	(CAS No) 99-85-4	0,1 - 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Asp. Tox. 1, H304
MYRCENE	(CAS No) 123-35-3	< 0,1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Asp. Tox. 1, H304
PINENES	(CAS No) 127-91-3	< 0,1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304

Full text of H-phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Cough. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
First-aid measures after skin contact	: Remove/Take off immediately all contaminated clothing. If skin irritation persists, take medical advice. Wash with plenty of soap and water. Wash contaminated clothing before reuse.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Direct contact with the eyes is likely to be irritating. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effect	s, both acute and delayed
Symptoms/injuries after inhalation	: Shortness of breath. May cause an allergic skin reaction. May cause drowsiness or dizziness.
Symptoms/injuries after skin contact	: Causes skin irritation.
Symptoms/injuries after eye contact	: Causes serious eye irritation.
4.3. Indication of any immediate medical	attention and special treatment needed

No additional information available

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 5: Firefighting measures	
5.1. Extinguishing media	Even Devente Octor Statis With a contract
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the su	bstance or mixture
Fire hazard	: Extremely flammable aerosol.
Explosion hazard	: May form flammable/explosive vapour-air mixture. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.
Reactivity	: Stable under normal conditions of use.
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment. DO NOT fight fire when fire reaches explosives. Evacuate area.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release mea	sures
	juipment and emergency procedures
General measures	<ul> <li>No open flames. No smoking. Isolate from fire, if possible, without unnecessary risk. Remove ignition sources. Use special care to avoid static electric charges.</li> </ul>
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
Prevent entry to sewers and public waters. Notil	y authorities if liquid enters sewers or public waters.
6.3. Methods and material for containm	ent and cleaning up
Methods for cleaning up	: Ventilate spillage area. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
6.4. Reference to other sections	
See Heading 8. Exposure controls and persona	protection.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapours are flammable. Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use.
Precautions for safe handling	No open flames. No smoking. Use only non-sparking tools. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not spray on an open flame or other ignition source. Use only outdoors or in a well-ventilated area.
Hygiene measures	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, include	ng any incompatibilities
Technical measures	: Comply with applicable regulations. Proper grounding procedures to avoid static electricity should be followed.
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources, Ignition sources. Do not expose to temperatures exceeding 50 °C/ 122 °F.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight. Heat sources.
7.3. Specific end use(s)	

No additional information available

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 8: Expo	osure controls/personal protection			
8.1. Control para	· · · · · · · · · · · · · · · · · · ·			
LEMON STD AEROS				
ACGIH	Not applicable	Not applicable		
OSHA	Not applicable	Not applicable		
HEXYLENE GLYCOL	L (107-41-5)			
ACGIH	ACGIH Ceiling (ppm)	25 ppm		
ACGIH	Remark (ACGIH)	Eye & URT irr		
OSHA	Not applicable			
Acetone (67-64-1)				
ACGIH	ACGIH TWA (ppm)	200 ppm		
ACGIH	ACGIH STEL (ppm)	500 ppm		
ACGIH	Remark (ACGIH)	eye irr; CNS impair; BEI		
OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	2400 mg/m <sup>3</sup>		
OSHA	OSHA PEL (TWA) (ppm)	1000 ppm		
LIMONENE (5989-27	-5)			
ACGIH	Not applicable			
OSHA	Not applicable			
CITRAL (5392-40-5) ACGIH	Not applicable			
OSHA	Not applicable			
PINENES (127-91-3) ACGIH	Not oppliaghla			
OSHA	Not applicable           Not applicable			
USHA				
MYRCENE (123-35-3				
ACGIH		Not applicable		
OSHA	Not applicable			
GAMMA-TERPINEN	E (99-85-4)			
ACGIH	Not applicable			
OSHA	Not applicable			
TERPINOLENE (586-	-62-9)			
ACGIH	Not applicable			
OSHA	Not applicable			
ALPHA-PINENES (80	0-56-8)			
ACGIH	Not applicable			
OSHA	Not applicable			
p-CYMENE (99-87-6)				
ACGIH	Not applicable			
OSHA	Not applicable			

8.2. **Exposure controls** 

Appropriate engineering controls

: Provide local exhaust or general room ventilation to minimize mist and/or vapour concentrations.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Wear protective gloves.
Eye protection	: None under normal use.
Respiratory protection	: None under normal use.
Other information	: Do not eat, drink or smoke during use.

### SECTION 9: Physical and chemical properties

9.1. Information on basic physical and	I chemical properties
Physical state	: Liquid
Appearance	: Clear Transparent Liquid.
Colour	: colourless to slightly yellow
Odour	: characteristic
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Extremely flammable aerosol
Vapour pressure	: 4,5 - 5,5 bar
Relative vapour density at 20 °C	: No data available
Relative density	: 0,7
Solubility	: No data available
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: 1,8 - 19 vol %
9.2 Other information	

9.2. Other information

### No additional information available

### SECTION 10: Stability and reactivity

### 10.1. Reactivity

Stable under normal conditions of use.

### 10.2. Chemical stability

Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Extreme risk of explosion by shock, friction, fire or other sources of ignition.

10.3. Possibility of hazardous reactions

Not established.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Open flame. Overheating.

### 10.5. Incompatible materials

Oxidizing agent. Strong acids. Strong bases.

10.6. Hazardous decomposition products

May release flammable gases. fume. Carbon monoxide. Carbon dioxide.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to Federal Register / Vol. 77, No. 58 / Monday	, Warch 26, 2012 / Rules and Regulations
<b>SECTION 11: Toxicological informat</b>	lion
11.1. Information on toxicological effects	i de la constante de la constan
Acute toxicity	: Not classified
Skin corrosion/irritation Serious eye damage/irritation	: Causes skin irritation. : Causes serious eye irritation.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	Based on available data, the classification criteria are not met : Not classified
Reproductive toxicity Specific target organ toxicity (single exposure)	<ul> <li>Not classified</li> <li>Based on available data, the classification criteria are not met</li> <li>May cause drowsiness or dizziness.</li> </ul>
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard Potential adverse human health effects and	: Not classified : Based on available data, the classification criteria are not met.
symptoms	. שמשבע טון מימוומטוב שמומ, וווב טומששוונמווטון טוונבוומ מוב ווטו ווובו.
Symptoms/injuries after inhalation	: Shortness of breath. May cause an allergic skin reaction. May cause drowsiness or dizziness.
Symptoms/injuries after skin contact	: Causes skin irritation.
Symptoms/injuries after eye contact	: Causes serious eye irritation.

### SECTION 12: Ecological information

### 12.1. Toxicity

HEXYLENE GLYCOL (107-41-5)	
LC50 fish 1	> 1000 mg/l
EC50 other aquatic organisms 2	> 1000 mg/l IC50 algea (72 h) mg/l
Acetone (67-64-1)	
LC50 fish 1	5540 mg/l
EC50 other aquatic organisms 1	3400 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	12600 mg/l IC50 algea (72 h) mg/l
CITRAL (5392-40-5)	
LC50 fish 1	4,1 mg/l
EC50 other aquatic organisms 1	5 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	7 mg/l IC50 algea (72 h) mg/l

ALPHA-PINENES (80-56-8)		
LC50 fish 1	0,28 mg/l	
EC50 other aquatic organisms 2	1,44 mg/l IC50 algea (72 h) mg/l	
12.2. Persistence and degradability		
LEMON STD AEROSOL		
Persistence and degradability	Not established.	
Acetone (67-64-1)		

Persistence and degradability

Not established.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

LEMON STD AEROSOL	
Bioaccumulative potential	Not established.
•	
Acetone (67-64-1)	
Bioaccumulative potential	Not established.
2.4. Mobility in soil	
o additional information available	
2.5 Other advarage offects	
2.5. Other adverse effects	· Nara ta aveluaridadea
ffect on ozone layer	: None to our knowledge
ffect on the global warming	: No known ecological damage caused by this product.
ther information	: Avoid release to the environment.
ECTION 13: Disposal consideration	S
3.1. Waste treatment methods	
aste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Container under
	pressure. Do not drill or burn even after use.
dditional information	: Handle empty containers with care because residual vapours are flammable. Flammable vapours may accumulate in the container.
cology - waste materials	: Avoid release to the environment.
ECTION 14: Transport information	
accordance with DOT	
ransport document description	: UN1950 Aerosols, 2.1
N-No.(DOT)	: UN1950
roper Shipping Name (DOT)	: Aerosols
ransport hazard class(es) (DOT)	: 2.1 - Class 2.1 - Flammable gas 49 CFR 173.115
azard labels (DOT)	: 2.1 - Flammable gas
	2
OT Special Provisions (49 CFR 172.102)	: N82 - See 173.306 of this subchapter for classification criteria for flammable aerosols.
OT Packaging Exceptions (49 CFR 173.xxx)	: 306
OT Packaging Non Bulk (49 CFR 173.xxx)	: None
OT Packaging Bulk (49 CFR 173.xxx)	: None
OT Quantity Limitations Passenger aircraft/rail 9 CFR 173.27)	: 75 kg
OT Quantity Limitations Cargo aircraft only (49 FR 175.75)	: 150 kg
OT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
OT Vessel Stowage Other	: 48 - Stow "away from" sources of heat,87 - Stow "separated from" Class 1 (explosives) except
Cr vesser olowage Olifer	Division 14,126 - Segregation same as for Class 9, miscellaneous hazardous materials
dditional information	
ther information	: No supplementary information available.

Transport document description :	UN 1950 AEROSOLS, 2.1, (D)	
05/20/2015	EN (English)	7/10

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	······································
Class (ADR)	: 2 - Gases
Classification code (ADR)	: 5F
Danger labels (ADR)	: 2.1 - Flammable gases
Tunnel restriction code (ADR)	: D
LQ	: 11
Excepted quantities (ADR)	: E0
Transport by sea	
UN-No. (IMDG)	: 1950
Proper Shipping Name (IMDG)	: AEROSOLS
Class (IMDG)	: 2 - Gases
Air transport	
UN-No. (IATA)	: 1950
Proper Shipping Name (IATA)	: Aerosols, flammable
Class (IATA)	: 2

## **SECTION 15: Regulatory information**

15.1. US Federal regulations
HEXYLENE GLYCOL (107-41-5)
Not listed on the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
Acetone (67-64-1)
Listed on United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
LIMONENE (5989-27-5)
Not listed on the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
CITRAL (5392-40-5)
Not listed on the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
PINENES (127-91-3)
Not listed on the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
MYRCENE (123-35-3)
Not listed on the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
GAMMA-TERPINENE (99-85-4)
Not listed on the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
TERPINOLENE (586-62-9)
Not listed on the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
ALPHA-PINENES (80-56-8)
Not listed on the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory
p-CYMENE (99-87-6)
Not listed on the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **15.2. International regulations**

CANADA No additional information available

### EU-Regulations No additional information available

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

 Aerosol 1
 H222;H229

 Skin Irrit. 2
 H315

 Eye Irrit. 2
 H319

 Skin Sens. 1
 H317

 STOT SE 3
 H336

 Aquatic Chronic 2
 H411

 Full text of H-phrases: see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

15.2.2. National regulations

### 15.3. US State regulations

# HEXYLENE GLYCOL (107-41-5) U.S. -New York - RTK list Hazardous Substances U.S. -New York - RTK list Hazardous Substances U.S. - Pennsylvania - RTK (Right to Know) List TERPINOLENE (586-62-9) U.S. -New York - RTK list Hazardous Substances U.S. -New York - RTK list Hazardous Substances ALPHA-PINENES (80-56-8)

U.S. -New York - RTK list Hazardous Substances

### SECTION 16: Other information

Other information

: REACH Disclaimer:

This information is based on current knowledge. Consistency of data in the SDS with CSR is considered, as far as the information is available at the time of compilation (cfr Revision date and Version number). DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable. None.

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases:	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Flam. Aerosol 1	Flammable aerosols, Category 1
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Sensitisation — Skin, category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H222	Extremely flammable aerosol
H225	Highly flammable liquid and vapour
H226	Flammable liquid and vapour
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects

### SDS US GHS HazCom 2012 newell

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product