

DISPENSING DYNAMICS INTERNATIONAL  
1020 Bixby Drive  
City of Industry  
CA 91745, USA  
1-800-888-3698

PRODUCT: 04358-09-104 SOUTH PACIFIC 3000 A/F 6.5OZ



### Section 01: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MANUFACTURER ..... MANUFACTURED FOR:  
Dispensing Dynamics International  
1020 Bixby Drive  
City of Industry  
CA 91745  
PRODUCT NAME ..... 04358-09-104 SOUTH PACIFIC 3000 A/F 6.5OZ  
CHEMICAL FAMILY ..... Glycol/Ketone.  
MOLECULAR WEIGHT ..... NOT APPLICABLE.  
CHEMICAL FORMULA ..... MIXTURE.  
TRADE NAMES & SYNONYMS ..... 04358-09-104 SOUTH PACIFIC 3000 A/F 6.5OZ  
PRODUCT USES ..... METERED AIR FRESHENER.  
FORMULA/LAB BOOK #

### Section 02: COMPOSITION/INFORMATION INGREDIENTS

| Hazardous Ingredients             | %     | Exposure Limit | C.A.S.#     | LD/50, Route,Species       | LC/50 Route,Species            |
|-----------------------------------|-------|----------------|-------------|----------------------------|--------------------------------|
| ACETONE                           | 30-60 | 750 ppm        | 67-64-1     | >9750 mg/kg ORAL - RAT     | >16,000 ppm (4 hr) INHAL - RAT |
| DIETHYLENE GLYCOL MONOETHYL ETHER | 10-30 | NOT AVAILABLE  | 111-90-0    | 6500 mg/kg RAT ORAL        | NOT AVAILABLE                  |
| FRAGRANCE                         | 3-7   | N/A            | PROPRIETARY | NOT AVAILABLE              | NOT AVAILABLE                  |
| ISOBUTANE                         | 3-7   | 1000 ppm       | 75-28-5     | NOT APPLICABLE             | 142,500 ppm (4h) INHAL - RAT   |
| PROPANE                           | 10-30 | 1000 ppm       | 74-98-6     | >5000 mg/kg DERMAL-RABBITS | NOT AVAILABLE                  |

### Section 03: HAZARDS IDENTIFICATION

ROUTE OF ENTRY:  
INGESTION ..... MAY CAUSE HEADACHE, NAUSEA, VOMITING AND WEAKNESS.  
INHALATION ..... INHALATION OF SOLVENTS MAY CAUSE IRRITATION. PROPELLANT IS A SIMPLE ASPHYXIAN.  
EYE CONTACT ..... MAY CAUSE IRRITATION.  
SKIN ABSORPTION ..... NO DATA AVAILABLE FOR THIS PRODUCT MIXTURE.  
SKIN CONTACT ..... MAY CAUSE IRRITATION.  
EFFECTS OF ACUTE EXPOSURE ..... DIZZINESS, NAUSEA. IRRITATION TO SKIN & EYES.  
EFFECTS OF CHRONIC EXPOSURE ..... SOLVENTS MAY CAUSE DEFATTING DERMATITIS  
EXPOSURE LIMIT OF MATERIAL ..... SEE SECTION 2.

### Section 04: FIRST AID MEASURES

EMERGENCY FIRST AID PROCEDURE ..... IN CASE OF EYE CONTACT, FLUSH IMMEDIATELY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND GET MEDICAL ATTENTION. FOR SKIN, WASH THOROUGHLY WITH SOAP AND WATER. IF AFFECTED BY INHALATION OF VAPOUR OR SPRAY MIST, REMOVE TO FRESH AIR. IF SWALLOWED; DO NOT INDUCE VOMITING, GET MEDICAL ATTENTION.

### Section 05: FIRE FIGHTING MEASURES

AUTO IGNITION TEMPERATURE (°C) ..... 465.  
SPECIAL PROCEDURES ..... WATER FROM FOGGING NOZZLES MAY BE USED TO COOL CLOSED CONTAINERS TO PREVENT BUILD-UP IF EXPOSED TO EXTREME TEMPERATURES. FULL PROTECTIVE EQUIPMENT INCLUDING SELF CONTAINED BREATHING APPARATUS SHOULD BE WORN IN A FIRE INVOLVING THIS MATERIAL.  
FLAMMABILITY ..... FLAMMABLE.  
IF YES, UNDER WHICH CONDITIONS? ..... EXCESSIVE HEAT, SPARKS AND OPEN FLAME.  
EXTINGUISHING MEDIA ..... WATER, CARBON DIOXIDE, DRY CHEMICAL, FOAM.  
UPPER FLAMMABLE LIMIT ..... 23.5.  
(% BY VOLUME)  
LOWER FLAMMABLE LIMIT ..... 1.0.  
(% BY VOLUME)  
EXPLOSION DATA  
SENSITIVITY TO STATIC DISCHARGE ..... NOT APPLICABLE.  
SENSITIVITY TO IMPACT ..... NOT APPLICABLE.  
HAZARDOUS COMBUSTION PRODUCTS ..... HYDROCARBON FUMES AND SMOKE. CARBON MONOXIDE WHERE COMBUSTION IS INCOMPLETE.  
AEROSOL FLAME PROJECTION

**PRODUCT: 04358-09-104 SOUTH PACIFIC 3000 A/F 6.5OZ**

**Section 05: FIRE FIGHTING MEASURES**

CLASSIFIED AS:..... >45cm.  
 FLASHBACK..... NONE.  
 FLASH POINT(°C),TAG CLOSED-CUP ..... LOWEST KNOWN VALUE IS ACETONE @-18C.  
 (CONCENTRATE)

**Section 06: ACCIDENTAL RELEASE MEASURES**

LEAK/SPILL..... REMOVE ALL SOURCES OF IGNITION. USE AN INERT ABSORBENT MATERIAL, AND NON-SPARKING TOOLS. VENTILATE AREA. PREVENT FROM ENTERING A WATERCOURSE.

**Section 07: HANDLING AND STORAGE**

STORAGE NEEDS..... KEEP AWAY FROM HEAT, SPARKS, AND OPEN FLAMES.  
 ENGINEERING CONTROLS..... VENTILATION - LOCAL (MECHANICAL IF USED INDOORS ON A CONTINUOUS BASIS).  
 HANDLING PROCEDURES AND EQUIPMENT..... STORE IN A COOL, WELL VENTILATED AREA NOT TO EXCEED 50 DEG C.  
 SYNERGISTIC MATERIALS..... NONE KNOWN.

**Section 08: EXPOSURE CONTROLS/PERSONAL PROTECTION**

GLOVES/ TYPE..... NOT NORMALLY REQUIRED.  
 RESPIRATORY/TYPE..... NOT NORMALLY REQUIRED.  
 EYE/TYPE..... SAFETY GLASSES.  
 FOOTWEAR/TYPE..... NOT NORMALLY REQUIRED.  
 OTHER/TYPE..... NOT REQUIRED.

**Section 09: PHYSICAL AND CHEMICAL PROPERTIES**

PHYSICAL STATE..... AEROSOL.  
 APPEARANCE..... CLEAR PALE YELLOW LIQUID.  
 ODOR..... FRAGRANT.  
 ODOR THRESHOLD..... NOT AVAILABLE.  
 VAPOUR PRESSURE(PSIG)-AEROSOL..... 65-75.  
 @ 20 C  
 BOILING POINT (°C)(CONC)..... LOWEST KNOWN VALUE IS 57 BASED ON ACETONE.  
 EVAPORATION RATE..... GREATER THAN 1.  
 n-BUTYL ACETATE = 1  
 VAPOUR DENSITY (AIR=1)..... GREATER THAN 1.  
 (BY WEIGHT)  
 (BY WEIGHT)  
 SOLUBILITY IN WATER g/L (20°C)..... MISCIBLE.  
 pH..... NOT APPLICABLE.  
 SPECIFIC GRAVITY (LIQUID)..... 0.78-0.86.  
 COEFFICIENT OF WATER/OIL DIST..... NOT AVAILABLE.  
 FREEZING POINT: (°C)..... NOT AVAILABLE.  
 PERCENT VOLATILE (BY WEIGHT)..... 97-98.  
 SPECIFIC GRAVITY (AEROSOL)..... 0.71-0.76.

**Section 10: STABILITY AND REACTIVITY**

HAZARDOUS PRODUCTS OF DECOMPOSITION..... HYDROCARBON FUMES AND SMOKE. CARBON MONOXIDE WHERE COMBUSTION IS INCOMPLETE.  
 CHEMICAL STABILITY:  
 YES..... UNDER NORMAL CONDITIONS.  
 NO, WHICH CONDITIONS?..... NOT APPLICABLE.  
 COMPATIBILITY WITH OTHER SUBSTANCES:  
 NO, WHICH ONES?..... STRONG OXIDIZING AGENTS.  
 REACTIVITY CONDITIONS?..... NOT APPLICABLE.  
 HAZARDOUS POLYMERIZATION..... WILL NOT OCCUR.

**Section 11: TOXICOLOGICAL INFORMATION**

REPRODUCTIVE EFFECTS..... NO INFORMATION IS AVAILABLE AND NO ADVERSE REPRODUCTIVE EFFECTS ARE ANTICIPATED.  
 IRRITANCY OF MATERIAL..... SKIN/EYE IRRITANT.  
 SENSITIZING CAPABILITY OF MATERIAL..... UNKNOWN.  
 CARCINOGENICITY OF MATERIAL..... THE INGREDIENTS OF THIS PRODUCT ARE NOT LISTED AS CARCINOGENS BY NTP, (NATIONAL TOXICOLOGY PROGRAM), NOT REGULATED AS CARCINOGENS BY OSHA, (OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION), AND HAVE NOT BEEN EVALUATED BY IARC,(INTERNATIONAL AGENCY FOR RESEARCH ON CANCER), NOR BY ACGIH (AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGIENISTS).  
 TERATOGENICITY..... NO INFORMATION IS AVAILABLE AND NO ADVERSE TERATOGENIC EFFECTS ARE ANTICIPATED.  
 MUTAGENICITY..... NO INFORMATION IS AVAILABLE AND NO ADVERSE MUTAGENIC EFFECTS ARE ANTICIPATED.

**PRODUCT: 04358-09-104 SOUTH PACIFIC 3000 A/F 6.5OZ**

**Section 12: ECOLOGICAL CONSIDERATIONS**

ENVIRONMENTAL..... NOT AVAILABLE.

**Section 13: DISPOSAL CONSIDERATIONS**

WASTE DISPOSAL..... DO NOT PUNCTURE OR INCINERATE CONTAINERS, EVEN WHEN EMPTY. DISPOSE OF IN ACCORDANCE WITH LOCAL, PROVINCIAL AND FEDERAL REGULATIONS.

**Section 14: TRANSPORTATION INFORMATION**

D.O.T. CLASSIFICATION..... CONSUMER COMMODITY, ORM-D.  
 T.D.G. CLASSIFICATION..... CONSUMER COMMODITY (AEROSOLS, UN1950, CLASS 2.1).  
 IMDG/IMO:  
 Classification..... CONSUMER COMMODITY/LIMITED QUANTITY.  
 Proper Shipping Name..... AEROSOLS, FLAMMABLE.  
 Packing Group..... N/A.  
 UN Number..... 1950.  
 UN Class..... 2.1.  
 Marine Pollutant..... NO.

**Section 15: REGULATORY INFORMATION**

**CANADIAN REGULATIONS:**

WHMIS CLASSIFICATION..... A,B5,D2B.  
 CNFC SECTION 3.3.5..... LEVEL 3.  
 CEPA (Canadian Environmental Protection Act) ALL SUBSTANCES IN THIS PRODUCT ARE LISTED ON THE CANADIAN DOMESTIC SUBSTANCES LIST (DSL) OR ARE NOT REQUIRED TO BE LISTED.

**U.S. REGULATIONS:**

HMIS RATING HEALTH..... 1 SLIGHT HAZARD.  
 HMIS RATING FLAMMABILITY..... 3 SERIOUS HAZARD.  
 HMIS RATING REACTIVITY..... 0 MINIMAL HAZARD.  
 HMIS RATING PERSONAL PROTECTION..... B.  
 NFPA CODE 30B..... LEVEL 3.  
 SARA 313 INFORMATION: THIS PRODUCT CONTAINS NO INGREDIENTS SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF THE EMERGENCY PLANNING AND COMMUNITY RIGHT-TO-KNOW ACT OF 1986 AND OF 40 CFR 372.  
 CAS #: CHEMICAL NAME:  
 N/A.  
 CALIFORNIA PROPOSITION 65: THE FOLLOWING STATEMENT IS MADE IN ORDER TO COMPLY WITH THE CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT OF 1986:  
 WARNING: THIS PRODUCT DOES NOT INTENTIONALLY CONTAIN ANY CHEMICALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM.  
 . CAS #: CHEMICAL NAME:  
 . N/A.  
 TSCA (Toxic Substances Control Act)..... ALL COMPONENT OF THIS PRODUCT ARE LISTED ON THE TSCA INVENTORY. ANY IMPURITIES PRESENT IN THIS PRODUCT ARE EXEMPT FROM LISTING.

VOC (w/w%)

**Section 16: OTHER INFORMATION**

NOTICE FROM DISPENSING DYNAMICS INTERNATIONAL ..... THE INFORMATION ON THIS MATERIAL SAFETY DATA SHEET IS PROVIDED BY DISPENSING DYNAMICS INTERNATIONAL. FREE OF CHARGE. WHILE BELIEVED TO BE RELIABLE, IT IS INTENDED FOR USE BY SKILLED PERSONS AT THEIR OWN RISK. DISPENSING DYNAMICS INTERNATIONAL ASSUMES NO RESPONSIBILITY FOR EVENTS RESULTING OR DAMAGES INCURRED FROM ITS USE. THE INFORMATION ON THIS MATERIAL SAFETY DATA SHEET RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED HEREIN AND DOES NOT RELATE TO USE IN COMBINATION WITH ANY OTHER MATERIAL OR IN ANY PROCESS.

PREPARED BY..... TECHNICAL SERVICES  
 PREPARATION DATE ..... Jan27/12