SSS Oven and Grill Cleaner

### Section 1: PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** SSS Oven and Grill Cleaner

Product Number: 05023
Product Use: Cleaner.
Manufacturer/Supplier: Triple S

2 Executive Park Dr. Billerica, MA 01862

**Phone Number:** (978) 667-7900 **D.O.T. Emergency Phone:** 1-(888) 779-1339

**Date of Preparation:** November 7, 2007 **Revision #**: 1.0

### **Section 2: HAZARDS IDENTIFICATION**

## EMERGENCY OVERVIEW

**DANGER** 

CORROSIVE MATERIAL - CAUSES BURNS.

CONTENTS UNDER PRESSURE. CONTAINER MAY EXPLODE IF HEATED.

Potential Health Effects: See Section 11 for more information.

Likely Routes of Exposure: Skin contact, eye contact, inhalation, and ingestion.

Eye: Causes burns.

Skin: Causes burns.

**Ingestion:** Not a normal route of exposure. May cause burns. Harmful: may cause lung

damage if swallowed.

**Inhalation:** May cause respiratory tract irritation. Vapours may cause drowsiness and

dizziness. This product may be aspirated into the lungs and cause chemical

HMIS: See Section 15

pneumonitis.

Chronic Effects: Prolonged or repeated contact will dry skin and cause severe irritation.

Signs and Symptoms: Severe deep burns to eyes. Redness. Pain. Blisters. Serious skin burns.

Medical Conditions Aggravated By Exposure: Asthma. Allergies.

**Target Organs:** Skin, eyes, gastrointestinal tract, respiratory system.

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**Potential Environmental Effects:** May cause long-term adverse effects in the aquatic environment. See Section 12 for more information.

# Section 3: COMPOSITION / INFORMATION ON INGREDIENTS

| Ingredient          | CAS#      | Wt. %     |
|---------------------|-----------|-----------|
| Isobutane           | 75-28-5   | 1 - 5     |
| Propane             | 74-98-6   | 1 - 5     |
| Sodium hydroxide    | 1310-73-2 | 1 - 5     |
| Potassium hydroxide | 1310-58-3 | 1 - 5     |
| Hexylene glycol     | 107-41-5  | 0.5 - 1.5 |

SSS Oven and Grill Cleaner

#### Section 4: FIRST AID MEASURES

Eye Contact: In case of contact, immediately flush eyes with plenty of water for at least 15

minutes. If easy to do, remove contact lenses, if worn. Neutralize with 3% boric acid solution, dilute vinegar solution or like dilute mild acid solution. Get medical

attention immediately.

**Skin Contact:** In case of contact, immediately flush skin with plenty of water. If necessary,

neutralize with 3% boric acid solution, dilute vinegar solution or like dilute mild acid solution. Remove contaminated clothing and shoes. Wash clothing before

reuse. Call a physician if irritation develops and persists.

**Inhalation:** If inhaled, remove to fresh air. If not breathing, give artificial respiration. If

breathing is difficult, give oxygen.

**Ingestion:** If swallowed, do NOT induce vomiting unless directed to do so by medical

personnel. Only if directed by medical personnel, neutralize with 3% boric acid solution, dilute vinegar solution or like dilute mild acid solution. Never give

anything by mouth to an unconscious person.

**General Advice:** In case of accident or if you feel unwell, seek medical advice immediately (show the label or MSDS where possible). Keep 3% boric acid solution, dilute vinegar solution or like dilute mild acid solution on hand if neutralization is required.

**Note to Physicians:** Symptoms may not appear immediately.

### **Section 5: FIRE FIGHTING MEASURES**

Flammability: Not flammable by WHMIS/OSHA criteria.

**Means of Extinction:** 

Suitable Extinguishing Media: Powder, water spray, foam, carbon dioxide.

Unsuitable Extinguishing Media: Not available.

Products of Combustion: May include, and are not limited to: oxides of carbon.

**Explosion Data:** 

Sensitivity to Mechanical Impact: Not available.

Sensitivity to Static Discharge: Not available.

Protection of Firefighters: Containers may explode when heated. Keep upwind of fire. Wear

full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

## **Section 6: ACCIDENTAL RELEASE MEASURES**

**Personal Precautions:** Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition. Ruptured cylinders may rocket.

**Environmental Precautions:** Many gases are heavier than air and will spread along ground and collect in low or confined areas (sewers, basements, tanks). This material is a water pollutant. Keep out of drains, sewers, ditches, and waterways. Minimize use of water to prevent environmental contamination.

**Methods for Containment:** Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).

**Methods for Clean-Up:** Vacuum or sweep material and place in a disposal container. Allow gas to dissipate harmlessly into the atmosphere.

SSS Oven and Grill Cleaner

Other Information: Not available.

#### Section 7: HANDLING AND STORAGE

## Handling:

Keep away from sources of ignition. No smoking. Avoid contact with skin and eyes. Do not swallow. Do not breathe gas/fumes/vapor/spray. Use only in well-ventilated areas. Handle and open container with care. When using, do not eat or drink. Wash hands before eating, drinking, or smoking.

## Storage:

Keep out of the reach of children. Keep 3% boric acid solution, dilute vinegar solution or like dilute mild acid solution in storage with product in the event that neutralization is required. Keep container in a well-ventilated place. Do not store at temperatures above  $49^{\circ}$  /  $120^{\circ}$ .

## Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

### **Exposure Guidelines**

|                     | Exposure       | Exposure Limits |  |  |
|---------------------|----------------|-----------------|--|--|
| Ingredient          | OSHA-PEL       | ACGIH-TLV       |  |  |
| Isobutane           | Not available. | Not available.  |  |  |
| Propane             | 1000 ppm       | 1000 ppm        |  |  |
| Sodium hydroxide    | 2 mg/m3        | 2 mg/m3         |  |  |
| Potassium hydroxide | 2 mg/m3        | 2 mg/m3         |  |  |
| Hexylene glycol     | Not available. | 25 ppm          |  |  |

**Engineering Controls:** Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.

Personal Protective Equipment:

HMIS: See Section 15

**Eye/Face Protection:** Wear eye/face protection.

Hand Protection: Wear suitable gloves.

Skin and Body Protection: Wear suitable protective clothing.

**Respiratory Protection:** In case of insufficient ventilation, wear suitable respiratory

equipment.

General Hygiene Considerations: Handle according to established industrial hygiene and

safety practices.

#### **Section 9: PHYSICAL AND CHEMICAL PROPERTIES**

Appearance:Opaque.Color:Beige.Odour:Citrus.

Odour Threshold: Not available.

Physical State: Gas/Pressurized Liquid.

**pH**: > 14

Viscosity: Not available.

Freezing Point: Not available.

Boiling Point: Not available.

SSS Oven and Grill Cleaner

Flash Point:

Evaporation Rate:

Compared to the state of the state of

Specific Gravity: 1.055 (Concentrate Only)

Solubility in Water: Complete.

Coefficient of Water/Oil Distribution: Not available.

Auto-ignition Temperature: Not available.

Percent Volatile, wt. %: Not available.

**VOC content, wt. %:** 8% (US federal/CARB/OTC/LADCO)

## **Section 10: STABILITY AND REACTIVITY**

**Stability:** Stable under normal storage conditions. Contents under pressure. Container may explode if heated. Do not puncture. Do not burn. Keep in a cool place.

Conditions of Reactivity: Heat. Incompatible materials.

Incompatible Materials: Oxidizers. Strong acids.

**Hazardous Decomposition Products:** May include, and are not limited to: oxides of carbon. **Possibility of Hazardous Reactions:** No dangerous reaction known under conditions of

normal use.

## **Section 11: TOXICOLOGY INFORMATION**

### **EFFECTS OF ACUTE EXPOSURE**

## **Component Analysis**

LD<sub>50</sub> (oral) Ingredient LC<sub>50</sub> Isobutane Not available. Not available. Not available. Propane Not available. Sodium hydroxide 500 mg/kg, rabbit (LDIo) Not available. Potassium hydroxide 273 mg/kg, rat Not available. Hexylene glycol 3700 mg/kg, rat > 310 mg/m3 1hr, rat

Eye: Causes burns. Symptoms may include discomfort or pain, excess blinking and

tear production, with marked redness and swelling of the conjunctiva.

Skin: Causes burns.

Ingestion: Not a normal route of exposure. May cause burns. Harmful: may cause lung

damage if swallowed.

Inhalation: May cause respiratory tract irritation. Vapours may cause drowsiness and

dizziness. This product may be aspirated into the lungs and cause chemical

pneumonitis.

SSS Oven and Grill Cleaner

### **EFFECTS OF CHRONIC EXPOSURE**

Target Organs: Nervous system.

**Chronic Effects:** Lab animals have experienced anemia and/or liver/kidney/lung damage due to Hexylene glycol (effects due to excessive exposure to raw materials in this mixture). May cause burns, dermatitis, respiratory illness, nystagmus and central nervous system disorders.

Carcinogenicity: Not hazardous by WHMIS/OSHA criteria.

Ingredient Chemical Listed as Carcinogen or Potential Carcinogen \*

IsobutaneNot listed.PropaneNot listed.Sodium hydroxideNot listed.Potassium hydroxideNot listed.Hexylene glycolNot listed.

\* See Section 15 for more information.

**Mutagenicity:** Not hazardous by WHMIS/OSHA criteria.

Reproductive Effects: Not hazardous by WHMIS/OSHA criteria.

**Developmental Effects:** 

Teratogenicity: Not hazardous by WHMIS/OSHA criteria.

Embryotoxicity: Not hazardous by WHMIS/OSHA criteria.

Respiratory Sensitization: Not hazardous by WHMIS/OSHA criteria.

Skin Sensitization: Not hazardous by WHMIS/OSHA criteria.

Toxicologically Synergistic Materials: Not available.

## **Section 12: ECOLOGICAL INFORMATION**

**Ecotoxicity:** May cause long-term adverse effects in the aquatic environment

Persistence / Degradability: Not available.

Bioaccumulation / Accumulation: Not available.

Mobility in Environment: Not available.

### **Section 13: DISPOSAL CONSIDERATIONS**

#### **Disposal Instructions:**

This material must be disposed of in accordance with all local, state, provincial, and federal regulations.

### **Section 14: TRANSPORTATION INFORMATION**

#### **DOT Classification**

Aerosols, corrosive, Packing Group II or III; Class 2.2, 8; UN1950

### **TDG Classification**

Aerosols, non-flammable, containing substances in Class 8, packing group II; Class 2.2 (8); UN1950

SSS Oven and Grill Cleaner

#### Section 15: REGULATORY INFORMATION

# **Federal Regulations**

**Canadian:** This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

US: MSDS prepared pursuant to the Hazard Communication Standard (29 CFR 1910.1200).

#### SARA Title III

| Ingredient          | Section 302<br>(EHS) TPQ (lbs.) | Section 304<br>EHS RQ (lbs.) | CERCLA<br>RQ (lbs.) | Section<br>313 |
|---------------------|---------------------------------|------------------------------|---------------------|----------------|
| Isobutane           | Not listed.                     | Not listed.                  | Not listed.         | Not listed.    |
| Propane             | Not listed.                     | Not listed.                  | Not listed.         | Not listed.    |
| Sodium hydroxide    | Not listed.                     | Not listed.                  | 1,000               | Not listed.    |
| Potassium hydroxide | Not listed.                     | Not listed.                  | 1,000               | Not listed.    |
| Hexylene glycol     | Not listed.                     | Not listed.                  | Not listed.         | Not listed.    |

### **State Regulations**

## California Proposition 65:

This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

### **Global Inventories**

| Ingredient          | Canada<br>DSL/NDSL | USA<br>TSCA |
|---------------------|--------------------|-------------|
| Isobutane           | DSL                | Yes.        |
| Propane             | DSL                | Yes.        |
| Sodium hydroxide    | DSL                | Yes.        |
| Potassium hydroxide | DSL                | Yes.        |
| Hexylene glycol     | DSL                | Yes.        |

### **HMIS - Hazardous Materials Identification System**

Health - 3 Flammability - 1 Physical Hazard - 1 PPE - B

#### NFPA - National Fire Protection Association:

Health - 3 Fire - 1 Reactivity - 1

**Hazard Rating:** 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme

### WHMIS Classification(s):

Class A - Compressed Gas Class E - Corrosive Material

### **WHMIS Hazard Symbols:**





#### SOURCE AGENCY CARCINOGEN CLASSIFICATIONS:

**OSHA (O)** Occupational Safety and Health Administration.

**ACGIH (G)** American Conference of Governmental Industrial Hygienists.

A1 - Confirmed human carcinogen.

A2 - Suspected human carcinogen.

A3 - Animal carcinogen.

SSS Oven and Grill Cleaner

A4 - Not classifiable as a human carcinogen.

A5 - Not suspected as a human carcinogen.

IARC (I) International Agency for Research on Cancer.

1 - The agent (mixture) is carcinogenic to humans.

2A - The agent (mixture) is probably carcinogenic to humans; there is limited evidence of carcinogenicity in humans and sufficient evidence of carcinogenicity in experimental animals.

2B - The agent (mixture) is possibly carcinogenic to humans; there is limited evidence of carcinogenicity in humans in the absence of sufficient evidence of carcinogenicity in experimental animals.

3 - The agent (mixture, exposure circumstance) is not classifiable as to its carcinogenicity to humans.

4 - The agent (mixture, exposure circumstance) is probably not carcinogenic to humans.

NTP (N) National Toxicology Program.

1 - Known to be carcinogens.

2 - Reasonably anticipated to be carcinogens.

### **Section 16: OTHER INFORMATION**

#### Disclaimer:

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

Expiry Date: November 7, 2010

Prepared by: Nexreg Compliance Inc.

Prepared for: Triple S

Phone: (978) 667-7900