

NAVIGATOR
 Dilution Control System

3_x RENEGADE DAILY ONE-STEP DISINFECTANT

Staphylocidal • Pseudomonacidal •
 Bactericidal • Fungicidal • Virucidal*

Active Ingredients:

Octyl decyl dimethyl ammonium chloride.....	6.67%
Diocetyl dimethyl ammonium chloride.....	2.67%
Didecyl dimethyl ammonium chloride.....	4.00%
Alkyl (C14, 50%; C12, 40%; C16, 10%) dimethyl benzyl ammonium chloride.....	8.90%
Other Ingredients:	77.76%
Total	100.00%

KEEP OUT OF REACH OF CHILDREN

DANGER PELIGRO See back panel for Precautionary Statements and First Aid.
 E.P.A. Reg. No. 6836-349-12120
 E.P.A. Est. No. 8325-PA-01

NAVIGATOR
 Dilution Control System

3_x RENEGADE DAILY ONE-STEP DISINFECTANT

Staphylocidal
 Pseudomonacidal
 Bactericidal
 Salmonellacidal
 Fungicidal Virucidal*


NAVIGATOR
 Dilution Control System

3_x RENEGADE DAILY ONE-STEP DISINFECTANT

Staphylocidal • Pseudomonacidal •
 Bactericidal • Fungicidal • Virucidal*

NET CONTENTS: 67.8 fl. oz. (2 Liters)

Dilution:

Disinfection 1:128..... 1 oz. per gallon of water
 Sanitizer 1:256..... 1/2 oz. per gallon of water

SI USTED NO ENTIENDE LA ETIQUETA, BUSQUE A ALGUIEN PARA QUE SE LA EXPLIQUE A USTED EN DETALLE.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Preparation of Disinfectant Use-Solution: Add 1 oz. per gallon of water (1:128). Use 1 oz. per gallon of water to kill Norovirus, Enterobacter aerogenes. **DISINFECTANT / VIRUCIDAL / FUNGICIDAL / MOLD AND MILDEW CONTROL DIRECTIONS:** Spray use-solution 6-8 inches from hard, nonporous surfaces, thoroughly wetting surfaces. Treated surfaces must remain wet for 3 minutes. Rub with a brush, sponge or cloth. Do not breathe spray.

For disinfection against HIV and Influenza type A/Hong Kong, use a 1 minute contact time. For disinfection against Norwalk virus use 5 minute contact time. Wipe dry with a cloth, sponge or mop or allow to air dry. For heavily soiled areas, a preliminary cleaning is required. Rinse all surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse. Do not use on utensils, glassware and dishes.

Prepare a fresh solution daily or more often if the use solution becomes visibly diluted or soiled.

For Fungicidal Activity: This product is an effective fungicide against Trichophyton mentagrophytes (the athlete's foot fungus) when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities. This product is a one-step fungicide at 1/2 oz. per gallon in 250 ppm hard water and 5% serum.

For Mold And Mildew: At 1/2-1 oz. per gallon, this product will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, nonporous surfaces. Follow disinfection instructions. Repeat treatment every seven days, or more often if new growth appears.

This product is not to be used as a terminal sterilant / high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

For Use On Finished Floors: To limit gloss reduction use this product at 1/2-1 oz. per gallon. Spray onto floor. Allow surface to remain wet for contact time indicated on the label. Wipe or allow to air dry. Do not use on floor finish at 2 oz. per gallon.

"KILLS HIV AND HBV AND HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES / OBJECTS PREVIOUSLY SOILED WITH BLOOD / BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces / objects with blood or body fluids, and in which the surfaces / objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) associated with AIDS or Hepatitis B Virus (HBV) or Hepatitis C Virus (HCV).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OR HBV OR HCV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS. Personal Protection: Cleanup must always be done wearing protective gloves, gowns, masks and eye protection. **Cleaning Procedures:** Blood and other body fluids containing HIV-1 or HBV or HCV must be thoroughly cleaned from surfaces and objects before application of this product. **Contact Time:**

CONTINUED FROM LEFT PANEL

Leave surface wet for 1 minute for HIV-1 and 3 minutes for HBV and HCV with a 1/2-1 oz. per gallon use-solution.

Use contact time indicated on the label for disinfection against all other viruses, bacteria and fungi claimed. **Disposal of Infectious Material:** Blood, body fluids, cleaning materials and clothing must be autoclaved and disposed of according to local regulations for infectious waste disposal.

NON-ACID TOILET BOWL AND URINAL DISINFECTANT / CLEANER DIRECTIONS:

Add 1/2-1 oz. product to toilet water. Use 1 oz. per gallon of water to kill Norovirus, Enterobacter aerogenes. Brush or swab thoroughly, allow to stand for contact time indicated on the label and flush.

TO SANITIZE NON-FOOD CONTACT SURFACES:

Mix 1/2 oz. of product per gallon of water to sanitize hard nonporous surfaces. Treated surfaces must remain wet for 15 seconds. Wipe dry with a sponge, mop or cloth or allow to air dry. Do not use in food preparation, food handling and food storage areas. This product is not to be used on glassware, dishware, cookware or utensils.

TO CLEAN AND DEODORIZE: Mix 1/2-1 oz. of this product per gallon of water to clean and deodorize surfaces. Apply using a sprayer. Wipe or allow to air dry.

DEODORIZING DIRECTIONS: Spray Solutions: 1/2-1 oz. per gallon of water eliminates undesirable odors. Allow surfaces to air dry. **Carpets:** 1/2-1 oz. per gallon of water eliminates odors associated with urine, vomit, smoke, and mildew. Reapply using a spray device after cleaning for freshening effects. Allow to dry.

Cleaning Solution: Dilute 1/2-1 oz. per gallon of water for cleaning of kitchen counters, tables, walls, bathrooms, toilet seats, floors and large routine applications. Apply to surfaces using trigger spray or other spray device. Remove excess liquid or allow surfaces to air dry.

This product is a concentrated, Hospital Use disinfectant cleaner that is effective against a broad spectrum of bacteria, is virucidal* (including HIV-1, the AIDS Virus and Hepatitis B Virus and Hepatitis C Virus), fungicidal, and inhibits the growth of mold and mildew, and their odors, when used as directed. Kills HIV virus in just 1 minute contact time. Kills flu virus in just 1 minute contact time. Kills Rotavirus (in 3 minutes). Leaves a clean fresh scent. Tested according to AOAC Germicidal Spray Products as Disinfectants test. Cross-contamination is of major housekeeping concern. This product has been formulated to aid in the reduction of cross-contamination on treated surfaces not only in hospitals, but in schools, institutions and industry.

This product Sanitizes* 99.9% of Staphylococcus aureus and Klebsiella pneumoniae in 15 seconds. *on hard, non-porous, non-food contact surfaces.

For sanitizing and disinfecting of ultrasound transducers, probes, mammography compressor plates and other hard nonporous surfaces. To clean and disinfect hard, nonporous finished floors. Cleans and disinfects without dulling gloss.

AREAS OF USE: This product in clinics, dental offices, health care facilities, hospitals, medical offices, medical related facilities, nursing homes and sick rooms. Use in business and office buildings, colleges, institutional facilities, public related, bathrooms, restrooms, public rest rooms, schools, universities, ambulances and emergency EMS vehicles.

TYPES OF SURFACES: Use this product on washable hard, nonporous surfaces of: bathroom fixtures, countertops, desks, showers, toilets, urinals and walls. Non-critical medical device surfaces: medical beds, bed frames, bed rails, crutches, defibrillators and gurneys. Non-critical medical equipment surfaces: medical examining tables, medical lamps, rescue tools, resuscitators, medical scales, stands, stretchers, stethoscopes, walkers and wheel chairs. Other hard nonporous surfaces made of: glazed ceramic, glazed enameled surfaces, glazed porcelain, laminated surfaces, metal and stainless steel.

This product is effective against: 1 **MINUTE CONTACT TIME: Viruses:** *HIV-1 (AIDS virus), *Influenza Type A/Hong Kong Influenza, 3 **MINUTE CONTACT TIME:** Bacteria: *Pseudomonas aeruginosa* (*Pseudomonas*), *Salmonella enterica* (*Salmonella*), *Staphylococcus aureus* (*Staph*), *Acinetobacter baumannii* (*Acinetobacter*), *Bordetella pertussis* (*whooping cough*), *Campylobacter jejuni* (*Campylobacter*), *Enterococcus faecalis* (*Enterococcus*), *Enterococcus faecalis* - Vancomycin resistant (VRE), ESB1 *Escherichia coli* (Extended spectrum beta-lactamase producing E. coli), *Klebsiella pneumoniae*, *Carbapenem-resistant*, *Listeria monocytogenes*, *Proteus vulgaris*, *Shigella dysenteriae* (*Shigella*), *Shigella flexneri* serotype B1, *Shigella sonnei*, *Staphylococcus aureus* - Community Associated Methicillin-Resistant (CA-MRSA) (NRS354) (USA300) *Staphylococcus aureus* - Methicillin-Resistant (MRSA), *Staphylococcus aureus* - Vancomycin Intermediate Resistant - (VISA), *Streptococcus pyogenes* (*Strep*) (a cause of scarlet fever), *Vibrio cholerae*, *Yersinia enterocolitica*. **Viruses:** *Hepatitis B Virus (HBV), *Hepatitis C Virus (HCV), *Herpes Simplex Virus Type 2, *Human coronavirus, *Respiratory Syncytial

FOR MEDICAL EMERGENCIES, CALL

1-888-779-1339.

FOR CUSTOMER SERVICE
 INFORMATION 1-800-323-2251

www.triple-s.com

**CONTINUED FROM LEFT PANEL**

virus (RSV), *Rotavirus, *Vaccinia (Pox Virus), **Fungi:** *Candida albicans*, *Trichophyton mentagrophytes* (Athlete's Foot Fungus).

5 MINUTE CONTACT TIME: Viruses: * (Norwalk Virus) (Norovirus) (Feline Calicivirus) - at 1:128 dilution (1 oz. per gallon of water).

This product is a sanitizer for hard nonporous non-food contact surfaces at 1:256 dilution, 1/2 oz. per gallon according to the method for Sanitizers - Non-food Contact surfaces, modified in the presence of 250 ppm hard water plus 5% organic serum in 15 seconds against: Enterobacter aerogenes, *Klebsiella pneumoniae*, *Listeria monocytogenes*, *Staphylococcus aureus*, *Staphylococcus aureus*-Methicillin-Resistant (MRSA) This product eliminates 99.9% of *Staphylococcus aureus* and *Klebsiella pneumoniae* in 15 seconds.

PRECAUTIONARY STATEMENTS**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

DANGER. CORROSIVE. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin, or on clothing. Wear protective eyewear (goggles, face shield or safety glasses), protective clothing and protective (rubber or chemical resistant) gloves. Harmful if swallowed or if absorbed through the skin. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco and using the toilet. Remove contaminated clothing and wash clothing before reuse.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor or going for treatment.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Open dumping is prohibited. Store in original container in areas inaccessible to children. **Pesticide Disposal:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. **Container Disposal:** Nonrefillable container. Do not reuse or refill this container. Wrap empty container and put in trash.

Manufactured for:



2 EXECUTIVE PARK DRIVE,
 BILLERICA, MA 01862

CONTINUED ON RIGHT PANEL

Product No.
13215