Version 1.0

Revision Date 04/24/2015

(#05023)

Print Date 05/30/2015

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	SSS® Oven & Grill Cleaner
Material number	:	A00110
Manufacturer or supplier's de	etai	ils
Company	:	Triple S
Address	:	2 Executive Park Drive Billerica, MA 01862
Telephone	:	978-667-7900

Emergency telephone numbers			
For SDS Information	:	978-667-7900	
For a Medical Emergency	:	1-888-779-1339	
For a Transportation	:	1-888-779-1339	
Emergency			

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	Aerosol containing a liquefied gas
Colour	beige
Odour	characteristic

GHS Classification

Gases under pressure Skin corrosion Serious eye damage	: Liquefied gas : Category 1A : Category 1
GHS Label element	
Hazard pictograms	
Signal word	: Danger
Hazard statements	: H280 Contains gas under pressure; may explode if heated. H314 Causes severe skin burns and eye damage.
Precautionary statements	 Prevention: P260 Do not breathe dust or mist. P264 Wash skin thoroughly after handling. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. Response: P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

Version 1.0 Revision Date 04/24/2015 Print Date 05/30/2015 P304 + P340 + P310 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. P363 Wash contaminated clothing before reuse. Storage: P405 Store locked up. P410 + P403 Protect from sunlight. Store in a well-ventilated place. Disposal: P501 Dispose of contents/container in accordance with local regulation. Potential Health Effects Carcinogenicity: IARC No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. ACGIH No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. **OSHA** No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

(#05023)

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical Name	CAS-No.	Concentration [%]
propane	74-98-6	>= 1 - < 5
butane	106-97-8	>= 1 - < 5
sodium hydroxide	1310-73-2	>= 1 - < 5
potassium hydroxide	1310-58-3	>= 1 - < 5
2-methylpentane-2,4-diol	107-41-5	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice	 Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	: Consult a physician after significant exposure. If unconscious place in recovery position and seek medical advice.

SAFETY DATA SHEET **SSS® OVEN & GRILL CLEANER** (#05023) Print Date 05/30/2015 Version 1.0 Revision Date 04/24/2015 In case of skin contact If skin irritation persists, call a physician. 2 Wash off immediately with plenty of water for at least 15 minutes. If on clothes, remove clothes. In case of eye contact 2 Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. Rinse immediately with plenty of water for at least 15 minutes. If swallowed ÷ Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

DO NOT induce vomiting unless directed to do so by a

physician or poison control center. Take victim immediately to hospital.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Dry chemical Carbon dioxide (CO2) Foam Water
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products Specific extinguishing		Carbon dioxide (CO2) Carbon monoxide Smoke Use extinguishing measures that are appropriate to local
methods		circumstances and the surrounding environment.
Further information	:	Standard procedure for chemical fires.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	 Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions	: Prevent product from entering drains. Prevent further leakage or spillage if safe to do so.

(#05023)

Version 1.0	Revision Date 04/24/2015	Print Date 05/30/2015
	If the product contaminates rivers respective authorities.	and lakes or drains inform
Methods and materials for containment and cleaning up	: Soak up with inert absorbent mate acid binder, universal binder, saw Sweep up or vacuum up spillage container for disposal.	vdust).

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Do not breathe vapours or spray mist. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations. Always replace cap after use.
Conditions for safe storage	 BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. Observe label precautions. Keep in a dry, cool and well-ventilated place. Electrical installations / working materials must comply with the technological safety standards. No smoking.
Materials to avoid	: Store and keep away from, oxidizing agents and acids.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
propane	74-98-6	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,800 mg/m3	OSHA P0
butane	106-97-8	TWA	800 ppm 1,900 mg/m3	NIOSH REL
		TWA	800 ppm 1,900 mg/m3	OSHA P0
sodium hydroxide	1310-73-2	С	2 mg/m3	ACGIH

Components with workplace control parameters

(#05023)

Revision Date 04/24/2015

Print Date 05/30/2015

		C	2 mg/m3	NIOSH REL
		TWA	2 mg/m3	OSHA Z-1
		С	2 mg/m3	OSHA P0
potassium hydroxide	1310-58-3	С	2 mg/m3	ACGIH
		С	2 mg/m3	NIOSH REL
		С	2 mg/m3	OSHA P0
2-methylpentane-2,4-diol	107-41-5	С	25 ppm	ACGIH
		С	25 ppm 125 mg/m3	NIOSH REL
		С	25 ppm 125 mg/m3	OSHA P0

Personal protective equipme	t	
Respiratory protection	: Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.	
Hand protection		
Remarks	: The suitability for a specific workplace should be discussed with the producers of the protective gloves.	
Eye protection	: Ensure that eyewash stations and safety showers are close to the workstation location. Tightly fitting safety goggles	
Skin and body protection	: impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.	
Hygiene measures	 When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. 	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aerosol containing a liquefied gas	
Colour	: beige	
Odour	: characteristic	
Odour Threshold	: no data available	
рН	: >14	
Melting point/freezing point	: no data available	
Boiling point	: no data available	
Flash point	: no data available	
Evaporation rate	: no data available	
Evaporation rate		
Flammability (solid, gas)	: The product is not flammable.	
Upper explosion limit	: no data available	

SSS® OVEN & GRILL C	LEANER	(#05023)
Version 1.0	Revision Date 04/24/2015	Print Date 05/30/2015
Lower explosion limit	: no data available	
Vapour pressure	: no data available	
Relative vapour density	: no data available	
Density	: no data available	
Solubility(ies)		
Water solubility	: no data available	
Partition coefficient: n- octanol/water	: no data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: no data available	
Heat of combustion	: 4.41 kJ/g	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous	: No decomposition if stored and applied as directed.
reactions	Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct sunlight.
Incompatible materials	: Strong acids and oxidizing agents
Hazardous decomposition products	: Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity	:	Acute toxicity estimate : 4,768 mg/kg Method: Calculation method
Components:		
propane: Acute inhalation toxicity	:	LC50 mouse: 1,237 mg/l Exposure time: 2 h
		LC50 rat: 658 mg/l Exposure time: 4 h

LC50 rat: 1,355 mg/l butane: Acute inhalation toxicity : LC50 mouse: 1,237 mg/l Exposure time: 2 h LC50 rat: 1,355 mg/l sodium hydroxide: Acute dermal toxicity : Acute toxicity estimate rabbit: 1,350 mg/kg 2-methylpentane-2,4-diol: Acute oral toxicity : LD50 Oral rat: 3,700 mg/kg Skin corrosion/irritation Product: Remarks: Extremely corrosive and destructive to tissue. Serious eye damage/eye irritation Product: Remarks: May cause irreversible eye damage. Respiratory or skin sensitisation to data available Sarr cell mutagenicity to data available Reproductive toxicity to data available propane: butane: sodium hydroxide: 2-methylpentane-2,4-diol: STOT - single exposure to data available Sapiration toxicity to data available Sapiration toxicity to data available StoT - repeated exposure to data available Sapiration toxicity to data available Sapiration toxicity to data available StoT - repeated exposure to data available Sapiration toxicity to data available Sapiration toxicity to data available Sapiration toxicity to data available StoT - repeated exposure to data available Sapiration toxicity to data available StoT - repeated exposure to data available Sapiration toxicity to data available	SSS® OVEN & GRILL C	LEANEK	(#05023)
butane: Acute inhalation toxicity :: LC50 mouse: 1.237 mg/l Acute inhalation toxicity :: LC50 rat: 1,355 mg/l content information	Version 1.0	Revision Date 04/24/2015	Print Date 05/30/2015
Acute inhalation toxicity :: LCS0 mouse: 1,237 mg/l Exposure time: 2 h LCS0 rat: 1,355 mg/l sodium hydroxide: Acute dermal toxicity :: Acute toxicity estimate rabbit: 1,350 mg/kg 2-methylpentane-2,4-diol: Acute oral toxicity :: LD50 Oral rat: 3,700 mg/kg Skin corrosion/irritation Product: Remarks: Extremely corrosive and destructive to tissue. Serious eye damage/eye irritation Product: Remarks: May cause irreversible eye damage. Respiratory or skin sensitisation to data available Bern cell mutagenicity to data available Carcinogenicity to data available Reproductive toxicity to data available Reproductive toxicity to data available Barnor ei mutagenicity to data available Barnor ei mu		LC50 rat: 1,355 mg/l	
Acute inhalation toxicity :: LCS0 mouse: 1,237 mg/l Exposure time: 2 h LCS0 rat: 1,355 mg/l sodium hydroxide: Acute dermal toxicity :: Acute toxicity estimate rabbit: 1,350 mg/kg 2-methylpentane-2,4-diol: Acute oral toxicity :: LD50 Oral rat: 3,700 mg/kg Skin corrosion/irritation Product: Remarks: Extremely corrosive and destructive to tissue. Serious eye damage/eye irritation Product: Remarks: May cause irreversible eye damage. Respiratory or skin sensitisation to data available Bern cell mutagenicity to data available Carcinogenicity to data available Reproductive toxicity to data available Reproductive toxicity to data available Barnor ei mutagenicity to data available Barnor ei mu			
Exposure time: 2 h LC50 rat: 1,355 mg/l sodium hydroxide: Acute dermal toxicity : Acute toxicity estimate rabbit: 1,350 mg/kg 2-methylpentane-2,4-diol: Acute oral toxicity : LD50 Oral rat: 3,700 mg/kg Skin corrosion/irritation Product: Remarks: Extremely corrosive and destructive to tissue. Serious eye damage/eye irritation Product: Remarks: May cause irreversible eye damage. Serious eye damage/eye irritation on data available Serious eye damage/eye irritation No data available Carcinogenicity to data available Carcinogenicity to data available Serious eye damage. Serious eye damage. Serious eye damage. Respiratory or skin sensitisation to data available Carcinogenicity to data available Serious eye damage. Serious eye eye eye eye eye eye eye eye eye ey		· 1 C50 mouse: 1 237 mg/l	
sodium hydroxide: Acute dermal toxicity Acute toxicity estimate rabbit: 1,350 mg/kg 2-methylpentane-2,4-diol: Acute oral toxicity ID50 Oral rat: 3,700 mg/kg Skin corrosion/irritation Product: Remarks: Extremely corrosive and destructive to tissue. Serious eye damage/eye irritation Product: Remarks: May cause irreversible eye damage. Respiratory or skin sensitisation No data available Remover of the sensitisation to data available Berro cell mutagenicity No data available Carcinogenicity No data available No data available Reproductive toxicity No data available No data available Stringenicity No data available No data available Carcinogenicity No data available No data available Stringenicity No data available No data available Str	Acute initialation toxicity		
sodium hydroxide: Acute dermal toxicity Acute toxicity estimate rabbit: 1,350 mg/kg 2-methylpentane-2,4-diol: Acute oral toxicity ID50 Oral rat: 3,700 mg/kg Skin corrosion/irritation Product: Remarks: Extremely corrosive and destructive to tissue. Serious eye damage/eye irritation Product: Remarks: May cause irreversible eye damage. Respiratory or skin sensitisation No data available Remover of the sensitisation to data available Berro cell mutagenicity No data available Carcinogenicity No data available No data available Reproductive toxicity No data available No data available Stringenicity No data available No data available Carcinogenicity No data available No data available Stringenicity No data available No data available Str			
Acute dermal toxicity : Acute toxicity estimate rabbit: 1,350 mg/kg 2-methylpentane-2,4-diol: : Acute oral toxicity : LD50 Oral rat: 3,700 mg/kg Skin corrosion/irritation Product: Remarks: Extremely corrosive and destructive to tissue. Serious eye damage/eye irritation Product: Remarks: May cause irreversible eye damage. Respiratory or skin sensitisation no data available Bernocell mutagenicity no data available Carcinogenicity no data available Reproductive toxicity no data available Strate Strate Strate Propane: butane: sodium hydroxide: propane: butane: Strot - repeated exposure no data available Strot - repeated		LC50 rat: 1,355 mg/l	
2-methylpentane-2,4-diol: Acute oral toxicity : LD50 Oral rat: 3,700 mg/kg Skin corrosion/irritation Product: Remarks: Extremely corrosive and destructive to tissue. Serious eye damage/eye irritation Product: Remarks: May cause irreversible eye damage. Respiratory or skin sensitisation no data available Berro cell mutagenicity no data available Carcinogenicity no data available Reported toxicity no data available Bropane: butane: sodium hydroxide: propane: butane: sodium hydroxide: propane: butane: sodium hydroxide: propane: butane: sodium hydroxide: propane: butane: sodium hydroxide: 2-methylpentane-2,4-diol: STOT - repeated exposure no data available Sepiration toxicity no data available Sepiration toxicity no data available			
Acute oral toxicity : LD50 Oral rat: 3,700 mg/kg Skin corrosion/irritation Product: Remarks: Extremely corrosive and destructive to tissue. Serious eye damage/eye irritation Product: Remarks: May cause irreversible eye damage. Respiratory or skin sensitisation No data available Bern cell mutagenicity No data available Carcinogenicity No data available Reproductive toxicity No data available Reproductive toxicity No data available Softim hydroxide: Potassiun hydroxide: potassiun hydroxide: Potassiun hydroxide: Potasta available Potasta available<	Acute dermal toxicity	: Acute toxicity estimate rabbit: 1,3	350 mg/kg
Acute oral toxicity : LD50 Oral rat: 3,700 mg/kg Skin corrosion/irritation Product: Remarks: Extremely corrosive and destructive to tissue. Serious eye damage/eye irritation Product: Remarks: May cause irreversible eye damage. Respiratory or skin sensitisation No data available Bern cell mutagenicity No data available Carcinogenicity No data available Reproductive toxicity No data available Reproductive toxicity No data available Softim hydroxide: Potassiun hydroxide: potassiun hydroxide: Potassiun hydroxide: Potasta available Potasta available<	2-methylpentane-2.4-diol:		
Product: Remarks: Extremely corrosive and destructive to tissue. Serious eye damage/eye irritation Product: Remarks: May cause irreversible eye damage. Respiratory or skin sensitisation no data available Germ cell mutagenicity no data available Carcinogenicity no data available Reproductive toxicity no data available Reproductive toxicity no data available Strone: butane: sodium hydroxide: potassium hydroxide: potassium hydroxide: potassium hydroxide: a-methylpentane-2,4-diol: STOT - single exposure no data available Stort - repeated exposure no data available Catrone opeate exposure		: LD50 Oral rat: 3,700 mg/kg	
Product: Remarks: Extremely corrosive and destructive to tissue. Serious eye damage/eye irritation Product: Remarks: May cause irreversible eye damage. Respiratory or skin sensitisation no data available Germ cell mutagenicity no data available Carcinogenicity no data available Reproductive toxicity no data available Reproductive toxicity no data available Strone: butane: sodium hydroxide: potassium hydroxide: potassium hydroxide: potassium hydroxide: a-methylpentane-2,4-diol: STOT - single exposure no data available Stort - repeated exposure no data available Catrone opeate exposure	Skin corrosion/irritation		
Remarks: Extremely corrosive and destructive to tissue. Serious eye damage/eye irritation Product: Remarks: May cause irreversible eye damage. Respiratory or skin sensitisation no data available Serm cell mutagenicity no data available Carcinogenicity no data available Reproductive toxicity no data available Propane: butane: sodium hydroxide: potassium hydroxide: potassium hydroxide: 2-methylpentane-2,4-diol: STOT - single exposure no data available Stot - repeated exposure no data available			
Serious eye damage/eye irritation Product: Remarks: May cause irreversible eye damage. Respiratory or skin sensitisation no data available Gern cell mutagenicity no data available Carcinogenicity no data available Seriotane: sodium hydroxide: propane: butane: sodium hydroxide: protassium hydroxide: protassium hydroxide: careinogenicity no data available STOT - single exposure no data available STOT - repeated exposure No data available STOT - r		e and destructive to tissue.	
Product: Remarks: May cause irreversible eye damage. Respiratory or skin sensitisation ho data available Gern cell mutagenicity ho data available Carcinogenicity ho data available Reproductive toxicity ho data available Reproductive toxicity ho data available propane: butane: sodium hydroxide: potassium hydroxide: 2-methylpentane-2,4-diol: STOT - single exposure ho data available Suparation toxicity ho data available Reproductive toxicity ho data available STOT - single exposure ho data available Stort - repeated exposure ho data available Suparation toxicity ho data available Carther information Product:			
Remarks: May cause irreversible eye damage. Remarks: May cause irreversible eye damage. Respiratory or skin sensitisation no data available Germ cell mutagenicity no data available Carcinogenicity no data available Reproductive toxicity no data available propane: butane: sodium hydroxide:	Serious eye damage/eye irritatio	n	
Respiratory or skin sensitisation no data available Germ cell mutagenicity no data available Carcinogenicity no data available Reproductive toxicity no data available propane: butane: sodium hydroxide: potassium hydroxide: 2-methylpentane-2,4-diol: STOT - single exposure no data available STOT - repeated exposure	Product:		
ho data available Germ cell mutagenicity ho data available Carcinogenicity ho data available Carcinogenicity ho data available Reproductive toxicity ho data available propane: butane: sodium hydroxide: potassium hydroxide: 2-methylpentane-2,4-diol: STOT - single exposure ho data available STOT - repeated exposure ho data available Aspiration toxicity ho data available Further information Product:	Remarks: May cause irrevers	ible eye damage.	
Germ cell mutagenicity no data available Carcinogenicity no data available Reproductive toxicity no data available propane: butane: sodium hydroxide: potassium hydroxide: 2-methylpentane-2,4-diol: STOT - single exposure no data available STOT - repeated exposure no data available Aspiration toxicity no data available Further information Product:	Respiratory or skin sensitisation		
ho data available Carcinogenicity no data available Reproductive toxicity no data available propane: butane: sodium hydroxide: potassium hydroxide: 2-methylpentane-2,4-diol: STOT - single exposure no data available STOT - repeated exposure no data available Aspiration toxicity no data available Further information <u>Product:</u>	no data available		
Carcinogenicity no data available Reproductive toxicity no data available propane: butane: sodium hydroxide: potassium hydroxide: 2-methylpentane-2,4-diol: STOT - single exposure no data available STOT - repeated exposure no data available Aspiration toxicity no data available Further information Product:	Germ cell mutagenicity		
ho data available Reproductive toxicity ho data available propane: butane: sodium hydroxide: potassium hydroxide: 2-methylpentane-2,4-diol: STOT - single exposure ho data available STOT - repeated exposure ho data available Aspiration toxicity ho data available Further information Product:	no data available		
Reproductive toxicity no data available propane: butane: sodium hydroxide: potassium hydro	Carcinogenicity		
no data available propane: butane: sodium hydroxide: potassium hydroxide: 2-methylpentane-2,4-diol: STOT - single exposure no data available STOT - repeated exposure no data available Aspiration toxicity no data available Further information <u>Product:</u>	no data available		
propane: butane: sodium hydroxide: potassium hydroxide: 2-methylpentane-2,4-diol: STOT - single exposure no data available STOT - repeated exposure no data available Aspiration toxicity no data available Further information <u>Product:</u>	Reproductive toxicity		
butane: sodium hydroxide: potassium hydroxide: 2-methylpentane-2,4-diol: STOT - single exposure no data available STOT - repeated exposure no data available Aspiration toxicity no data available Further information <u>Product:</u>	no data available		
sodium hydroxide: potassium hydroxide: 2-methylpentane-2,4-diol: STOT - single exposure no data available STOT - repeated exposure no data available Aspiration toxicity no data available Further information <u>Product:</u>			
2-methylpentane-2,4-diol: STOT - single exposure no data available STOT - repeated exposure no data available Aspiration toxicity no data available Further information <u>Product:</u>			
STOT - single exposure no data available STOT - repeated exposure no data available Aspiration toxicity no data available Further information Product:	potassium hydroxide:		
no data available STOT - repeated exposure no data available Aspiration toxicity no data available Further information Product:			
STOT - repeated exposure no data available Aspiration toxicity no data available Further information Product:			
no data available Aspiration toxicity no data available Further information Product:			
Aspiration toxicity no data available Further information <u>Product:</u>			
no data available Further information Product:			
Further information <u>Product:</u>	no data available		
	Further information		
Remarks: no data available	Product:		
	Remarks: no data available	e	

Version 1.0

Revision Date 04/24/2015

(#05023)

Print Date 05/30/2015

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

no data available

Persistence and degradability

no data available Bioaccumulative potential

п.	• •	م ا .			
	σ	d	uc	π	-

Partition coefficient: n- octanol/water <u>Components:</u> butane :	: Remarks: no data available
Partition coefficient: n- octanol/water 2-methylpentane-2,4-diol :	: Pow: 2.89
Partition coefficient: n- octanol/water	: Pow: 0.58
Mobility in soil	
no data available	
Other adverse effects	
no data available <u>Product:</u>	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Additional ecological information	: no data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

Version 1.0

Revision Date 04/24/2015

(#05023)

Print Date 05/30/2015

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
sodium hydroxide	1310-73-2	1000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	Sudden Release of Pressure Hazard Acute Health Hazard
SARA 302	SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
California Prop 65	This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.


The components of this product are reported in the following inventories:

Version 1.0	Revision Date 04/24/2015	Print Date 05/30/2015
DSL	This product contains one or several components that are not on the	
	Canadian DSL nor NDSL.	
AICS	Not in compliance with the inventory	
NZIOC	Not in compliance with the inventory	
PICCS	Not in compliance with the inventory	
IECSC	Not in compliance with the inventory	

Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION



4 = Extreme, * = Chronic

(#05023)

OSHA GHS Label Information:

Hazard pictograms	
Signal word	: Danger:
Hazard statements	: Contains gas under pressure; may explode if heated. Causes severe skin burns and eye damage.
Precautionary statements	: Prevention: Do not breathe dust or mist. Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection. Response: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. Wash contaminated clothing before reuse. Storage: Store locked up. Protect from sunlight. Store in a well-ventilated place. Disposal: Dispose of contents/container in accordance with local regulation.

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations

Version 1.0

Revision Date 04/24/2015

(#05023) Print Date 05/30/2015

to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.