SAFELY DATA SHEET				
SSS® LAVENDER MIST	ΓΑ	IRFRESHENER	(#05032)	
Version 1.0		Revision Date 04/28/2015	Print Date 05/30/2015	
SECTION 1. PRODUCT AND CON	MPA	NY IDENTIFICATION		
Material name	:	SSS® Lavender Mist (Metered Dr	y Air Freshener)	
Material number	:	A00213LZ		
Manufacturer or supplier's o	deta	ils		
Company	:	Triple S		
Address	:	2 Executive Park Drive Billerica, MA 01862		
Telephone	:	978-667-7900		
Emergency telephone numbers				
For SDS Information		: 978-667-7900		
For a Medical Emergency		: 1-888-779-1339		
For a Transportation		: 1-888-779-1339		
Emergency				

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

SAFETY DATA SHEET

Appearance	Aerosol containing a liquefied gas
Colour	colourless, light yellow
Odour	characteristic, acetone-like

GHS Classification

Flammable aerosols Gases under pressure Eye irritation Specific target organ toxicity - single exposure	 Category 1 Liquefied gas Category 2A Category 3 (Central nervous system)
GHS Label element	
Hazard pictograms	
Signal word	: Danger
Hazard statements	 H222 Extremely flammable aerosol. H280 Contains gas under pressure; may explode if heated. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.
Precautionary statements	 Prevention: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 Do not spray on an open flame or other ignition source. P251 Pressurized container: Do not pierce or burn, even after use. P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P264 Wash skin thoroughly after handling.

tersion 1.0 Revision Date 04/28/2015 Print Date 05/30/2015 P271 Use only outdoors or in a well-ventilated area. P280 Wear eye protection/ face protection. Response: P304 + P340 + P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell. P305 + P331 + P338 IF IN EYES: Rinse cautiously with wate for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical advice/ attention. Storage: P405 Store locked up. P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. P403 Store in a well-ventilated place. Disposal P3501 Dispose of contents/container in accordance with local regulation. Potential Health Effects Carcinogenicity: IARC No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by IARC. ACGIH No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGH. OSHA No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. NTP No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.			(#03032)
P280 Wear eye protection/ face protection. Response: P304 + P340 + P312 IF INHALED: Remove victim to fresh ain and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. P305 + P351 + P338 IF IN EYES: Rinse cautiously with wate for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical advice/ attention. Storage: P405 Store locked up. P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. P403 Store in a well-ventilated place. Disposal: P501 Dispose of contents/container in accordance with local regulation. Potential Health Effects Carcinogenicity: IARC No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by IARC. ACGIH No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. OSHA No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. NTP No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.	Version 1.0	Revision Date 04/28/2015	Print Date 05/30/2015
Carcinogenicity:IARCNo component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.ACGIHNo component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.OSHANo component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.NTPNo component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.	Potential Health Effects	 P271 Use only outdoors or in a well-ventilated area. P280 Wear eye protection/ face protection. Response: P304 + P340 + P312 IF INHALED: Remove victim to fresh and keep at rest in a position comfortable for breathing. Cal POISON CENTER or doctor/ physician if you feel unwell. P305 + P351 + P338 IF IN EYES: Rinse cautiously with wa for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical advice/ attention. Storage: P405 Store locked up. P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. P403 Store in a well-ventilated place. Disposal: P501 Dispose of contents/container in accordance with local 	
IARCNo component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.ACGIHNo component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.OSHANo component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.NTPNo component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.NTPNo component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen	Fotential Health Enects		
ACGIHequal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.ACGIHNo component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.OSHANo component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.NTPNo component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.NTPNo component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen	Carcinogenicity:		
ACGIHNo component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.OSHANo component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.NTPNo component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.NTPNo component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen	IARC	equal to 0.1% is identified as probal	
OSHANo component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.NTPNo component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen	ACGIH	No component of this product prese equal to 0.1% is identified as a carc	
NTPNo component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen	OSHA	No component of this product prese equal to 0.1% is identified as a carc	
	NTP	No component of this product prese equal to 0.1% is identified as a know	

(#05032)

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical Name	CAS-No.	Concentration [%]
acetone	67-64-1	>= 70 - < 90
propane	74-98-6	>= 10 - < 20
butane	106-97-8	>= 5 - < 10

SECTION 4. FIRST AID MEASURES

General advice	 Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	: If inhaled, remove to fresh air.

(#05032) Print Date 05/30/2015 Version 1.0 Revision Date 04/28/2015 If not breathing, give artificial respiration. If breathing is difficult, give oxygen. If symptoms persist, call a physician. In case of skin contact Remove contaminated clothing and shoes. 2 Wash contaminated clothing before re-use. Wash off immediately with plenty of water for at least 15 minutes. Call a physician if irritation develops or persists. In case of eye contact Remove contact lenses. • Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If swallowed Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. DO NOT induce vomiting unless directed to do so by a physician or poison control center.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	[\	Alcohol-resistant foam Dry chemical Water Carbon dioxide (CO2)
Unsuitable extinguishing media	: 1	High volume water jet
Hazardous combustion products	(Carbon dioxide (CO2) Carbon monoxide Smoke
Specific extinguishing methods	: เ	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	r F t F	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.
Special protective equipment for firefighters		Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

: Use personal protective equipment.
Ensure adequate ventilation.
Remove all sources of ignition.
Evacuate personnel to safe areas.
Beware of vapours accumulating to form explosive
concentrations. Vapours can accumulate in low areas.

SAFETY DATA SHEET				
SSS® LAVENDER MIST AIRFRESHENER (#05032)				
Version 1.0	Revision Date 04/28/2015	Print Date 05/30/2015		
Environmental precautions	: Prevent product from entering dra Prevent further leakage or spillage If the product contaminates rivers respective authorities.	e if safe to do so.		
Methods and materials for containment and cleaning up	: Soak up with inert absorbent mate acid binder, universal binder, saw Sweep up or vacuum up spillage container for disposal.	dust).		

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations.
Conditions for safe storage	 BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. No smoking. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid	: Oxidizing agents Store and keep away from bases and alkalies. Do not freeze.
Storage temperature	: 4.4 - 49 °C

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
acetone	67-64-1	TWA	500 ppm	ACGIH
		STEL	750 ppm	ACGIH
		TWA	250 ppm 590 mg/m3	NIOSH REL
		TWA	1,000 ppm 2,400 mg/m3	OSHA Z-1
		TWA	750 ppm	OSHA P0

(#05032)

Version 1.0

Revision Date 04/28/2015

Print Date 05/30/2015

			1,800 mg/m3	
		STEL	1,000 ppm 2,400 mg/m3	OSHA P0
propane	74-98-6	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,800 mg/m3	OSHA P0
butane	106-97-8	TWA	800 ppm 1,900 mg/m3	NIOSH REL
		TWA	800 ppm 1,900 mg/m3	OSHA P0

Biological occupational exposure limits

Component	CAS-No.	Control	Biological	Sampling	Permissible	Basis
		parameters	specimen	time	concentration	
2-PROPANONE	67-64-1	Acetone	Urine	End of	50 mg/l	ACGIH BEI
				shift (As		
				soon as		
				possible		
				after		
				exposure		
				ceases)		

Personal protective equipment

Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Hand protection Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	:	Face-shield
Skin and body protection	:	impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aerosol containing a liquefied gas	
Colour	: colourless, light yellow	
Odour	: characteristic, acetone-like	
Odour Threshold	: no data available	

Version 1.0

Revision Date 04/28/2015

(#05032)		
Print Date 05/30/2015		

рН	: not applicable	
Melting point/freezing point	: not applicable	
Boiling point	: no data available	
Flash point	: not applicable	
Evaporation rate	: no data available	
Flammability (solid, gas)	: Extremely flammable aerosol.	
Upper explosion limit	: no data available	
Lower explosion limit	: no data available	
Vapour pressure	: no data available	
Relative vapour density	: no data available	
Density	: 0.795 g/cm3	
Solubility(ies)		
Water solubility	: completely soluble	
Partition coefficient: n- octanol/water	: no data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: no data available	
Viscosity		
Viscosity, kinematic	: no data available	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct sunlight.
Incompatible materials	: Oxidizing agents Amines Bases
Hazardous decomposition products	: Carbon monoxide Carbon dioxide (CO2)

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Components:

SSS® LAVENDER MIS		(#05032)
Version 1.0	Revision Date 04/28/2015	Print Date 05/30/2015
acetone: Acute oral toxicity	: LD50 rat: 5,800 mg/kg	
Acute inhalation toxicity	: LC50 rat: 132 mg/l Exposure time: 3 h	
	LC50 rat: 50.1 mg/l	
Acute dermal toxicity	: LD50 guinea pig: > 7,426 mg/kg	
	LD50 rabbit: > 7,426 mg/kg	
propane: Acute inhalation toxicity	: LC50 mouse: 1,237 mg/l Exposure time: 2 h	
	LC50 rat: 658 mg/l Exposure time: 4 h	
	LC50 rat: 1,355 mg/l	
butane: Acute inhalation toxicity	: LC50 mouse: 1,237 mg/l Exposure time: 2 h	
	LC50 rat: 1,355 mg/l	
Skin corrosion/irritation		
<u>Product:</u> Remarks: May cause skin irr	itation in susceptible persons.	
Serious eye damage/eye irritatio	n	
Product:		
Remarks: Irritating to eyes.		
Respiratory or skin sensitisation	1	
no data available		
Germ cell mutagenicity		
no data available		
Carainaganiaity		

Carcinogenicity

no data available

Reproductive toxicity

no data available

acetone: propane: butane:

Version 1.0

Revision Date 04/28/2015

(#05032)

Print Date 05/30/2015

STOT - single exposure

no data available

STOT - repeated exposure

no data available

Aspiration toxicity

no data available

Further information

Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

no data available

Persistence and degradability

no data available **Bioaccumulative potential**

Product:

Partition coefficient: n- octanol/water <u>Components:</u> butane : Partition coefficient: n- octanol/water	Remarks: no data availablePow: 2.89
Mobility in soil	
no data available	
Other adverse effects	
no data available <u>Product:</u>	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Additional ecological information	: no data available

Version 1.0

(#05032)

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, 2.1, - Limited quantity

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
acetone	67-64-1	5000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity


This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	: Acute Health Hazard
	Fire Hazard
	Sudden Release of Pressure Hazard

	MIST AIRFRESHENER	(#05032)	
ersion 1.0	Revision Date 04/28/2015	Print Date 05/30/2015	
SARA 302	: SARA 302: No chemicals in this ma reporting requirements of SARA Ti	•	
SARA 313	: SARA 313: This material does not components with known CAS numl threshold (De Minimis) reporting le Title III, Section 313.	bers that exceed the	
California Prop 65	This product does not contain any California to cause cancer, birth de reproductive harm.		
The components of t	his product are reported in the following in	ventories:	
TSCA	On TSCA Inventory		
DSL	This product contains one or several components that are not on the Canadian DSL nor NDSL.		
AICS	Not in compliance with the inventory		
NZIOC	Not in compliance with the inventory		
PICCS	Not in compliance with the inventory		
IECSC	Not in compliance with the inventory		

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION



OSHA GHS Label Information:



Version 1.0 Revision Date 04/28/2015 Print Date 05/30/2015 Hazard statements Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Causes serious eye irritation. May cause drowsiness or dizziness. Precautionary statements Prevention: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear eye protection/ face protection. Response: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention. Storage: Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store in a well-ventilated place. Disposal: Dispose of contents/container in accordance with local regulation.

(#05032)

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.