Version 1.0

Revision Date 05/27/2015

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name : SSS® Fresh Linen (Metered Dry Air Freshener)

Material number	:	A00213LF
Manufacturer or supplier's d	eta	ils
Company	:	Triple S
Address	:	2 Executive Park Drive Billerica, MA 01862
Telephone	:	978-667-7900

Emergency telephone numbers		
For SDS Information	:	978-667-7900
For a Medical Emergency	:	1-888-779-1339
For a Transportation	:	1-888-779-1339
Emergency		

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	Aerosol containing a liquefied gas
Colour	colourless, light yellow
Odour	characteristic, acetone-like

GHS Classification

Flammable aerosols Gases under pressure Eye irritation Specific target organ toxicity - single exposure	 Category 1 Liquefied gas Category 2A Category 3 (Central nervous system)
GHS Label element	
Hazard pictograms	
Signal word	: Danger
Hazard statements	 H222 Extremely flammable aerosol. H280 Contains gas under pressure; may explode if heated. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.
Precautionary statements	 Prevention: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 Do not spray on an open flame or other ignition source. P251 Pressurized container: Do not pierce or burn, even after use.

SAFETY DATA SH SSS® FRESH LIN	EET EN AIRFRESHENER	
Version 1.0	Revision Date 05/27/2015	Print [
	P261 Avoid breathing dust/ fume/ ga	s/ mist/ v

Potential Health Effects	 P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P264 Wash skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P280 Wear eye protection/ face protection. Response: P304 + P340 + P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical advice/ attention. Storage: P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up. P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Disposal: P501 Dispose of contents/container in accordance with local regulation.
Carcinogenicity:	
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
OSHA	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

:

Substance / Mixture : Mixture

Hazardous components

Chemical Name	CAS-No.	Concentration [%]
acetone	67-64-1	>= 70 - < 90
propane	74-98-6	>= 10 - < 20
butane	106-97-8	>= 5 - < 10

SECTION 4. FIRST AID MEASURES

General advice

Show this safety data sheet to the doctor in attendance. Move out of dangerous area. Do not leave the victim unattended.

SAFETY DATA SHEET SSS® FRESH LINEN AIRFRESHENER (#05034) Version 1.0 Revision Date 05/27/2015 Print Date 05/30/2015 If inhaled : Remove to fresh air. Consult a physician after significant exposure. If unconscious place in recovery position and seek medical advice. In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician. If on clothes, remove clothes. In case of eye contact : Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, consult a specialist. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If swallowed : Keep respiratory tract clear. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. DO NOT induce vomiting unless directed to do so by a physician or poison control center.

Take victim immediately to hospital.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Carbon dioxide (CO2) Dry chemical Water spray jet Alcohol-resistant foam
Unsuitable extinguishing media	:	No information available.
Hazardous combustion products Specific extinguishing		Carbon dioxide (CO2) Carbon monoxide Smoke Use extinguishing measures that are appropriate to local
methods		circumstances and the surrounding environment.
Further information	:	Standard procedure for chemical fires. For safety reasons in case of fire, cans should be stored separately in closed containments.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions,	: Use personal protective equipment.
protective equipment and	Ensure adequate ventilation.
emergency procedures	Remove all sources of ignition.
	Evacuate personnel to safe areas.
	Beware of vapours accumulating to form explosive
	concentrations. Vapours can accumulate in low areas.

SSS® FRESH LINEN AIRFRESHENER (#05034				
Version 1.0	Revision Date 05/27/2015	Print Date 05/30/2015		
Environmental precautions	: Prevent product from entering dra Prevent further leakage or spillage If the product contaminates rivers respective authorities.	e if safe to do so.		
Methods and materials for containment and cleaning up	: Soak up with inert absorbent mate acid binder, universal binder, saw Sweep up or vacuum up spillage a container for disposal.	dust).		

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Do not puncture. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Do not breathe vapours or spray mist. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms Dispose of rinse water in accordance with local and national regulations. Always replace cap after use. 	
Conditions for safe storage	 BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. No smoking. Keep in a dry, cool and well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards. 	
Materials to avoid	Oxidizing agents Store and keep away from bases and alkalies.	
Storage temperature	< 49 °C	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
acetone	67-64-1	TWA	500 ppm	ACGIH
		STEL	750 ppm	ACGIH
		TWA	250 ppm 590 mg/m3	NIOSH REL
		TWA	1,000 ppm 2,400 mg/m3	OSHA Z-1
		TWA	750 ppm 1,800 mg/m3	OSHA P0

SAFETY DATA SHEET SSS® FRESH LINEN AIRFRESHENER Version 1.0 Revision Date 05/27/2015

(#05034) Print Date 05/30/2015

		STEL	1,000 ppm 2,400 mg/m3	OSHA P0
propane	74-98-6	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,800 mg/m3	OSHA P0
butane	106-97-8	TWA	800 ppm 1,900 mg/m3	NIOSH REL
		TWA	800 ppm 1,900 mg/m3	OSHA P0

Biological occupational exposure limits

Component	CAS-No.	Control	Biological	Sampling	Permissible	Basis
		parameters	specimen	time	concentration	
2-PROPANONE	67-64-1	Acetone	Urine	End of	50 mg/l	ACGIH BEI
				shift (As		
				soon as		
				possible		
				after		
				exposure		
				ceases)		

Personal protective equipment

Respiratory protection :	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Hand protection	
Remarks :	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection :	Ensure that eyewash stations and safety showers are close to the workstation location. Safety glasses Face-shield
Skin and body protection :	impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures :	Handle in accordance with good industrial hygiene and safety practice. When using do not smoke. When using do not eat or drink. Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aerosol containing a liquefied gas
Colour	: colourless, light yellow

Version 1.0

Revision Date 05/27/2015

Odour	:	characteristic, acetone-like
Odour Threshold	:	no data available
рН	:	not applicable
Melting point/freezing point	:	no data available
Boiling point	:	no data available
Flash point	:	
		not applicable
Evaporation rate	:	no data available
Flammability (solid, gas)	:	Extremely flammable aerosol.
Upper explosion limit	:	no data available
Lower explosion limit	:	no data available
Vapour pressure	:	no data available
Relative vapour density	:	no data available
Density	:	0.795 g/cm3
Solubility(ies)		
Water solubility	:	completely soluble
Partition coefficient: n- octanol/water	:	no data available
Auto-ignition temperature	:	not determined
Thermal decomposition	:	no data available
Viscosity		
Viscosity, kinematic	:	no data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air. No decomposition if stored and applied as directed.
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct sunlight.
Incompatible materials	: Amines Bases Oxidizing agents
Hazardous decomposition products	: Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Version 1.0

Acute toxicity

ato toxiony	
Components:	
acetone: Acute oral toxicity	: LD50 rat: 5,800 mg/kg
Acute inhalation toxicity	: LC50 rat: 132 mg/l Exposure time: 3 h
	LC50 rat: 50.1 mg/l
Acute dermal toxicity	: LD50 guinea pig: > 7,426 mg/kg
	LD50 rabbit: > 7,426 mg/kg
propane: Acute inhalation toxicity	: LC50 mouse: 1,237 mg/l Exposure time: 2 h
	LC50 rat: 658 mg/l Exposure time: 4 h
	LC50 rat: 1,355 mg/l
butane: Acute inhalation toxicity	: LC50 mouse: 1,237 mg/l Exposure time: 2 h
	LC50 rat: 1,355 mg/l

Skin corrosion/irritation

Product:

Remarks: May cause skin irritation in susceptible persons.

Serious eye damage/eye irritation

Product:

Remarks: Eye irritation

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

acetone:

Version 1.0

propane: butane:

STOT - single exposure

no data available

STOT - repeated exposure

no data available

Aspiration toxicity

no data available

Further information

Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

no data available	
-------------------	--

Persistence and degradability

no data available Bioaccumulative potential

Product:

Partition coefficient: n- octanol/water <u>Components:</u> butane : Partition coefficient: n- octanol/water	Remarks: no data availablePow: 2.89
Mobility in soil	
no data available	
Other adverse effects	
no data available <u>Product:</u>	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Additional ecological information	: no data available

Version 1.0

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 Dispose of in accordance with local regulations. Do not contaminate ponds, waterways or ditches with chemical or used container. The product should not be allowed to enter drains, water courses or the soil.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY	
Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, 2.1, - Limited quantity	
Transportation Regulation: IATA (Cargo Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity	
Transportation Regulation: IATA (Passenger Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity	

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, 2.1, - Limited quantity

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
		(105)	(60)
acetone	67-64-1	5000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards

: Fire Hazard Sudden Release of Pressure Hazard Acute Health Hazard


SSS® FRESH LINEN AIRFRESHENER (#050			
Version 1.0	Revision Date 05/27/2015	Print Date 05/30/2015	
SARA 302		SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.	
SARA 313	: SARA 313: This material does not c components with known CAS numb threshold (De Minimis) reporting leve Title III, Section 313.	ers that exceed the	
California Prop 65	This product does not contain any c California to cause cancer, birth defe reproductive harm.		
The components of this p	roduct are reported in the following inv	entories:	
TSCA OI	On TSCA Inventory		
DSL Tr	This product contains one or several components that are not on the Canadian DSL nor NDSL.		
AICS No	Not in compliance with the inventory		


NZIOCNot in compliance with the inventoryPICCSNot in compliance with the inventoryIECSCNot in compliance with the inventory

Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION





: Danger:

Signal word

SAFETY DATA SHEET SSS® FRESH LINEN AIRFRESHENER Version 1.0 Revision Date 05/27/2015

Hazard statements	 Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
Precautionary statements	
	 Prevention: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear eye protection/ face protection. Response: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention. Storage: Store in a well-ventilated place. Keep container tightly closed. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Disposal: Dispose of contents/container in accordance with local regulation.

Version:	1.0
Revision Date:	05/27/2015
Print Date:	05/30/2015

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.