SAFETY DATA SHEET		
SSS® JOURNEY GLA	SS & SURFACE CLEANER	(#05050)
Version 1.0	Revision Date 04/28/2015	Print Date 05/30/2015

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	SSS® Journey Glass & Surface Cleaner
Material number	:	A00122
Manufacturer or supplier's de	etai	ls
Company	:	Triple S
Address	:	2 Executive Park Drive Billerica, MA 01862
Telephone	:	978-667-7900

Emergency telephone numbers		
For SDS Information	:	978-667-7900
For a Medical Emergency	:	1-888-779-1339
For a Transportation Emergency	:	1-888-779-1339

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	Aerosol containing a liquefied gas	
Colour	colourless	
Odour	characteristic	

GHS Classification

Gases under pressure	: Liquefied gas
GHS Label element	
Hazard pictograms	
Signal word	: Warning
Hazard statements	: H280 Contains gas under pressure; may explode if heated.
Precautionary statements	 Storage: P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. P403 Store in a well-ventilated place. Disposal: P501 Dispose of contents/container in accordance with local regulation.

Potential Health Effects

Carcinogenicity:

SAFETY DATA SH	IEET	
SSS® JOURNEY	GLASS & SURFACE CLEANER	(#05050)
Version 1.0	Revision Date 04/28/2015	Print Date 05/30/2015
IARC	No component of this product present equal to 0.1% is identified as probable human carcinogen by IARC.	
ACGIH	No component of this product present equal to 0.1% is identified as a carcino carcinogen by ACGIH.	
OSHA	No component of this product present equal to 0.1% is identified as a carcino carcinogen by OSHA.	
NTP	No component of this product present equal to 0.1% is identified as a known by NTP.	

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Mixture
---------------------	---	---------

Hazardous components

Chemical Name	CAS-No.	Concentration [%]
butane	106-97-8	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice	Do not leave the victim unattended.
If inhaled	 If unconscious place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	 If on clothes, remove clothes. If skin irritation persists, call a physician. Wash off immediately with plenty of water for at least 15 minutes. Wash contaminated clothing before re-use.
In case of eye contact	 Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If swallowed	 Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. DO NOT induce vomiting unless directed to do so by a physician or poison control center.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	Alcohol-resistant foam Carbon dioxide (CO2)
	Dry chemical

(#05050)

Version 1.0		Revision Date 04/28/2015	Print Date 05/30/2015
		Water spray jet	
Unsuitable extinguishing media	:	High volume water jet	
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to courses.	enter drains or water
Hazardous combustion products	:	Carbon dioxide (CO2) Carbon monoxide Smoke	
Specific extinguishing methods	:	Use extinguishing measures that are a circumstances and the surrounding en	
Further information	:	Collect contaminated fire extinguishing must not be discharged into drains. Fire residues and contaminated fire ex be disposed of in accordance with loca For safety reasons in case of fire, can separately in closed containments. Use a water spray to cool fully closed of	tinguishing water must I regulations. s should be stored
Special protective equipment for firefighters	:	Wear self-contained breathing apparat necessary.	us for firefighting if

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	 Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions	 Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	 Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Sweep up or vacuum up spillage and collect in suitable container for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	: For personal protection see section 8. Smoking, eating and drinking should be prohibited in the
	application area.
	Dispose of rinse water in accordance with local and national regulations.
	Do not breathe vapours or spray mist. Always replace cap after use.

SAFETY DATA SHEET		
SSS® JOURNEY GLAS	S & SURFACE CLEANER	(#05050)
Version 1.0	Revision Date 04/28/2015	Print Date 05/30/2015
Conditions for safe storage	 BEWARE: Aerosol is pressurized. K exposure and temperatures over 50 or throw into fire even after use. Do red-hot objects. Keep in a dry, cool and well-ventilate Observe label precautions. Electrical installations / working mate the technological safety standards. 	°C. Do not open by force not spray on flames or ed place.
Materials to avoid	: Oxidizing agents	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
butane	106-97-8	TWA	800 ppm 1,900 mg/m3	NIOSH REL
		TWA	800 ppm 1,900 mg/m3	OSHA P0

Components with workplace control parameters

Personal protective equipment

Respiratory protection	: Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Hand protection Remarks	: The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	: Ensure that eyewash stations and safety showers are close to the workstation location. Tightly fitting safety goggles
Skin and body protection	: impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	 Wash hands before breaks and at the end of workday. Do not smoke. Avoid contact with skin, eyes and clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aerosol containing a liquefied gas
Colour	: colourless
Odour	: characteristic

(#05050)

Version 1.0	Revision Date 04/28/2015	Print Date 05/30/2015
Odour Threshold	: no data available	
рН	: 9-10	
Melting point/freezing point	: no data available	
Boiling point	: no data available	
Flash point	: no data available	
Evaporation rate	: no data available	
Upper explosion limit	: no data available	
Lower explosion limit	: no data available	
Vapour pressure	: no data available	
Relative vapour density	: no data available	
Density	: no data available	
Solubility(ies)		
Water solubility	: no data available	
Solubility in other solvents	: not determined	
Partition coefficient: n- octanol/water	: no data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: no data available	
Viscosity		
Viscosity, kinematic	: no data available	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	Stable	
Chemical stability	Stable under normal conditions.	
Possibility of hazardous reactions	Vapours may form explosive mixture wit No decomposition if stored and applied	
Conditions to avoid	Heat, flames and sparks. Extremes of temperature and direct sun	light.
Incompatible materials	Oxidizing agents	
Hazardous decomposition products	Carbon monoxide Carbon dioxide (CO2)	

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

	& SURFACE CLEANER	(#05050)
Version 1.0	Revision Date 04/28/2015	Print Date 05/30/2015
Product:		
Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/ Method: Calculation method	/kg
Components:		
butane:		
Acute inhalation toxicity	: LC50 mouse: 1,237 mg/l Exposure time: 2 h	
	LC50 rat: 1,355 mg/l	
Skin corrosion/irritation		
no data available		
Serious eye damage/eye irritation		
no data available		
Respiratory or skin sensitisation		
no data available		
Germ cell mutagenicity		
no data available		
Carcinogenicity		
no data available		
Reproductive toxicity		
no data available		
butane:		
STOT - single exposure		
no data available		
STOT - repeated exposure		
no data available		
Aspiration toxicity		
no data available		
Further information		
Product:		
Remarks: no data available		

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

no data available
Persistence and degradability

no data available

SAFETY DATA SHEET		
SSS® JOURNEY GLAS	S & SURFACE CLEANER	(#05050)
Version 1.0	Revision Date 04/28/2015	Print Date 05/30/2015
Bioaccumulative potential		
Product:		
Partition coefficient: n- octanol/water <u>Components:</u> butane :	: Remarks: no data available	
Partition coefficient: n- octanol/water	: Pow: 2.89	
Mobility in soil		
no data available		
Other adverse effects		
no data available Product:		
Regulation Remarks	40 CFR Protection of Environm Stratospheric Ozone - CAA Sec Substances This product neither contains, r	ction 602 Class I nor was manufactured
	with a Class I or Class II ODS a Clean Air Act Section 602 (40 (+ B).	-
Additional ecological information	: no data available	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Version 1.0

Revision Date 04/28/2015

(#05050)

Print Date 05/30/2015

Transportation Regulation: IATA (Passenger Air): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	Sudden Release of Pressure Hazard	
SARA 302	SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.	
SARA 313	SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.	۹.
California Prop 65	This product does not contain any chemicals known to State California to cause cancer, birth defects, or any other reproductive harm.	e of
The common of this are	t are reported in the following inventories.	

The components of this product are reported in the following inventories:

TSCA	On TSCA Inventory
DSL	This product contains one or several components that are not on the
	Canadian DSL nor NDSL.
AICS	Not in compliance with the inventory
NZIoC	Not in compliance with the inventory
PICCS	Not in compliance with the inventory
IECSC	Not in compliance with the inventory

Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION


Version 1.0

Revision Date 04/28/2015

(#05050)

Print Date 05/30/2015

Further information




HMIS III:

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	2

0 = not significant, 1 =Slight, 2 = Moderate, 3 = High 4 = Extreme, * = Chronic

OSHA GHS Label Information:



We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.