Version 1.0	Revision Date 04/24/2015	Print Date 05/30/2015	
SECTION 1. PRODUCT AND COMPANY IDENTIFICATION			

Material name	:	SSS® Citrapeel All Purpose Cleaner & Degreaser
Material number	:	A00169
Manufacturer or supplier's d	leta	ils
Company	:	Triple S
Address	:	2 Executive Park Drive Billerica, MA 01862
Telephone	:	978-667-7900

Emergency telephone numbers		
For SDS Information	:	978-667-7900
For a Medical Emergency	:	1-888-779-1339
For a Transportation Emergency	:	1-888-779-1339

## **SECTION 2. HAZARDS IDENTIFICATION**

## **Emergency Overview**

Appearance	Aerosol containing a liquefied gas		
Colour	white		
Odour	like fruit		

#### **GHS Classification**

Gases under pressure Eye irritation	: Liquefied gas : Category 2A
GHS Label element	
Hazard pictograms	
Signal word	: Warning
Hazard statements	: H280 Contains gas under pressure; may explode if heated. H319 Causes serious eye irritation.
Precautionary statements	<ul> <li>Prevention: P264 Wash skin thoroughly after handling. P280 Wear eye protection/ face protection. Response: P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical advice/ attention.</li> </ul>

Revision Date 04/24/2015	Print Date 05/30/2015
<b>Storage:</b> P410 + P403 Protect from sunligh place.	t. Store in a well-ventilated
No component of this product present equal to 0.1% is identified as probable human carcinogen by IARC.	
No component of this product presen equal to 0.1% is identified as a carcin carcinogen by ACGIH.	
No component of this product present equal to 0.1% is identified as a carcin	
No component of this product presen equal to 0.1% is identified as a knowr by NTP.	
	Storage: P410 + P403 Protect from sunligh place. No component of this product presen equal to 0.1% is identified as probabl human carcinogen by IARC. No component of this product presen equal to 0.1% is identified as a carcin carcinogen by ACGIH. No component of this product presen equal to 0.1% is identified as a carcin carcinogen by OSHA. No component of this product presen equal to 0.1% is identified as a known

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Mixture
---------------------	---	---------

## Hazardous components

Chemical Name	CAS-No.	Concentration [%]
butane	106-97-8	>= 1 - < 5
Alcohols, C9-11, ethoxylated	68439-46-3	>= 1 - < 5
1-propoxypropan-2-ol	1569-01-3	>= 1 - < 5

### **SECTION 4. FIRST AID MEASURES**

General advice	<ul> <li>Move out of dangerous area.</li> <li>Show this safety data sheet to the doctor in attendance.</li> <li>Do not leave the victim unattended.</li> </ul>
If inhaled	<ul> <li>If unconscious place in recovery position and seek medical advice.</li> <li>If symptoms persist, call a physician.</li> </ul>
In case of skin contact	<ul> <li>If skin irritation persists, call a physician.</li> <li>Wash off immediately with plenty of water for at least 15 minutes.</li> <li>If on clothes, remove clothes.</li> </ul>
In case of eye contact	<ul> <li>Remove contact lenses.</li> <li>Protect unharmed eye.</li> <li>Keep eye wide open while rinsing.</li> <li>If eye irritation persists, consult a specialist.</li> <li>If in eyes, rinse with water for 15 minutes.</li> </ul>
If swallowed	: Clean mouth with water and drink afterwards plenty of water.

Version 1.0	Revision Date 04/24/2015	Print Date 05/30/2015
	Keep respiratory tract clear. Never give anything by mouth to a If symptoms persist, call a physici DO NOT induce vomiting unless of physician or poison control center	an. directed to do so by a

## SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Dry chemical Water Carbon dioxide (CO2) Foam
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	Carbon dioxide (CO2) Carbon monoxide Smoke
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	:	Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Remove all sources of ignition. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions	:	Prevent further leakage or spillage if safe to do so.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up or vacuum up spillage and collect in suitable container for disposal.

### SECTION 7. HANDLING AND STORAGE

/ersion 1.0	Revision Date 04/24/2015	Print Date 05/30/2015	
Advice on safe handling	<ul> <li>Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Always replace cap after use. Dispose of rinse water in accordance with local and national regulations. Do not breathe vapours or spray mist.</li> </ul>		
Conditions for safe storage	<ul> <li>BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects.</li> <li>Observe label precautions.</li> <li>Keep in a dry, cool and well-ventilated place.</li> <li>Electrical installations / working materials must comply with the technological safety standards.</li> <li>No smoking.</li> </ul>		
Materials to avoid	: Strong oxidizing agents		

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
butane	106-97-8	TWA	800 ppm 1,900 mg/m3	NIOSH REL
		TWA	800 ppm 1,900 mg/m3	OSHA P0

## Personal protective equipment

Respiratory protection	:	In case of insufficient ventilation, wear suitable respiratory equipment. Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Hand protection Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	:	Ensure that eyewash stations and safety showers are close to the workstation location. Tightly fitting safety goggles
Skin and body protection	:	impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	:	When using do not eat or drink.

Version 1.0

Revision Date 04/24/2015

Print Date 05/30/2015

When using do not smoke. Wash hands before breaks and at the end of workday.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aerosol containing a liquefied gas
Colour	: white
Odour	: like fruit
Odour Threshold	: no data available
рН	: no data available
Melting point/freezing point	: no data available
Boiling point	: no data available
Flash point	:
	not applicable
Evaporation rate	: > 1 n-Butyl Acetate = 1.0
Flammability (solid, gas)	: The product is not flammable.
Upper explosion limit	: no data available
Lower explosion limit	: no data available
Vapour pressure	: no data available
Relative vapour density	: no data available
Density	: 1 g/cm3
Solubility(ies)	
Water solubility	: soluble
Partition coefficient: n- octanol/water	: no data available
Auto-ignition temperature	: not determined
Thermal decomposition	: no data available
Viscosity	
Viscosity, kinematic	: no data available
Heat of combustion	: 3.90 kJ/g

### SECTION 10. STABILITY AND REACTIVITY

 Reactivity
 : Stable

 Chemical stability
 : Stable under normal conditions.

Version 1.0	Revision Date 04/24/2015	Print Date 05/30/2015	
Possibility of hazardous reactions	: Vapours may form explosive mix No decomposition if stored and a		
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and dir	ect sunlight.	
Incompatible materials	: Strong oxidizing agents		
Hazardous decomposition products	: Carbon oxides		

## SECTION 11. TOXICOLOGICAL INFORMATION

## Acute toxicity

Product:		
Acute oral toxicity	:	Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Components:		
butane: Acute inhalation toxicity	:	LC50 mouse: 1,237 mg/l Exposure time: 2 h
		LC50 rat: 1,355 mg/l
Alcohols, C9-11, ethoxylated: Acute oral toxicity	:	LD50 Oral rat: 1,400 mg/kg

### Skin corrosion/irritation

## Product:

Remarks: May cause skin irritation and/or dermatitis.

### Serious eye damage/eye irritation

## Product:

Remarks: Severe eye irritation

### Respiratory or skin sensitisation

no data available

## Germ cell mutagenicity

no data available

## Carcinogenicity

no data available

### Reproductive toxicity

no data available

butane:

Print Date 05/30/2015

Version 1.0	Revision Date 04/24/2015
Alcohols, C9-11, ethoxylated: 1-propoxypropan-2-ol:	
STOT - single exposure	
no data available	
STOT - repeated exposure	
no data available	
Aspiration toxicity	
no data available	
Further information	
Product:	

Remarks: no data available

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

no data available

### Persistence and degradability

#### no data available Bioaccumulative potential

uct:
------

Partition coefficient: n- octanol/water <u>Components:</u> butane : Partition coefficient: n- octanol/water	<ul><li>Remarks: no data available</li><li>Pow: 2.89</li></ul>
Mobility in soil	
no data available	
Other adverse effects	
no data available Product:	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Additional ecological information	: no data available

Version 1.0

Revision Date 04/24/2015

Print Date 05/30/2015

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal methods		
Waste from residues	:	Dispose of in accordance with local regulations.
		Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

## **SECTION 14. TRANSPORT INFORMATION**

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

### SECTION 15. REGULATORY INFORMATION

### EPCRA - Emergency Planning and Community Right-to-Know Act

### **CERCLA** Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
2,2'-iminodiethanol	111-42-2	100	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

### SARA 304 Extremely Hazardous Substances Reportable Quantity


This material does not contain any components with a section 304 EHS RQ.

("00110)				
Version 1.0	Revision Date 04/24/2015	Print Date 05/30/2015		
SARA 311/312 Hazards	: Sudden Release of Pressure Hat Acute Health Hazard	zard		
SARA 302	: SARA 302: No chemicals in this reporting requirements of SARA			
SARA 313	: SARA 313: This material does no components with known CAS nu threshold (De Minimis) reporting Title III, Section 313.	mbers that exceed the		
California Prop 65	WARNING! This product contain State of California to cause canc			
2,2'-imir	odiethanol	111-42-2		
The components of this product are reported in the following inventories:				
DSL	On TSCA Inventory This product contains one or several com Canadian DSL nor NDSL.	ponents that are not on the		
	Not in compliance with the inventory			
	Not in compliance with the inventory Not in compliance with the inventory			
	Not in compliance with the inventory			

### Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TSCA (USA)

## **SECTION 16. OTHER INFORMATION**



## OSHA GHS Label Information:

Version 1.0	Revision Date 04/24/2015	Print Date 05/30/2015
Hazard pictograms		
Signal word Hazard statements Precautionary statements	<ul> <li>Warning:</li> <li>Contains gas under pressure; may explode if heated. Causes serious eye irritation.</li> <li>Prevention: Wash skin thoroughly after handling. Wear eye protection/ face protection.</li> <li>Response: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.</li> <li>Storage: Protect from sunlight. Store in a well-ventilated place.</li> </ul>	

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.