

Safety Data Sheet

Section 1: Identification

GHS Product Identifier

Product Name	SSS Instant Hand Sanitizer Gel, 70%, Unscented
Product Type	Finished Product- Consumer Use Only
Product Code	#93001, #93002

Details of the supplier of the SDS

Manufactured for:	Triple S 2 Executive Parke Drive Billerica, MA 01862 www.triple-s.com 978-667-7900
-------------------	--

Emergency telephone number (24HR)

1-888-779-1339

Recommended use of the chemical and restrictions on use

Recommended use	Hand Sanitizer GEL
-----------------	--------------------

Restrictions on use	<p>This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information provided on the package or instruction sheet.</p>
---------------------	--

Section 2: Hazard Identification

GHS Classification

Flammable liquids


Category 3

Eye Irritation

Category 2A

GHS label elements

Hazard pictograms



Signal Word: Warning

Precautionary Statements:

Prevention:

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed. P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do, continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.

Other Hazards

This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseeable use.

None known

Section 3: Composition/Information on Ingredients				
Chemical Name	Identifiers – CAS #	%(weight)	Comments	
DI Water	CAS NO 7732-18-5	29.025		
Glycerol	CAS NO 56-81-5	3.0%		
Carbomer	Mixture	0.1900%		
sda 40b 190	CAS NO 64-17-5	67.3%	Mixture	
Isopropyl Myristate	CAS NO 110-27-0	0.2200%		
Triethanolamine	CAS NO 102-71-6	0.1600%		

Section 4: First-Aid Measures

General advice: In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical Health Hazard

If inhaled: If inhaled remove to fresh air. Get medical attention if symptoms occur

In case of skin contact: Wash with water and soap as a precaution. Get medical attention if symptoms occur.

Section 5: Fire-Fighting Measures

Suitable extinguishing media:	Water spray Alcohol-resistant foam Dry chemical Carbon dioxide (CO ₂) water jet Specific
Unsuitable extinguishing media	High Volume water jet
Specific hazards during firefighting:	Do not use a solid water stream as it may scatter and spread fire. Flash back possible over considerable distance. Vapors may form explosive mixtures with air
Hazardous combustion products:	Carbon oxides Silicon oxides
Specific extinguishing methods:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

Section 6: Accidental Release Measures

Personal precautions	Remove all sources of ignition
Protective equipment and emergency procedures	Use personal protective equipment. Follow safe handling advice and PPE recommendations.
Environmental precautions:	Discharge into the environment must be avoided.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages cannot be contained.

Methods, materials for containment, cleaning up:

Non-sparking tools should be used.

Soak up with inert absorbent material.

Suppress (knock down) gases/vapors/mists with a water spray jet.

For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.

Clean up remaining materials from spill with suitable a absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

Section 7: Handling and Storage

Technical measures:

See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation:

Use with local exhaust ventilation. Use only in an area equipped with explosion proof exhaust ventilation.

Advice on safe handling:

Do not breathe vapors or spray mist.

Do not swallow.

Do not get in eyes.

Avoid prolonged or repeated contact with skin.

Handle in accordance with good industrial hygiene and safety practice.

Non-sparking tools should be used. Keep container tightly closed.

Keep away from heat and sources of ignition.

Take precautionary measures against static discharges.

Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage:

Keep in properly labeled containers. Keep tightly closed.

Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations. Keep away from heat and sources of ignition.

Materials to avoid

Do not store with the following product types:

Strong oxidizing agents

Organic peroxides

Flammable solids

Pyrophoric liquids

Pyrophoric solids

Self-heating substances and mixtures

Substances and mixtures which in contact with water emit flammable gases

Explosives

Gases

Section 8: Exposure Controls/Personal Protection

Ingredients with workplace control parameters

Ingredients	Cas No	Value Type	Control parameters/ Permissible concentration	Basis
Ethanol	64-17-5	TWA	1,000 ppm 1,900mg/m ³	NIOSH REL

Engineering measures

Minimize workplace exposure concentrations
Use only in an area equipped with explosionproof exhaust ventilation
Use with local exhaust

Personal protective equipment

Respiratory protection:

General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn.

Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection

Material:

Impervious gloves

Material:

Flame retardant gloves

Remarks:

Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications,

we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection:

Wear the following personal protective equipment:
Safety goggles

Skin and body protection:

Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential. Wear the following personal protective equipment: Flame retardant antistatic protective clothing. Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc.).

Hygiene measures:

Ensure that eye flushing systems and safety showers are located close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-us

Section 9: Physical and Chemical Properties

9.1 Information on Physical and Chemical Properties

Material Description

Physical Form	Gel/Liquid	Appearance/Description	
Color	Clear	Odor	Characteristic Alcohol odor
Taste	Data Not Available	Particulate Type	Data Not Available
Particulate Size	Data Not Available	Aerosol Type	Data Not Available
Odor Threshold	Data Not Available	Physical and Chemical Properties	Gel
General Properties	Data Not Available		Data Not Available
Boiling Point	Data Not Available	Melting Point	Data Not Available
Decomposition Temperature	Data Not Available	Heat of Decomposition	Data Not Available
pH	Range 7.0 - 7.5	Specific Gravity/Relative Density	0.89 g/ml
Density	Data Not Available	Bulk Density	Data Not Available
Water Solubility	Data Not Available	Solvent Solubility	Data Not Available

Viscosity	liquid	Explosive Properties	Data Not Available
Oxidizing Properties	Data Not Available		Data Not Available
Volatility	Data Not Available		Data Not Available
Vapor Pressure	Data Not Available	Vapor Density	Data Not Available
Evaporation Rate	Data Not Available	VOC (Wt.)	Data Not Available
VOC (Vol.)	Data Not Available	Volatiles (Wt.)	Data Not Available
Volatiles (Vol.)	Data Not Available		
Flammability	Data Not Available		
Flash Point	Data Not Available	UEL	Data Not Available
LEL	Data Not Available	Auto ignition	Data Not Available
Self-Accelerating Decomposition Temperature (SADT)	Data Not Available	Heat of Combustion	Data Not Available
Burning Time	Data Not Available	Flame Duration	Data Not Available
Flame Height	Data Not Available	Flame Extension	Data Not Available
Ignition Distance	Data Not Available	Flammability (solid, gas)	Data Not Available
Environment	Data Not Available		
Half-Life	Data Not Available	Octanol/Water Partition coefficient	Data Not Available
Coefficient of water/oil distribution	Data Not Available	Bioaccumulation Factor	Data Not Available
Bioconcentration Factor	Data Not Available	Biochemical Oxygen Demand BOD/BOD5	Data Not Available
Chemical Oxygen Demand	Data Not Available	Persistence	Data Not Available
Degradation	Data Not Available		

Section 10: Stability and Reactivity

Reactivity: Chemical stability: Possibility of hazardous reactions:	Not classified as a reactivity hazard. Stable under normal conditions
Conditions to avoid Incompatible materials Hazardous decomposition products	Flammable liquid and vapor. Vapors may form explosive mixture with air. Can react with strong oxidizing agents. Heat, flames and sparks. Oxidizing agents No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION**Information on likely routes**

Inhalation

Skin Contact

Ingestion

Eye Contact

Acute Toxicity

Not classified based on available information

Product

Acute oral toxicity

Acute toxicity estimate: > 5,000 mg/kg Method:
Calculation menthol**Ingredients:**

Ethanol:

Acute oral toxicity

LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity

LC50 (Rat): 124.7 mg/l

Exposure time: 4 h

Test atmosphere: vapor

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Causes serious eye irritation.

Ingredients:

Species: Rabbit
Result: Irritation to eyes reversed 21 days
Method: OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization: Not classified based on available information. Respiratory sensitization: Not classified based on available information.

Product: Product does not cause skin sensitization

Ingredients:

Ethanol:
Test Type: Local lymph node assay (LLNA)
Routes of exposure: Skin contact
Species: Mouse Result: negative

Germ cell mutagenicity

Not classified based on available information

Ingredients:

Ethanol:
Genotoxicity in vitro: Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo: Test Type: Rodent dominant lethal test (germ cell) (in vivo) Species: Mouse Application Route: Ingestion Result: negative

Carcinogenicity

Not classified based on available information

Reproductive toxicity

Not classified based on available information

Ingredients:

Ethanol

Effects on fertility

Test Type: Two-generation reproduction toxicity

study Species: Mouse Application Route:
Ingestion Method: OECD Test Guideline 416
Result: negative

STOT-single exposure Not classified based on
available information

Repeated dose toxicity

Ethanol

: Ethanol: Species:

Rat NOAEL: 2,400 mg/kg

Application Route: Ingestion

Exposure time: 2 y

Aspiration toxicity

Not classified based on available information.

SECTION 12. Ecological Information**Ingredients:**

Ethanol:

Toxicity to fish

LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l

Exposure time: 96 h

Toxicity to daphnia and

other aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1,000 mg/l E

Exposure time: 48 h

Toxicity to algae

EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l

Exposure time: 72 h Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)

NOEC (Daphnia magna (Water flea)): 9.6 mg/l
Exposure time: 9 d

Persistence and degradability

Ethanol:

Biodegradability

Result: Readily biodegradable.

Biodegradation: 84 %

Exposure time: 20 d

SECTION 13. Disposal Considerations

Disposal methods Waste from residues:

Dispose of in accordance with local regulations.

Contaminated packaging:

Dispose of as unused product.

SECTION 14 Transportation Information

Domestic regulation 49 CFR

PHMSA Covid -19 Guidelines

UN/ID/NA number: UN 1987

Proper shipping name: Ethanol or Ethyl Alcohol or Ethanol Solutions or Ethyl Alcohol Solutions

Class: 3

Packing group: II

Freight Class: 85

NMFC – 44500-3

Label: 3

FLAMMABLE LIQUID

ERG Code: 127

LABEL: Certain package sizes determine the proper labeling of containers. Consult manufacturer for specific information regarding proper labeling.

OTHER SHIPPING INFORMATION: Certain shipping modes and packaging sizes may have exceptions from the transport regulations. The classifications/information provided above may not reflect applicable exceptions. Contact the manufacturer for more specific information on the proper shipping of this material.

Marine Pollutant No

International Regulation

UNRTDG

UN number: UN 1170

Proper shipping name: Ethanol or Ethyl Alcohol or Ethanol Solutions or Ethyl Alcohol Solutions

Class: 3

Packing group: II

Label: 3

IATA-DGR

UN/ID No.: UN 1170

Proper shipping name: Ethanol or Ethyl Alcohol or Ethanol Solutions or Ethyl Alcohol Solutions

Class: 3

Packing group: III

Label: 3

Flammable Liquids

Packing instruction (cargo aircraft): 366

Packing instruction (passenger aircraft): 355

IMDG-Code

UN number: UN 1170

Proper shipping name: Ethanol or Ethyl Alcohol or Ethanol Solutions or Ethyl Alcohol Solutions

Class: 3

Packing group: II

Label: 3

Ems Code: F-E, S-D

SECTION 15. Regulatory Information

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards

Fire Hazard

Acute Health Hazard

SARA 302:

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313

The following components are subject to reporting levels established by SARA Title III, Section 313:

US State Regulations

Pennsylvania Right to Know

Ethanol 75-79% 64-17-5

New Jersey Right to Know

Ethanol 75-79% 64-17-5

California Prop 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

Inventories

The ingredients of this product are reported in the following inventories:

AICS: All ingredients listed or exempt

SECTION 16 Other Information

Last Revision Date 05/15/2020

Preparation Date 05/08/2020


Disclaimer/Statement of Liability

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstance of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet.

Furthermore, vendor assumes no responsibility for Injury caused by abnormal use of this material even if reasonable safety procedures are followed. Any questions regarding this product should be direct to the manufacturer of the product as described in Section 1

Further information

NFPA:



HMIS III:

HEALTH	2
FLAMMABILITY	3
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	: ACGIH - Biological Exposure Indices (BEI)
NIOSH REL	: USA. NIOSH Recommended Exposure Limits
OSHA Z-1	: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA	: 8-hour, time-weighted average
ACGIH / STEL	: Short-term exposure limit
NIOSH REL / TWA	: Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	: STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA Z-1 / TWA	: 8-hour time weighted average
Sources of key data used to compile the Material Safety Data Sheet	: Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/