Version 2.2		Revision Date 04/21/2020	Print Date 05/10/2022
SECTION 1. PRODUCT AND C			
Material name	:	TIMEMIST CHERRY AIR FRESHENER 12CT	30 DAY 12N5.3
Material number	:	00000000001042700	
Manufacturer or supplier's details			
Company	:	Zep Inc.	
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137	
Telephone	:	404-352-1680	

## Emergency telephone numbers

For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

## Recommended use of the chemical and restrictions on use

Note: This product is labeled as a consumer product in accordance with the United States Consumer Product Safety Commission regulations. The warnings presented below in this Safety Data Sheet (SDS) comply with the 2012 OSHA Hazard Communication Standard (GHS - Globally Harmonized System of Classification and Labeling). The requirements for the labeling and warnings of consumer products may differ from those required for GHS based hazard communication.

### SECTION 2. HAZARDS IDENTIFICATION

#### **Emergency Overview**

Appearance	Aerosol containing a liquefied gas
Colour	colourless
Odour	characteristic

#### **GHS** Classification

Flammable aerosols	: Category 1
Gases under pressure	: Liquefied gas
Eye irritation	: Category 2A
Respiratory sensitisation	: Category 1
Skin sensitisation	: Category 1
Specific target organ toxicity -	: Category 3 (Central nervous system)
single exposure	

#### GHS label elements

sion 2.2	Revision Date 04/21/2020	Print Date 05/10/20
Hazard pictograms		
Signal word	Flame Gas cylinder Health : Danger	hazard Exclamation mark
Hazard statements	<ul> <li>H222 Extremely flammable aer H280 Contains gas under press H317 May cause an allergic sk H319 Causes serious eye irritat H334 May cause allergy or asth difficulties if inhaled. H336 May cause drowsiness or</li> </ul>	sure; may explode if heated. in reaction. tion. hma symptoms or breathing
Precautionary statements	<ul> <li>Prevention: P210 Keep away from heat, ho and other ignition sources. No s P211 Do not spray on an open P251 Pressurized container: Do use. P261 Avoid breathing dust/ furn P264 Wash skin thoroughly afte P271 Use only outdoors or in a P272 Contaminated work clothing the workplace. P280 Wear protective gloves/ of P285 In case of inadequate vern protection.</li> <li>Response: P302 + P352 IF ON SKIN: Was P304 + P340 + P312 IF INHALI and keep comfortable for breath CENTER/doctor if you feel unw P305 + P351 + P338 IF IN EYE for several minutes. Remove co easy to do. Continue rinsing. P333 + P313 If skin irritation or advice/ attention. P342 + P311 If experiencing re POISON CENTER/doctor.</li> <li>P362 + P364 Take off contamin reuse.</li> <li>Storage: P410 + P412 Protect from sun temperatures exceeding 50 °C/ P403 + P235 Store in a well-ver Disposal: P501 Dispose of contents/conta- regulation.</li> </ul>	smoking. flame or other ignition source o not pierce or burn, even after he/ gas/ mist/ vapours/ spray. er handling. well-ventilated area. ing should not be allowed out eye protection/ face protection ntilation wear respiratory sh with plenty of soap and wa ED: Remove person to fresh hing. Call a POISON rell. ES: Rinse cautiously with water ontact lenses, if present and rash occurs: Get medical ersists: Get medical advice/ espiratory symptoms: Call a hated clothing and wash it be ight. Do not expose to ' 122 °F. ntilated place. Keep cool.

Version 2.2

Revision Date 04/21/2020

Print Date 05/10/2022

Substance / Mixture : Mixture

### Hazardous components

Chemical name	CAS-No.	Concentration [%]
acetone	67-64-1	>= 70 - < 90
propane	74-98-6	>= 20 - < 30
benzaldehyde	100-52-7	>= 1 - < 3
cinnamaldehyde	104-55-2	>= 0.1 - < 1

The exact percentages of disclosed substances are withheld as trade secrets.

#### **SECTION 4. FIRST AID MEASURES**

General advice	:	Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended. Get medical attention.
lf inhaled	:	If unconscious, place in recovery position and seek medical advice. Consult a physician after significant exposure.
In case of skin contact	:	Remove contaminated clothing and shoes. Wash contaminated clothing before re-use. Wash off immediately with soap and plenty of water. If skin irritation persists, call a physician.
In case of eye contact	:	Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. Rinse immediately with plenty of water for at least 15 minutes.
If swallowed	:	Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Take victim immediately to hospital.
Most important symptoms and effects, both acute and delayed	:	Effects are immediate and delayed. Symptoms may include irritation, redness, pain, and rash. Symptoms may include central nervous system depression, resulting in headache, nausea and/or dizziness. Effects are dependent on exposure (dose, concentration, contact time). Causes serious eye irritation. May cause drowsiness or dizziness. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Review section 2 of SDS to see all potential hazards. May cause an allergic skin reaction.
Notes to physician	:	Treat symptomatically. Symptoms may be delayed.

Version 2.2

SECTION 5. FIREFIGHTING MEASURES

Revision Date 04/21/2020

Print Date 05/10/2022

Suitable extinguishing media	: Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	: High volume water jet
Specific hazards during firefighting	: Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products Specific extinguishing methods	<ul> <li>Carbon dioxide (CO2) Carbon monoxide Smoke</li> <li>Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.</li> </ul>
Further information	<ul> <li>For safety reasons in case of fire, cans should be stored separately in closed containments.</li> <li>Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.</li> <li>Collect contaminated fire extinguishing water separately. This must not be discharged into drains.</li> </ul>
Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if necessary.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	<ul> <li>Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.</li> </ul>
Environmental precautions	: Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains, inform respective authorities.
Methods and materials for containment and cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up or vacuum up spillage and collect in suitable container for disposal.

### SECTION 7. HANDLING AND STORAGE

Version 2.2	Revision Date 04/21/2020	Print Date 05/10/2022
Advice on safe handling	<ul> <li>Avoid exposure - obtain special in Avoid contact with skin and eyes. For personal protection see section Smoking, eating and drinking sho application area. Take precautionary measures aga Provide sufficient air exchange an Dispose of rinse water in accordan regulations. Persons susceptible to skin sensiti allergies, chronic or recurrent resp be employed in any process in wh used.</li> </ul>	on 8. uld be prohibited in the ainst static discharges. d/or exhaust in work rooms. nce with local and national tisation problems or asthma, piratory disease should not
Conditions for safe storage	<ul> <li>BEWARE: Aerosol is pressurized. exposure and temperatures over a or throw into fire even after use. D red-hot objects. No smoking.</li> <li>Observe label precautions. Keep in a dry, cool and well-ventila Electrical installations / working m the technological safety standards</li> </ul>	50 °C. Do not open by force to not spray on flames or ated place. aterials must comply with
Materials to avoid	: Oxidizing agents	

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
acetone	67-64-1	TWA	250 ppm	ACGIH
		STEL	500 ppm	ACGIH
		TWA	250 ppm 590 mg/m3	NIOSH REL
		TWA	1,000 ppm 2,400 mg/m3	OSHA Z-1
		TWA	750 ppm 1,800 mg/m3	OSHA P0
		STEL	1,000 ppm 2,400 mg/m3	OSHA P0
		STEL	750 ppm 1,780 mg/m3	CAL PEL
		С	3,000 ppm	CAL PEL
		PEL	500 ppm 1,200 mg/m3	CAL PEL
propane	74-98-6	TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,800 mg/m3	OSHA P0
		PEL	1,000 ppm	CAL PEL

Version	22
VEISION	<b>Z.Z</b>

Revision Date 04/21/2020

Print Date 05/10/2022

			1,800 mg/m3	
benzaldehyde	100-52-7	TWA	2 ppm	US WEEL
		STEL	4 ppm	US WEEL

## **Biological occupational exposure limits**

Component	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
2-PROPANONE	67-64-1	Acetone	Urine	End of shift (As soon as possible after exposure ceases)	25 mg/l	ACGIH BEI

Engineering measures	: effective ventilation in all processing areas
Personal protective equipme	nt
Respiratory protection	: No personal respiratory protective equipment normally required.
Hand protection Remarks	: The use of skin protection is not normally required; however, good industrial hygiene practice suggests the use of gloves or other appropriate skin protection whenever working with chemicals, and especially if prolonged or frequent contact is possible or likely.
Eye protection	<ul> <li>Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.</li> <li>Eye wash bottle with pure water</li> <li>Tightly, fitting patchy gaggies</li> </ul>
	Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	: No special protection is required.
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aerosol containing a liquefied gas
Colour	: colourless
Odour	: characteristic
Odour Threshold	: No data available

Version 2.2

## Revision Date 04/21/2020

Print Date 05/10/2022

рН	: Not applicable
Melting point/freezing point	: No data available
Boiling point	: No data available
Flash point	:
	Not applicable
Evaporation rate	: No data available
Flammability (solid, gas, liquid)	: Extremely flammable aerosol.
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Density	: No data available
Solubility(ies)	
Water solubility	: partly soluble
Partition coefficient: n- octanol/water	: No data available
Auto-ignition temperature	: not determined
Thermal decomposition	: No data available
Viscosity	
Viscosity, kinematic	: No data available
Heat of combustion	: 36.31 kJ/g

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air. No decomposition if stored and applied as directed.
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct sunlight.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

Version 2.2

Revision Date 04/21/2020 Print Date 05/10/2022

#### SECTION 11. TOXICOLOGICAL INFORMATION

#### Potential Health Effects

Aggravated Medical Condition	: None known.
Symptoms of Overexposure	<ul> <li>Effects are immediate and delayed. Symptoms may include irritation, redness, pain, and rash. Symptoms may include central nervous system depression, resulting in headache, nausea and/or dizziness. Effects are dependent on exposure (dose, concentration, contact time).</li> <li>Causes serious eye irritation. May cause drowsiness or dizziness.</li> <li>May cause allergy or asthma symptoms or breathing difficulties if inhaled. Review section 2 of SDS to see all potential hazards. May cause an allergic skin reaction. Treat symptomatically. Symptoms may be delayed.</li> </ul>

IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

#### Acute toxicity

Product:

Carcinogenicity:

Flouuci.	
Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Acute dermal toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Components:	
acetone: Acute oral toxicity	: LD50 Rat: 5,800 mg/kg
Acute inhalation toxicity	: LC50 Rat: 132 mg/l Exposure time: 3 h
	LC50 Rat: 50.1 mg/l

	TRESHENER JUDAT	12103.31201
Version 2.2	Revision Date 04/21/2020	Print Date 05/10/2022
Acute dermal toxicity	: LD50 Guinea pig: > 7,426 mg	/kg
	LD50 Rabbit: > 7,426 mg/kg	
	LD30 (Kabbit: > 7,420 mg/kg	
cinnamaldehyde:		
Acute oral toxicity	: LD50 Oral Rat: 2,220 mg/kg	
Skin corrosion/irritation		
Product:		
Remarks: May irritate skin.		
Serious eye damage/eye irritation	on	
Product:		
Remarks: Severe eye irritatio	n	
Respiratory or skin sensitisation		
Product:		
Remarks: Causes sensitisation	on.	
Components:		
benzaldehyde:	politication by inholation	
Classification: May cause ser		
Classification: May cause ser	nsitisation by skin contact.	
cinnamaldehyde: Classification: May cause ser	sitisation by skin contact	
	Skillon by Skill contact.	
Germ cell mutagenicity		
No data available		
Carcinogenicity		
No data available		
Reproductive toxicity		
No data available		
STOT - single exposure		
No data available		
STOT - repeated exposure		
No data available		
Aspiration toxicity		
No data available		

Version 2.2

Revision Date 04/21/2020

Print Date 05/10/2022

### Further information

Product:

Remarks: Not applicable

### SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

No data available

## Persistence and degradability

No data available Bioaccumulative potential

## Product:

<u>i iouuci.</u>	
Partition coefficient: n- octanol/water <u>Components:</u> benzaldehyde :	: Remarks: No data available
Partition coefficient: n- octanol/water cinnamaldehyde :	: log Pow: 1.5
Partition coefficient: n- octanol/water	: Pow: 1.83
Mobility in soil	
No data available	
Other adverse effects	
No data available <u>Product:</u>	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Additional ecological information	: Not applicable

### SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Version 2.2	Revision Date 04/21/2020	Print Date 05/10/2022
Waste from residues	<ul> <li>Do not dispose of waste into sewer.</li> <li>Do not contaminate ponds, waterways or ditches with chemical or used container.</li> <li>Dispose of in accordance with local regulations.</li> </ul>	
Contaminated packaging	<ul> <li>Empty remaining contents.</li> <li>Dispose of as unused product.</li> <li>Do not re-use empty containers.</li> <li>Do not burn, or use a cutting torch on, the empty drum.</li> </ul>	

### SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

### SECTION 15. REGULATORY INFORMATION

**TSCA list** : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

## EPCRA - Emergency Planning and Community Right-to-Know Act

#### CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
acetone	67-64-1	5000	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

Version 2.2

Revision Date 04/21/2020

Print Date 05/10/2022

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
hydroquinone	123-31-9	100	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 311/312 Hazards	:	Flammable (gases, aerosols, liquids, or solids) Gases under pressure Serious eye damage or eye irritation Respiratory or skin sensitisation Specific target organ toxicity (single or repeated exposure)
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
California Prop. 65		
		This product contains a chemical that is at or below California Propositions 65's "safe harbor level" for reproductive/developmental toxicity as determined via a risk assessment. Therefore, the chemical is not required to be listed as a Prop 65 chemical on the SDS or label.

### The components of this product are reported in the following inventories:

DSLAll components of this product are on the Canadian DSLTSCAOn TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

## Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION

Version 2.2

Revision Date 04/21/2020

Print Date 05/10/2022

### **Further information**

#### NFPA:



0 = not significant, 1 = Slight,

2 = Moderate, 3 = High


4 = Extreme

#### HMIS III:

HEALTH	2*
FLAMMABILITY	4
PHYSICAL HAZARD	1

0 = not significant, 1 = Slight,

- 2 = Moderate, 3 = High
- 4 = Extreme, \* = Chronic



Version 2.2

Revision Date 04/21/2020

Print Date 05/10/2022

if you feel unw ell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. If experiencing respiratory symptoms: Call a POISON CENTER/doctor. Take off contaminated clothing and w ash it before reuse. **Storage:** Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122

Storage: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Store in a well-ventilated place. Keep cool.

**Disposal:** Dispose of contents/container in accordance with local regulation.

Version:	2.2
Revision Date:	04/21/2020
Print Date:	05/10/2022

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.