Version 3.1	Revision Date 04/16/2020	Print Date 05/10/2022

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	TIMEMIST CARIBBEAN WATERS AIR FRESHENER 30 DAY 12N5.3 12CT
Material number	:	0000000001042756
Manufacturer or supplier's	deta	ails
Company	:	Zep Inc.
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137
Telephone	:	404-352-1680

Emergency telephone numbers

For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

Recommended use of the chemical and restrictions on use

Note: This product is labeled as a consumer product in accordance with the United States Consumer Product Safety Commission regulations. The warnings presented below in this Safety Data Sheet (SDS) comply with the 2012 OSHA Hazard Communication Standard (GHS - Globally Harmonized System of Classification and Labeling). The requirements for the labeling and warnings of consumer products may differ from those required for GHS based hazard communication.

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	Aerosol containing a liquefied gas
Colour	colourless
Odour	characteristic

GHS Classification

Flammable aerosols Gases under pressure	: Category 1 : Liquefied gas	
Eye irritation	: Category 2A	
Skin sensitisation	: Category 1	
Reproductive toxicity	: Category 2	
Specific target organ toxicity -	: Category 3 (Central nervous sy	vstem)
single exposure		

GHS label elements

rsion 3.1	Revision Date 04/16/2020	Print Date 05/10/20
Hazard pictograms		
Signal word	Flame Gas cylinder Health : Danger	hazard Exclamation mark
Hazard statements	 H222 Extremely flammable aero H280 Contains gas under press H317 May cause an allergic ski H319 Causes serious eye irritati H336 May cause drowsiness or H361 Suspected of damaging fer 	sure; may explode if heated. n reaction. ion. dizziness.
Precautionary statements	 Prevention: P201 Obtain special instructions P202 Do not handle until all safe and understood. P210 Keep away from heat, hot and other ignition sources. No s P211 Do not spray on an open f P251 Pressurized container: Do use. P261 Avoid breathing dust/ fume P264 Wash skin thoroughly afte P271 Use only outdoors or in a P272 Contaminated work clothin the workplace. P280 Wear protective gloves/ pi protection/ face protection. Response: P302 + P352 IF ON SKIN: Was P304 + P340 + P312 IF INHALE and keep comfortable for breath CENTER/doctor if you feel unwe P305 + P351 + P338 IF IN EYE for several minutes. Remove co easy to do. Continue rinsing. P308 + P313 IF exposed or con attention. P333 + P313 If skin irritation or advice/ attention. P337 + P313 If eye irritation per attention. P362 + P364 Take off contamin reuse. Storage: P410 + P412 Protect from sunlist temperatures exceeding 50 °C/ P403 + P235 Store in a well-ven Disposal: P501 Dispose of contents/contar regulation. 	ety precautions have been re surfaces, sparks, open flam smoking. flame or other ignition source o not pierce or burn, even aft e/ gas/ mist/ vapours/ spray. er handling. well-ventilated area. ng should not be allowed ou rotective clothing/ eye th with plenty of soap and wa ED: Remove person to fresh hing. Call a POISON ell. S: Rinse cautiously with wat ontact lenses, if present and neerned: Get medical advice/ rash occurs: Get medical rsists: Get medical advice/ hated clothing and wash it be ght. Do not expose to 122 °F. ntilated place. Keep cool.

Version 3.1

Revision Date 04/16/2020

Print Date 05/10/2022

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration [%]
acetone	67-64-1	>= 70 - < 90
propane	74-98-6	>= 20 - < 30
2-(2-ethoxyethoxy)ethanol	111-90-0	>= 1 - < 3
alpha-hexylcinnamaldehyde	101-86-0	>= 0.1 - < 1
2-(4-tert-butylbenzyl)propionaldehyde	80-54-6	>= 0.1 - < 1

The exact percentages of disclosed substances are withheld as trade secrets.

SECTION 4. FIRST AID MEASURES

General advice :	Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended. Get medical attention.
If inhaled :	Consult a physician after significant exposure. If unconscious, place in recovery position and seek medical advice.
In case of skin contact :	Remove contaminated clothing and shoes. Wash contaminated clothing before reuse. Wash off immediately with soap and plenty of water. If skin irritation persists, call a physician.
In case of eye contact :	Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. Rinse immediately with plenty of water for at least 15 minutes.
If swallowed :	Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. DO NOT induce vomiting unless directed to do so by a physician or poison control center.
Most important symptoms : and effects, both acute and delayed	Effects are immediate and delayed. Symptoms may include irritation, redness, pain, and rash. Effects are dependent on exposure (dose, concentration, contact time). Chronic effects are delayed and symptoms may not be observed during an exposure. Symptoms may include central nervous system depression, resulting in headache, nausea and/or dizziness. Causes serious eye irritation.

Version 3.1	Revision Date 04/16/2020	Print Date 05/10/2022
	May cause drowsiness or dizzines May cause an allergic skin reaction Review section 2 of SDS to see al Suspected of damaging fertility or	n. I potential hazards.
Notes to physician	: Treat symptomatically. Symptoms	s may be delayed.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	: High volume water jet
Specific hazards during firefighting	: Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	: Carbon dioxide (CO2) Carbon monoxide Smoke
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Standard procedure for chemical fires.
Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	 Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions	 Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains, inform respective authorities.
Methods and materials for containment and cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up or vacuum up spillage and collect in suitable

Version 3.1

Revision Date 04/16/2020

Print Date 05/10/2022

container for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	oid exposure - obtain special instructions befo oid contact with skin and eyes. r personal protection see section 8. hoking, eating and drinking should be prohibit plication area. ke precautionary measures against static dis boide sufficient air exchange and/or exhaust is spose of rinse water in accordance with local gulations. rsons susceptible to skin sensitisation problem ergies, chronic or recurrent respiratory diseas employed in any process in which this mixtu ed.	ed in the charges. n work rooms. and national ns or asthma, e should not
Conditions for safe storage	WARE: Aerosol is pressurized. Keep away fiposure and temperatures over 50 °C. Do not throw into fire even after use. Do not spray o d-hot objects. smoking. pserve label precautions. ep in a dry, cool and well-ventilated place. ectrical installations / working materials must e technological safety standards.	open by force n flames or
Materials to avoid	idizing agents	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
acetone	67-64-1	TWA	250 ppm	ACGIH
		STEL	500 ppm	ACGIH
		TWA	250 ppm 590 mg/m3	NIOSH REL
		TWA	1,000 ppm 2,400 mg/m3	OSHA Z-1
		TWA	750 ppm 1,800 mg/m3	OSHA P0
		STEL	1,000 ppm 2,400 mg/m3	OSHA P0
		STEL	750 ppm 1,780 mg/m3	CAL PEL
		С	3,000 ppm	CAL PEL
		PEL	500 ppm	CAL PEL

			1,200 mg/m3	
propane	74-98-6	TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,800 mg/m3	OSHA P0
		PEL	1,000 ppm 1,800 mg/m3	CAL PEL
2-(2-ethoxyethoxy)ethanol	111-90-0	TWA	25 ppm	US WEEL

Revision Date 04/16/2020

Print Date 05/10/2022

Biological occupational exposure limits

Version 3.1

Component	CAS-No.	Control	Biological	Sampling	Permissible	Basis
		parameters	specimen	time	concentration	
2-PROPANONE	67-64-1	Acetone	Urine	End of	25 mg/l	ACGIH BEI
				shift (As	_	
				soon as		
				possible		
				after		
				exposure		
				ceases)		

Personal protective equipment

Respiratory protection	:	No personal respiratory protective equipment normally required.
Hand protection Remarks	:	Skin should be washed after contact.
Eye protection	:	Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.
Skin and body protection	:	No special protection is required.
Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aerosol containing a liquefied gas
Colour	: colourless
Odour	: characteristic
Odour Threshold	: No data available
рН	: Not applicable

rsion 3.1	Revision Date 04/16/2020	Print Date 05/10/202
Melting point/freezing point	: No data available	
Boiling point	: No data available	
Flash point	: No data available	
Evaporation rate	: No data available	
Flammability (solid, gas, liquid)	: Extremely flammable aerosol.	
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Relative vapour density	: No data available	
Density	: No data available	
Solubility(ies)		
Water solubility	: partly soluble	
Partition coefficient: n- octanol/water	: No data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: No data available	
Viscosity		
Viscosity, kinematic	: No data available	
Heat of combustion	: 36.56 kJ/g	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air. No decomposition if stored and applied as directed.
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct sunlight.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

SECTION 11. TOXICOLOGICAL INFORMATION

Revision Date 04/16/2020

Print Date 05/10/2022

Potential Health Effects Aggravated Medical : None known. Condition Symptoms of Overexposure : Effects are immediate and delayed. Symptoms may include irritation, redness, pain, and rash. Effects are dependent on exposure (dose, concentration, contact time). Chronic effects are delayed and symptoms may not be observed during an exposure. Symptoms may include central nervous system depression, resulting in headache, nausea and/or dizziness. Causes serious eye irritation. May cause drowsiness or dizziness. May cause an allergic skin reaction. Review section 2 of SDS to see all potential hazards. Suspected of damaging fertility or the unborn child. Treat symptomatically. Symptoms may be delayed. Carcinogenicity: IARC No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. ACGIH No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. **OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens. NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. Acute toxicity **Components:**

 acetone:
 .
 LD50 Rat: 5,800 mg/kg

 Acute oral toxicity
 :
 LC50 Rat: 132 mg/l
Exposure time: 3 h

 Acute dermal toxicity
 :
 LC50 Rat: 50.1 mg/l

 Acute dermal toxicity
 :
 LD50 Guinea pig: > 7,426 mg/kg

 Skin corrosion/irritation
 Skin corrosion/irritation

Product:

Version 3.1

Version 3.1

Revision Date 04/16/2020

Print Date 05/10/2022

Remarks: May irritate skin.

Serious eye damage/eye irritation

Product:

Remarks: Severe eye irritation

Respiratory or skin sensitisation

Product:

Remarks: Causes sensitisation.

Components:

alpha-hexylcinnamaldehyde: Classification: May cause sensitisation by skin contact.

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration toxicity

No data available

Further information

Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

1261		
Version 3.1	Revision Date 04/16/2020	Print Date 05/10/2022
No data available		
Persistence and degradability		
No data available Bioaccumulative potential		
Product:		
Partition coefficient: n- octanol/water <u>Components:</u> 2-(2-ethoxyethoxy)ethanol:	: Remarks: No data available	
Partition coefficient: n- octanol/water alpha-hexylcinnamaldehyde	: Pow: 0.54	
Partition coefficient: n- octanol/water	: log Pow: 4.686	
2-(4-tert-butylbenzyl)propiona Partition coefficient: n- octanol/water	aldehyde: : log Pow: 4.72 (25 °C)	
Mobility in soil		
No data available		
Other adverse effects		
No data available Product:		
Regulation	40 CFR Protection of Environm Stratospheric Ozone - CAA Sec Substances	
Remarks	This product neither contains, r with a Class I or Class II ODS a Clean Air Act Section 602 (40 0 + B).	as defined by the U.S.
Additional ecological information	: No data available	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

Version 3.1

Revision Date 04/16/2020

Print Date 05/10/2022

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

TSCA list : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
acetone	67-64-1	5000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
hydroquinone	123-31-9	100	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 311/312 Hazards

Flammable (gases, aerosols, liquids, or solids)
 Gases under pressure
 Serious eye damage or eye irritation
 Respiratory or skin sensitisation

Version 3.1	Revision Date 04/16/2020	Print Date 05/10/2022
	Reproductive toxicity Specific target organ toxicity (single	or repeated exposure)
SARA 302	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.	
SARA 313	: The following components are subje established by SARA Title III, Sectio 2-(2-ethoxyethoxy)ethanol	
California Prop. 65		
	This product contains a chemical that is at or below California Propositions 65's "safe harbor level" for reproductive/developmental toxicity as determined via a risk assessment. Therefore, the chemical is not required to be listed as a Prop 65 chemical on the SDS or label.	

The components of this product are reported in the following inventories:

DSL	This product contains the following components listed on the Canadian	
	NDSL. All other components are on the Canadian DSL.	
TSCA	On TSCA Inventory	

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION

Version 3.1

Revision Date 04/16/2020

Print Date 05/10/2022

Further information

NFPA:

HEALTH	3
FLAMMABILITY	4
INSTABILITY	0
SPECIAL HAZARD.	

0 = not significant, 1 =Slight, 2 = Moderate, 3 = High

4 = Extreme

HMIS III:

HEALTH	3*
FLAMMABILITY	4
PHYSICAL HAZARD	1

0 = not significant, 1 =Slight,

2 = Moderate, 3 = High

4 = Extreme, * = Chronic

OSHA - GHS Label Information:

Hazard pictograms	
	Flame Gas cylinder Health hazard Exclamation mark
Signal w ord	: Danger:
Hazard statements	: Extremely flammable aerosol. Contains gas under pressure; may explode if heated
	May cause an allergic skin reaction. Causes serious eye irritation. May cause drow siness or dizziness. Suspected of damaging fertility or the unborn child.
Precautionary statements	:
	Prevention: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep aw ay fromheat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an op flame or other ignition source. Pressurized container: Do not pierce or burn, even a use. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash skin thoroughly a handling. Use only outdoors or in a well-ventilated area. Contaminated w ork clothin should not be allow ed out of the w orkplace. Wear protective gloves/ protective clother eye protection/face protection.

Version 3.1

Revision Date 04/16/2020

Print Date 05/10/2022

Response: IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unw ell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

Storage: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store in a w ell-ventilated place. Keep cool.

Disposal: Dispose of contents/container in accordance with local regulation.

Version:	3.1
Revision Date:	04/16/2020
Print Date:	05/10/2022

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.