Version 2.2		Revision Date 04/27/2020	Print Date 05/10/2022
SECTION 1. PRODUCT AND	COMP	ANY IDENTIFICATION	
Material name	:	TIMEMIST WILDWOOD FIG AIR 12N6.6 12CT	FRESHENER 30 DAY
Material number	:	00000000001048493	

Manufacturer or supplier's details				
Company	:	Zep Inc.		
Address	:	350 Joe Frank Harris Parkway, Emerson, GA 30137		

Telephone	: 404-352-1680
-----------	----------------

## Emergency telephone numbers

For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

SE

## Recommended use of the chemical and restrictions on use

Note: This product is labeled as a consumer product in accordance with the United States Consumer Product Safety Commission regulations. The warnings presented below in this Safety Data Sheet (SDS) comply with the 2012 OSHA Hazard Communication Standard (GHS - Globally Harmonized System of Classification and Labeling). The requirements for the labeling and warnings of consumer products may differ from those required for GHS based hazard communication.

## SECTION 2. HAZARDS IDENTIFICATION

#### **Emergency Overview**

Appearance	Aerosol containing a liquefied gas	
Colour	colourless	
Odour	mild	

#### **GHS** Classification

Flammable aerosols Gases under pressure Eye irritation Specific target organ toxicity - single exposure	: Category 1 : Liquefied gas : Category 2A : Category 3 (Central nervous system)
GHS label elements	
Hazard pictograms	: Flame Gas cylinder Exclamation mark
Signal word	: Danger

Version 2.2	Revision Date 04/27/2020	Print Date 05/10/2022
Hazard statements	<ul> <li>H222 Extremely flammable aerosol.</li> <li>H280 Contains gas under pressure; may explode if heated.</li> <li>H319 Causes serious eye irritation.</li> <li>H336 May cause drowsiness or dizziness.</li> </ul>	
Precautionary statements	<ul> <li>Prevention: P210 Keep away from heat, hot su and other ignition sources. No smo P211 Do not spray on an open flar P251 Pressurized container: Do no use. P261 Avoid breathing dust/ fume/ P264 Wash skin thoroughly after h P271 Use only outdoors or in a we P280 Wear eye protection/ face pr Response: P304 + P340 + P312 IF INHALED: and keep comfortable for breathing CENTER/doctor if you feel unwell. P305 + P351 + P338 IF IN EYES: for several minutes. Remove conta easy to do. Continue rinsing. P337 + P313 If eye irritation persis attention. Storage: P410 + P412 Protect from sunlight temperatures exceeding 50 °C/ 12 P403 + P235 Store in a well-ventila Disposal: P501 Dispose of contents/container regulation.</li> </ul>	oking. ne or other ignition source. ot pierce or burn, even after gas/ mist/ vapours/ spray. andling. II-ventilated area. otection. Remove person to fresh air g. Call a POISON Rinse cautiously with water act lenses, if present and ets: Get medical advice/ a. Do not expose to 2 °F. ated place. Keep cool.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous components

Chemical name	CAS-No.	Concentration [%]
acetone	67-64-1	>= 70 - < 90
propane	74-98-6	>= 20 - < 30

The exact percentages of disclosed substances are withheld as trade secrets.

### **SECTION 4. FIRST AID MEASURES**

General advice : Move out of dangerous area. Show this safety data sheet to the doctor in attendanc Do not leave the victim unattended. Get medical attention.
---

Version 2.2	Revision Date 04/27/2020	Print Date 05/10/2022	
If inhaled		Consult a physician after significant exposure. If unconscious, place in recovery position and seek medical advice.	
In case of skin contact	: Remove contaminated clothing a Wash contaminated clothing bef Wash off immediately with soap If skin irritation persists, call a ph	ore re-use. and plenty of water.	
In case of eye contact	<ul> <li>Rinse immediately with plenty of for at least 15 minutes.</li> <li>Remove contact lenses.</li> <li>Protect unharmed eye.</li> <li>Keep eye wide open while rinsin If eye irritation persists, consult a</li> </ul>	ng.	
If swallowed	<ul> <li>Keep respiratory tract clear.</li> <li>Do not give milk or alcoholic bev Never give anything by mouth to If symptoms persist, call a physic DO NOT induce vomiting unless physician or poison control center</li> </ul>	o an unconscious person. cian. s directed to do so by a	
Most important symptoms and effects, both acute and delayed	<ul> <li>Effects are immediate and delay Symptoms may include irritation Symptoms may include central r resulting in headache, nausea a Effects are dependent on expos contact time).</li> <li>Causes serious eye irritation.</li> <li>May cause drowsiness or dizzing Review section 2 of SDS to see</li> </ul>	, redness, pain, and rash. nervous system depression, ind/or dizziness. ure (dose, concentration, ess.	
Notes to physician	: Treat symptomatically. Symptor	ns may be delayed.	

## SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	: High volume water jet
Specific hazards during firefighting	: Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	: Carbon dioxide (CO2) Carbon monoxide Smoke
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	: Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Version 2.2		Revision Date 04/27/2020	Print Date 05/10/2022
	Fire residues and contaminated fire extinguishing water mube disposed of in accordance with local regulations. Use a water spray to cool fully closed containers.		regulations.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatu necessary.	s for firefighting if

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains, inform respective authorities.
Methods and materials for containment and cleaning up	:	Pick up and transfer to properly labelled containers.

## SECTION 7. HANDLING AND STORAGE

Advice on safe handling	Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in th application area. Take precautionary measures against static discharges Provide sufficient air exchange and/or exhaust in work Dispose of rinse water in accordance with local and nat regulations.	s. rooms.
Conditions for safe storage	BEWARE: Aerosol is pressurized. Keep away from dire exposure and temperatures over 50 °C. Do not open by or throw into fire even after use. Do not spray on flames red-hot objects. No smoking. Keep in a dry, cool and well-ventilated place. Observe label precautions. Electrical installations / working materials must comply the technological safety standards.	y force s or
Materials to avoid	Oxidizing agents	

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Components	CAS-No.	Value type	Control	Basis
		(Form of	parameters /	

Version 2.2

Revision Date 04/27/2020

Print Date 05/10/2022

		exposure)	Permissible concentration	
acetone	67-64-1	TWA	250 ppm	ACGIH
		STEL	500 ppm	ACGIH
		TWA	250 ppm 590 mg/m3	NIOSH REL
		TWA	1,000 ppm 2,400 mg/m3	OSHA Z-1
		TWA	750 ppm 1,800 mg/m3	OSHA P0
		STEL	1,000 ppm 2,400 mg/m3	OSHA P0
		STEL	750 ppm 1,780 mg/m3	CAL PEL
		С	3,000 ppm	CAL PEL
		PEL	500 ppm 1,200 mg/m3	CAL PEL
propane	74-98-6	TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,800 mg/m3	OSHA P0
		PEL	1,000 ppm 1,800 mg/m3	CAL PEL

## Biological occupational exposure limits

Component	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
2-PROPANONE	67-64-1	Acetone	Urine	End of shift (As soon as possible after exposure ceases)	25 mg/l	ACGIH BEI

Engineering measures : effective ventilation in all processing areas

## Personal protective equipment

Respiratory protection	:	No personal respiratory protective equipment normally required.
Hand protection Remarks	:	The use of skin protection is not normally required; however, good industrial hygiene practice suggests the use of gloves or other appropriate skin protection whenever working with chemicals, and especially if prolonged or frequent contact is possible or likely.
Eye protection	:	Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.
Skin and body protection	:	No special protection is required.

Version 2.2	Revision Date 04/27/2020	Print Date 05/10/2022
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the e	end of workday.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Aerosol containing a liquefied gas
Colour	:	colourless
Odour	:	mild
Odour Threshold	:	No data available
рН	:	Not applicable
Melting point/freezing point	:	Not applicable
Boiling point	:	Not applicable
Flash point	:	
		No data available
Evaporation rate	:	No data available
Flammability (solid, gas, liquid)	:	Extremely flammable aerosol.
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapour pressure	:	5,515.8 hPa
Density	:	< 1 g/cm3
Solubility(ies)		
Water solubility	:	partly soluble
Partition coefficient: n- octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Thermal decomposition	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.

Version 2.2	Revision Date 04/27/2020	Print Date 05/10/2022
Possibility of hazardous reactions	: Vapours may form explosive mixture No decomposition if stored and appl	
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct	sunlight.
Incompatible materials	: Strong oxidizing agents	
Hazardous decomposition products	: Carbon monoxide, carbon dioxide a hydrocarbons (smoke).	nd unburned

## SECTION 11. TOXICOLOGICAL INFORMATION

## **Potential Health Effects**

Aggravated Medical Condition Symptoms of Overexposure	<ul> <li>None known.</li> <li>Effects are immediate and delayed. Symptoms may include irritation, redness, pain, and rash. Symptoms may include central nervous system depression, resulting in headache, nausea and/or dizziness. Effects are dependent on exposure (dose, concentration, contact time). Causes serious eye irritation. May cause drowsiness or dizziness. Review section 2 of SDS to see all potential hazards. Treat symptomatically. Symptoms may be delayed.</li> </ul>
Carcinogenicity:	
IARC ACGIH	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. No component of this product present at levels greater than or
OSHA NTP	<ul> <li>equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.</li> <li>No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.</li> <li>No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.</li> </ul>
Acute toxicity <u>Components:</u> acetone: Acute oral toxicity	: LD50 Rat: 5,800 mg/kg
Acute or al toxicity	

Version 2.2	Revision Date 04/27/2020	Print Date 05/10/2022
	Exposure time: 3 h	
	LC50 Rat: 50.1 mg/l	
Acute dermal toxicity	: LD50 Guinea pig: > 7,426 mg/kg	
	LD50 Rabbit: > 7,426 mg/kg	
Skin corrosion/irritation		
Product:		
Remarks: May irritate skin.		
Serious eye damage/eye irritati	ion	
Product:		
Remarks: Severe eye irritation	n	
Respiratory or skin sensitisation	n	
No data available		
Germ cell mutagenicity		
No data available		
Carcinogenicity		
No data available		
Reproductive toxicity		
No data available		
STOT - single exposure		
No data available		
STOT - repeated exposure		
No data available		
Aspiration toxicity		
No data available		
Further information		
Product:		

## SECTION 12. ECOLOGICAL INFORMATION

## Ecotoxicity

Version 2.2	Revision Date 04/27/2020	Print Date 05/10/2022
No data available		
Persistence and degradability		
No data available Bioaccumulative potential		
Product:		
Partition coefficient: n- octanol/water	: Remarks: No data available	
Mobility in soil		
No data available		
Other adverse effects		
No data available Product:		
Regulation	40 CFR Protection of Environme Stratospheric Ozone - CAA Sect Substances	-
Remarks	This product neither contains, no with a Class I or Class II ODS as Clean Air Act Section 602 (40 Cl + B).	defined by the U.S.
Additional ecological information	: No data available	

## SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	<ul> <li>The product should not be allowed to enter drains, water courses or the soil.</li> <li>Do not contaminate ponds, waterways or ditches with chemical or used container.</li> <li>Dispose of in accordance with local regulations.</li> </ul>
Contaminated packaging	<ul> <li>Empty remaining contents.</li> <li>Dispose of as unused product.</li> <li>Do not re-use empty containers.</li> <li>Do not burn, or use a cutting torch on, the empty drum.</li> </ul>

## SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): UN1950, AEROSOLS, <u>FLAMMABLE</u>, 2.1, - Limited quantity

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Version 2.2

Revision Date 04/27/2020

Print Date 05/10/2022

Transportation Regulation: IATA (Cargo Air): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

## SECTION 15. REGULATORY INFORMATION

TSCA list

: No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

## EPCRA - Emergency Planning and Community Right-to-Know Act

## **CERCLA** Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
acetone	67-64-1	5000	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

## SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
hydroquinone	123-31-9	100	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 311/312 Hazards	:	Gases under pressure Flammable (gases, aerosols, liquids, or solids) Serious eye damage or eye irritation Specific target organ toxicity (single or repeated exposure)
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
California Prop. 65		

Version 2.2

Revision Date 04/27/2020

Print Date 05/10/2022

This product contains a chemical that is at or below California Propositions 65's "safe harbor level" for reproductive/developmental toxicity as determined via a risk assessment. Therefore, the chemical is not required to be listed as a Prop 65 chemical on the SDS or label.

## The components of this product are reported in the following inventories:

DSLAll components of this product are on the Canadian DSLTSCAOn TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

## Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION

Version 2.2

Revision Date 04/27/2020

Print Date 05/10/2022

## **Further information**

#### NFPA:



0 = not significant, 1 = Slight,

2 = Moderate, 3 = High


4 = Extreme

#### HMIS III:

HEALTH	2
FLAMMABILITY	4
PHYSICAL HAZARD	3

0 = not significant, 1 =Slight,

- 2 = Moderate, 3 = High
- 4 = Extreme, \* = Chronic



Version 2.2

Revision Date 04/27/2020

Print Date 05/10/2022

Disposal: Dispose of contents/container in accordance with local regulation.

Version:	2.2
Revision Date:	04/27/2020
Print Date:	05/10/2022

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.