


WSD&D



Big D Industries, Inc.

5620 S.W. 29th St.
P.O. Box 82219
Oklahoma City, OK
73148-0219
(405) 682-2541
1-800-654-4752
FAX (405) 681-4219
www.bigdind.com

WSD&D works wonders anywhere cross contamination is a possibility - hospitals, nursing homes, schools, prisons, food processing plants, large scale food preparation areas, public restrooms and the like...thorough and regular disinfecting is a must. With **WSD&D** one operation cleans, disinfects and deodorizes! Effective against MRSA.

Just 2 ounces in a gallon of water kills bacteria, viruses, fungi, mold and mildew. Two ounces in 3 1/2 gallons of water makes an active quaternary solution to keep things sanitized.

Not only does **WSD&D** disinfect effectively, it does so leaving a faint clean-smelling and refreshing lemon fragrance. Contains no phosphates.

Big D offers a complete line of products for thorough cleaning, disinfecting and odor control.

BIG D WSD&D

DIRECTIONS FOR USE

Big D WSD&D is not to be used as a terminal sterilant/high-level disinfectant on any surface or instrument that (1) is introduced directly into the human body either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body.

DISINFECTION

To disinfect inanimate hard, non-porous surfaces, add 2 ounces of Big D WSD&D per gallon of water. Apply solution with a mop, cloth, sponge, hand pump trigger sprayer or a low pressure coarse sprayer so as to wet all surfaces thoroughly. Allow to remain wet for 10 minutes, then remove excess liquid. For heavily soiled areas, a pre-cleaning step is required. Prepare a fresh solution for each use.

GENERAL CLEANING

Apply Big D WSD&D to soiled area with a mop, cloth, sponge, hand pump trigger sprayer or low pressure coarse sprayer. Big D WSD&D can be diluted at 2 ounces per gallon or applied at full strength. Thoroughly wet soiled surface and scrub as necessary.

DEODORIZATION

To deodorize, apply Big D WSD&D as indicated under the heading DISINFECTION.

VIRUCIDAL ACTIVITY

Big D WSD&D, when used on environmental, inanimate hard non-porous surfaces at 2 ounces per gallon of water, exhibits effective virucidal activity against Influenza A2/Japan (representative of the common flu virus), Herpes Simplex Type 1 (causative agent of fever blisters), Adenovirus Type 2 (causative agent of upper respiratory infections), Vaccinia virus (representative of the pox virus group), Bovine Viral Diarrhea Virus (BVDV), Human Coronavirus (ATCC VR-740, Strain 229E), Human Immunodeficiency Virus Type 1 (HIV-1), Hepatitis B virus (HBV) and Hepatitis C virus (HCV).
Follow the Disinfection directions.

KILLS HIV-1, HBV AND HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings (hospitals, nursing homes) or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS), Hepatitis B virus (HBV) and Hepatitis C virus (HCV).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV and HCV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

PERSONAL PROTECTION: When handling items soiled with blood or body fluids, use disposable latex gloves, gowns, masks, and eye coverings.

CLEANING PROCEDURES: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of Big D WSD&D.

CONTACT TIME: Allow surface to remain wet for 10 minutes.

DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal.

EFFICACY TESTS HAVE DEMONSTRATED THAT THIS PRODUCT IS AN EFFECTIVE BACTERICIDE, FUNGICIDE, AND VIRUCIDE IN THE PRESENCE OF ORGANIC SOIL (5% BLOOD SERUM).

To disinfect toilet bowls: flush toilet, add 2 ounces of Big D WSD&D directly to the bowl water. Swab the bowl completely using a scrub brush or toilet mop, making sure to get under the rim. Let stand for 10 minutes and flush.

To disinfect food processing premises: Before using this product, food products and packaging materials must be removed from the area or carefully protected. For floors, walls, and storage areas, add 2 ounces of Big D WSD&D per gallon of water. For heavily soiled areas, a pre-cleaning step is required. Apply solution with a mop, cloth, sponge, hand pump trigger sprayer or low pressure coarse sprayer so as to wet all surfaces thoroughly. Allow to remain wet for 10 minutes, then remove excess liquid. After use, all surfaces in the area must be thoroughly rinsed with potable water.

To disinfect food service establishment food contact surfaces: Before using this product, food products and packaging materials must be removed from the area or carefully protected. For countertops, appliances, tables, add 2 ounces of Big D WSD&D per gallon of water. For heavily soiled areas, a pre-cleaning step is required. Apply solution with a cloth, sponge, hand pump trigger sprayer or low pressure coarse sprayer so as to wet all surfaces thoroughly. Allow the surface to remain wet for 10 minutes, then remove excess liquid and rinse the surface with potable water. Big D WSD&D can not be used to clean the following food contact surfaces: utensils, glassware and dishes.

BACTERICIDAL ACTIVITY

When diluted at the rate of 2 ounces per gallon of water, Big D WSD&D exhibits effective one-step disinfectant activity against the organisms: *Pseudomonas aeruginosa* PRD 10, *Escherichia coli*, *Klebsiella pneumoniae*, *Salmonella schottmuelleri*, *Salmonella enterica*, *Streptococcus salivarius*, *Brevibacterium ammoniagenes*, *Streptococcus faecalis*, *Shigella dysenteriae*, *Enterobacter aerogenes*, *Staphylococcus aureus*, Methicillin resistant *Staphylococcus aureus* (MRSA), and Vancomycin intermediate resistant *Staphylococcus aureus* (VISA), and meets all requirements for hospital use.

MILDEWSTAT

To control mold and mildew on pre-cleaned, hard, non-porous surfaces, add 2 ounces of Big D WSD&D per gallon of water. Apply solution with a cloth, mop, sponge, hand pump trigger sprayer or low pressure coarse sprayer making sure to wet all surfaces completely. Let air dry. Prepare a fresh solution for each use. Repeat application at weekly intervals or when mildew growth appears.

FUNGICIDAL ACTIVITY

At the 2 ounces per gallon dilution, Big D WSD&D is also fungicidal against the pathogenic fungi, *Trichophyton mentagrophytes* (causative agent of Athlete's Foot Fungus), when used as directed on hard surfaces found in bathrooms, shower stalls, locker rooms, exercise facilities or other clean, hard, non-porous, surfaces commonly contacted by bare feet.

Follow the Disinfection directions.

SHIPPING INFORMATION:

Product No. 360

Gallons packed 4 per case - wt. 36 lbs.

Also available in 5 gallon pail (wt. 45 lbs.)

& 55 gallon drum (wt. 495 lbs.)



Big D Industries, Inc.

5620 S.W. 29th St.
P.O. Box 82219
Oklahoma City, OK
73148-0219
(405) 682-2541
1-800-654-4752
FAX (405) 681-4219
www.bigdind.com