

2006 (REACH)

Printed 23.12.2009

Revision 02.11.2009 (GB) Version 2.3

GEARMASTER LXG 00 (Kärcher)

A01-05085

! 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

GEARMASTER LXG 00 (Kärcher) Name of product

Manufacturer/distributor FUCHS LUBRITECH GMBH

> Werner-Heisenberg-Straße 1, D-67661 Kaiserslautern/ Germany Phone +49 (0) 6301 3206 - 0, Fax +49 (0) 6301 3206 - 940

E-Mail reach@fuchs-lubritech.de Internet www.fuchs-lubritech.com

Advice Product Safety Management Phone +49 (0) 6301 3206 - 0

Fax +49 (0) 6301 3206 - 940

Emergency advice +49 (0)171 / 4632154

Recommended intended purpose(s)

Free-flowing grease

2. HAZARDS IDENTIFICATION

Information pertaining to special dangers for human and environment

none at appropriate handling and storage

! 3. COMPOSITION/INFORMATION ON INGREDIENTS

Lithium complex soap thickened based on synthetic oil

Hazardous ingredients

CAS No	EC No	Name	[% weight]	Classification according to 67/548/EEC
73984-93-7		1,3,4-Thiadiazol-2(3H)-thion, 5-(tert-dodecyldithio)	ca. 0,5	Xi;R43
Additional adv	vico			

Contains 1,3,4-Thiadiazol-2(3H)-thion, 5(tert.-dodecyldithio). May cause allergic reactions.

4. FIRST AID MEASURES

General information

Remove contaminated soaked clothing immediately, don't leave to dry.

In case of inhalation

Ensure of fresh air.

In the event of symptoms refer for medical treatment. (may be relevant for vapours of superheated product)

In case of skin contact

In case of contact with skin wash off with soap and water.

Don't use organic solvents

Consult a doctor if skin irritation persists.

In case of eye contact

In case of contact with eyes rinse with plenty of water carefully. In the event of persistent symptoms seek medical treatment.

In case of ingestion

Do not induce vomiting.

Call for a doctor immediately.

Physician's information / possible symptoms

No symptoms known so far.

Physician's information / possible dangers

Aspiration hazard when vomiting after swallow up

Treatment (Advice to doctor)

Treat symptoms.



2006 (REACH)

Printed 23.12.2009

Revision 02.11.2009 (GB) Version 2.3

GEARMASTER LXG 00 (Kärcher)

A01-05085

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Foam

Dry fire-extinguishing substance

Carbon dioxide

sand

Extinguishing media which must not be used for safety reasons

water

Special exposure hazards arising from the substance or preparation itself, combustion products, resulting gases

Fire gas of organic material has to be classed invariably as respiratory poison.

Special protective equipment for fire-fighters

In case of rescue and maintenance activities in storage containers use environment-independent breathing apparatus because of risk of suffocation by edging out of air oxygen

Wear suitable personal protective equipment for fire extinguishing measures.

Additional information

Apply foam in large quantities because some of it is destroyed by the product.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Ensure adequate ventilation.

Use personal protective clothing.

Avoid contact with skin and eyes

High risk of slipping due to leakage/spillage of product.

Environmental precautions

Collect contaminated water / firefighting water separately.

Do not discharge into the drains/surface waters/groundwater.

Do not discharge into the subsoil/soil.

Methods for cleaning up

Send in suitable containers for recovery or disposal.

Take up residues with absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

Additional Information

Informations for disposal see chapter 13.

7. HANDLING AND STORAGE

Advice on safe handling

Avoid formation of oil dust.

Avoid formation of aerosols.

Advice on protection against fire and explosion

The product is combustible.

Pay attention to general rules of internal fire prevention.

Requirements for storage rooms and vessels

Prevent penetration into the ground.

Advice on storage compatibility

Do not store together with oxidising and self-inflammable materials.

Further information on storage conditions

Keep container tightly closed, store at cool and aired place, open and handle carefully.

Protect from heat and direct solar radiation.

Store in a dry place.

Recommended storage temperature: room temperature.

Storage group 10/11

Fire class B

Information on storage stability

Refer to product information paper.

Recommendation(s) for intended use

see Product information



2006 (REACH)

Printed 23.12.2009

Revision 02.11.2009 (GB) Version 2.3

GEARMASTER LXG 00 (Kärcher)

A01-05085

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional advice on system design

Care for good room ventilation, exhaust system at workshop place if necessary

Additional advice

As basis for this information served the valid references.

Respiratory protection

Not required at determined application

Hand protection

Gloves (oil-resistant)

PVC gloves

Eye protection

tightly fitting goggles, in case of splashing

Skin protection

Usual working clothes for chemical industries

General protective measures

Avoid contact with eyes and skin

Do not inhale gases/vapours/aerosols.

Hygiene measures

Follow general rules of industrial hygiene for safe handling of chemical products

At work do not eat, drink and smoke.

Keep away from food and drink.

Wash hands before breaks and after work.

Use barrier skin cream.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form Colour Odour pasty yellow characteristic

Important health, safety and environmental information

	Value	Temperature	at	Method	Remark
pH value in delivery state					not applicable
drop point	ca. 220 ℃			DIN/ISO 2176	
Flash point					not applicable
Autoignition					unknown
Density	ca. 0,9 g/cm3	20 ℃			
Solubility in water					more or less insoluble
Oxidizing properties					
Explosive properties					

10. STABILITY AND REACTIVITY

Conditions to avoid

none at appropriate handling and storage

Materials to avoid

Reactions with oxidising agents.

Hazardous decomposition products

none at appropriate handling and storage

Thermal decomposition

Remark No decomposition if used as directed.



2006 (REACH)

Printed 23.12.2009

Revision 02.11.2009 (GB) Version 2.3

GEARMASTER LXG 00 (Kärcher)

A01-05085

11. TOXICOLOGICAL INFORMATION

Acute toxicity/Irritability/Sensitization

Value/Validation Species Method Remark

LD 50 acute oral not determined

LD 30 acute oral

Irritability skin no irritating effects known experiences

Irritability eye may have irritating effect if splash reaches eye

Skin sensitization No sensitizing effect known

Experiences made from practice

Product was determined in test person study as non-sensitizing skin. no harmful effects at appropriate handling and determined usage

Additional information

No toxical dates available

The product was classified on the basis of the calculation procedure of the preparation directive (1999/45/EC).

12. ECOLOGICAL INFORMATION

Data on elimination (persistence and degradability)

Biological Method of analysis Method Validation not determined

degradability

Mobility and bioaccumulative potential

The product has not been tested. Because of the product's consistency and low solubility in water bioavailability is not likely.

Ecotoxicological effects

Value Species Method Validation

Fish

not determined

Behaviour in sewage plant

Product gets duly not into waste water before it is not treated according to the local regulations.

General regulation

Ecological dates are not available.

Do not allow uncontrolled leakage of product into the environment.

Product is not allowed to be discharged into aquatic environment, drains or sewage treatment plants.

13. DISPOSAL CONSIDERATIONS

Waste code No.

12 01 12*

Name of waste spent waxes and fats

Wastes marked with an asterisk are considered to be hazardous waste pursuant to Directive 91/689/EEC on hazardous waste.

Recommendations for the product

Standardized regulations for residual waste disposal within the EG member states do not exist.

German statutes are prescribed in the law of "recycling and waste" (KrW/AbfG)

used absorbents of chapter 6: EAK 07 06 10

Recommendations for packaging

Uncontaminated packaging may be reused.

Dispose one-trip container according to local authority prescriptions

Empty containers completely; remaining material may represent explosion risk.

General information

Ultimately responsible for correct classification is the waste producer, as the EWC names different codes for different origins of same waste Therefore the a.m. recommendation has to be checked in case of need.



2006 (REACH)

Printed 23.12.2009

Revision 02.11.2009 (GB) Version 2.3

GEARMASTER LXG 00 (Kärcher)

A01-05085

14. TRANSPORT INFORMATION

Land and inland navigation transport ADR/RID

No hazardous material as defined by the prescriptions.

Marine transport IMDG

No hazardous goods as defined by prescriptions

Air transport ICAO/IATA-DGR

No hazardous goods as defined by prescriptions

15. REGULATORY INFORMATION

Remarks for labelling

The product does not require a hazard warning label in accordance with EC directives/German regulations on dangerous substances.

Although this product does not require a hazard warning label, we recommend that the safety advice should be observed.

Labelling not necessary on the basis of results of toxical examination.

Special labelling for certain preparations

Contains 1,3,4-Thiadiazol-2(3H)-thion, 5(tert.-dodecyldithio). May cause allergic reactions.

National regulations

Water hazard class

Mixture-WGK according to VwVwS (GER)

preliminary

VOC standard

VOC content

0 %

! 16. OTHER INFORMATION

Training advice

Use information in this MSDS

Recommendend uses and restrictions

usage only according to instructions for use and observance of warning notes

National and local regulations concerning chemicals shall be observed.

! Further information

The information given in this MSDS is based on the present state of knowledge and is intended to describe our products from the point of view of safety requirements only.

Substantial changes to the former version are marked by "!" on the left margin of the paper.

All the raw materials in this product are listed in TSCA.

Refer to product information paper.

Sources of key data used

Material Safety Data Sheets of raw materials

Wording of the R-phrases specified in chapter 3 (not the classification of the formulation!)

R 43 May cause sensitisation by skin contact.